



CITY OF TAMPA

Bob Buckhorn, Mayor

CONTRACT ADMINISTRATION DEPARTMENT

David L. Vaughn, AIA, Director

ADDENDUM NO. 2

DATE: October 29, 2014

Contract 14-C-00059; Rivergate Parking Garage Improvements

Bidders on the above referenced project are hereby notified that the following addendum is made to the Contract Documents. BIDS TO BE SUBMITTED SHALL CONFORM TO THIS NOTICE.

Item 1: Replace Work Item 25.7 in section 020010 with the following:

“WI 25.7 REMOVE AND REPLACE INSULATION

A. Scope of Work

1. Work consists of furnishing all labor, materials, equipment, supervision and incidentals necessary to remove and replace existing damaged insulation and drywall within stairtower shown on drawings with insulation and drywall of same size and quality.

B. Equipment

1. Equipment shall be as determined by the contractor to properly and safely execute this work item.
2. Materials shall be moisture resistant and equivalent to existing.

C. Execution

1. Contractor shall remove only damaged insulation and drywall to extents shown. Preserve existing, non-damaged material whenever possible.”

All other provisions of the Contract Documents and Specifications not in conflict with this Addendum shall remain in full force and effect. Questions are to be e-mailed to [Contract Administration@tampagov.net](mailto:ContractAdministration@tampagov.net).

Jim Greiner

Jim Greiner, P.E., Contract Management Supervisor