


CITY OF TAMPA
APPROVED SITE REVIEW ONLY, NOT VALID WITHOUT BUILDING PLANS
BLD-25-051707
9/3/2025

1 SITE PLAN
1" = 20'-0"

City of Tampa
CONSTRUCTION SERVICES DIVISION
PLANS APPROVAL
BLD-25-051707 9/3/2025
THIS SET OF PLANS MUST BE KEPT ON THE JOB SITE
It is unlawful to make changes or alterations without written approval from the City of Tampa Construction Services Division.
The Stamp of Approval is not to be held to permit violation of any City or State Codes
REVIEWED FOR CODE COMPLIANCE

Architects Design Group
333 North Knowles Avenue
Winter Park, Florida 32789
HOWARD + ASSOCIATES
ARCHITECTS, P.A.
AR0008254
2030 Henderson Blvd., Ste. 206B
Tampa, FL 33629 • 813.872.8668
Ian Reeves

SIGNATURE AND SEAL:

DO NOT SCALE THE DRAWINGS. VERIFY ALL DIMENSIONS BEFORE COMMENCING ANY WORK. THE ARCHITECT HEREBY EXPRESSLY RESERVES COPYRIGHT AND OTHER PROPERTY RIGHTS IN THESE DRAWINGS. THESE DRAWINGS AND DESIGN HEREIN SHALL REMAIN THE PROPERTY OF THE ARCHITECTS AND IS NOT TO BE COPIED, REPRODUCED OR ASSIGNED TO ANY PARTY WITHOUT THE ARCHITECT'S WRITTEN PERMISSION.

ADG PROJECT NO. **1087**

C.o.T. NO. **24-C-00032**

PROJECT STATUS:

PERMIT DOCUMENTS

ISSUE DATE:

9/9/2024

REVISIONS:

DRAWN BY: **VG**


CHECKED BY: **RM**

TPD HOWARD AVENUE ANNEX BUILDING


ARCHITECTURAL SITE PLAN

TRUE PROJECT NORTH:


A-001




9 NORTH ENTRY SECTION 04
1/2" = 1'-0"




8 NORTH ENTRY SECTION 03
1/2" = 1'-0"




7 NORTH ENTRY SECTION 02
1/2" = 1'-0"



6 NORTH ENTRY SECTION 01
1/2" = 1'-0"





5 NORTH ENTRY ENLARGED PLAN
1/4" = 1'-0"



4 MAIN ENTRY SECTION 02
1/2" = 1'-0"

3 MAIN ENTRY SECTION 01
1/2" = 1'-0"





2 MAIN ENTRY SECTION 03
1/2" = 1'-0"

1 MAIN ENTRY WALKING SURFACE ENLARGED PLAN
1/4" = 1'-0"

CITY OF TAMPA
APPROVED SITE REVIEW ONLY, NOT VALID WITHOUT BUILDING PERMIT
BLDR-25-051702
9/3/2025

City of Tampa
CONSTRUCTION SERVICES DIVISION
PLANS APPROVAL
BLDR-25-051702 9/3/2025
THIS SET OF PLANS MUST BE KEPT ON THE JOB SITE AT ALL TIMES
It is unlawful to make changes or alterations without written approval from the City of Tampa Construction Services Division.
The Stamp must be signed and dated in order to permit work. Florida 33709
of any City or State Codes
REVIEWED FOR CODE COMPLIANCE

Architects Design Group
333 North Knowles Avenue
Winter Park, Florida 32789
HOWARD + ASSOCIATES
ARCHITECTS, P.A.
AA0003615
2030 Henderson Blvd., Ste. 2068
Tampa, FL 33629 • 813.872.8668
Ian Reeves

SIGNATURE AND SEAL:

DO NOT SCALE THE DRAWINGS. VERIFY ALL DIMENSIONS BEFORE COMMENCING ANY WORK. THE ARCHITECT HEREBY EXPRESSLY RESERVES COPYRIGHT AND OTHER PROPERTY RIGHTS IN THESE DRAWINGS. THESE DRAWINGS AND DESIGN HEREIN SHALL REMAIN THE PROPERTY OF THE ARCHITECTS AND IS NOT TO BE COPIED, REPRODUCED OR ASSIGNED TO ANY PARTY WITHOUT THE ARCHITECT'S WRITTEN PERMISSION.

ADG PROJECT NO. **1087**

C.o.T. NO. **24-C-00032**

PROJECT STATUS:

PERMIT DOCUMENTS

ISSUE DATE:

9/9/2024

REVISIONS:


DRAWN BY: **VG**

CHECKED BY: **RM**


TPD HOWARD AVENUE ANNEX BUILDING

EXTERIOR STAIRS AND SLOPED WALKING SURFACES


A-010




7 EXISTING STAIR ENLARGED PLAN
1/2" = 1'-0"




6 ROOF ACCESS LADDER ELEVATION
1/4" = 1'-0"




5 ROOF ACCESS LADDER
1/4" = 1'-0"




4 EXISTING STAIR SECTION (TYP.)
1/2" = 1'-0"



3 WEST RAMP SECTION
1/2" = 1'-0"



2 WEST STAIR SECTION
1/2" = 1'-0"



1 WEST STAIR / RAMP ENLARGED PLAN
1/2" = 1'-0"

CITY OF TAMPA
APPROVED SITE PLAN ONLY
NOT VALID WITHOUT
BUILDING PLANS
BLD-25-0517072
9/3/2025

City of Tampa
CONSTRUCTION SERVICES DIVISION
PLANS APPROVAL
BLD-25-0517072 9/3/2025
THIS SET OF PLANS MUST BE KEPT ON THE JOB SITE AT ALL TIMES
It is unlawful to make changes or alterations without written approval from the City of Tampa Construction Services Division.
The Stamp of Approval does not relieve the applicant of any City or State Codes
REVIEWED FOR CODE COMPLIANCE

ADG
Architects Design Group
333 North Knowles Avenue
Winter Park, Florida 32789

HOWARD + ASSOCIATES
ARCHITECTS, P.A.
2630 Henderson Blvd., Ste. 2068
Tampa, FL 33609 • 813.872.8668

Ian Reeves

SIGNATURE AND SEAL:

DO NOT SCALE THE DRAWINGS. VERIFY ALL DIMENSIONS BEFORE COMMENCING ANY WORK. THE ARCHITECT HEREBY EXPRESSLY RESERVES COPYRIGHT AND OTHER PROPERTY RIGHTS IN THESE DRAWINGS. THESE DRAWINGS AND DESIGN HEREIN SHALL REMAIN THE PROPERTY OF THE ARCHITECTS AND IS NOT TO BE COPIED, REPRODUCED OR ASSIGNED TO ANY PARTY WITHOUT THE ARCHITECT'S WRITTEN PERMISSION.

ADG PROJECT NO. **1087**

C.o.T. NO. **24-C-00032**

PROJECT STATUS:

PERMIT DOCUMENTS

ISSUE DATE:

9/9/2024

REVISIONS:

DRAWN BY: **VG**

CHECKED BY: **RM**

TPD HOWARD AVENUE ANNEX BUILDING

EXTERIOR STAIRS AND SLOPED WALKING SURFACES

A-011

MATERIAL LEGEND


- SMOOTH STUCCO FINISH' P1 WHITE
- SMOOTH STUCCO FINISH' P2 BLUE
- CHAINLINK

SYMBOL LEGEND


- C.J — CONTROL JOINT
- #### — GATE SYSTEM

GENERAL NOTES


1. ALL EXISTING SURFACES TO RECEIVE STUCCO OVER METAL LATHE. ALL NEW SURFACES TO RECEIVE STUCCO DIRECTLY APPLIED TO SURFACE.
2. PREFABRICATED METAL BUILDING STRUCTURE AND FOUNDATION BY DELEGATED DESIGN
3. FLAGPOLE AND FLAGPOLE FOUNDATION REQUIREMENTS BY DELEGATED DESIGN




10 DOWNSPOUT-BOOT CONNECTION
1 1/2" = 1'-0"




9 DUMPSTER ELEVATION 02
1/4" = 1'-0"




8 DUMPSTER SECTION
1/4" = 1'-0"



7 DUMPSTER ELEVATION 01
1/4" = 1'-0"




6 FLAGPOLE ENLARGED PLAN³
1/4" = 1'-0"




5 DUMPSTER ENCLOSURE PLAN
1/4" = 1'-0"


4 FOUND ARTICLE STORAGE ELEVATION²
1/4" = 1'-0"



3 FLAGPOLE DETAIL³
1" = 1'-0"



2 FOUND ARTICLE STORAGE ROOF PLAN²
1/4" = 1'-0"



1 FOUND ARTICLE STORAGE PLAN²
1/4" = 1'-0"

CITY OF TAMPA
APPROVED SITE REVIEW ONLY
NOT VALID WITHOUT BUILDING PLANS
BLD-25-0517072
9/3/2025

City of Tampa
CONSTRUCTION SERVICES DIVISION
PLANS APPROVAL
BLD-25-0517072 9/3/2025
THIS SET OF PLANS MUST BE KEPT ON THE JOB SITE AT ALL TIMES
It is unlawful to make changes or alterations without written approval from the City of Tampa Construction Services Division.
The Stamp of Approval is not to be held to permit or be an approval of any City or State Codes
REVIEWED FOR CODE COMPLIANCE

ADG Architects Design Group
333 North Knowles Avenue
Winter Park, Florida 32789

HOWARD+ASSOCIATES
ARCHITECTS, P.A.
2030 Henderson Blvd., Ste. 2068
Tampa, FL 33629 • 813.872.8668

Ian Reeves

SIGNATURE AND SEAL:

DO NOT SCALE THE DRAWINGS. VERIFY ALL DIMENSIONS BEFORE COMMENCING ANY WORK. THE ARCHITECT HEREBY EXPRESSLY RESERVES COPYRIGHT AND OTHER PROPERTY RIGHTS IN THESE DRAWINGS. THESE DRAWINGS AND DESIGN HEREIN SHALL REMAIN THE PROPERTY OF THE ARCHITECTS AND IS NOT TO BE COPIED, REPRODUCED OR ASSIGNED TO ANY PARTY WITHOUT THE ARCHITECT'S WRITTEN PERMISSION.

ADG PROJECT NO. **1087**

C.o.T. NO. **24-C-00032**

PROJECT STATUS:

PERMIT DOCUMENTS

ISSUE DATE:

9/9/2024

REVISIONS:


DRAWN BY: **VG**

CHECKED BY: **RM**


TPD HOWARD AVENUE ANNEX BUILDING

SITE DETAILS


A-012




11 WEST ELEVATION - SIGNAGE
1/2" = 1'-0"




8 WEST ELEVATION - DOOR SIGNAGE
1/2" = 1'-0"




4 CARD READER ELEVATION 02
1/2" = 1'-0"




3 CARD READER ELEVATION 01
1/2" = 1'-0"




7 RETAINING WALL SECTION
1/2" = 1'-0"




10 ENTRANCE SIGN ELEVATION
1/2" = 1'-0"




9 ENTRANCE SIGN PLAN
1/2" = 1'-0"




6 NORTH RETAINING WALL ELEVATION
1/4" = 1'-0"



5 NORTH RETAINING WALL ENLARGED PLAN
1/4" = 1'-0"



1 SECURITY GATE ELEVATION
1/4" = 1'-0"



2 SECURITY GATE PLAN
1/4" = 1'-0"

CITY OF TAMPA
APPROVED SITE REVIEW ONLY
NOT VALID FOR PERMIT WITHOUT BUILDING PLANS
BLD-25-0517072
9/3/2025

City of Tampa
CONSTRUCTION SERVICES DIVISION
PLANS APPROVAL
BLD-25-0517072 9/3/2025
THIS SET OF PLANS MUST BE KEPT ON THE JOB SITE
It is unlawful to make changes or alterations without written approval from the City of Tampa Construction Services Division.
The Stamp of Approval is not to be held to permit or approve violation of any City or State Codes
REVIEWED FOR CODE COMPLIANCE

Architects Design Group
333 North Knowles Avenue
Winter Park, Florida 32789
HOWARD + ASSOCIATES
ARCHITECTS, P.A.
2630 Henderson Blvd., Ste. 2068
Tampa, FL 33609 • 813.872.8668
Ian Reeves

SIGNATURE AND SEAL:

DO NOT SCALE THE DRAWINGS. VERIFY ALL DIMENSIONS BEFORE COMMENCING ANY WORK. THE ARCHITECT HEREBY EXPRESSLY RESERVES COPYRIGHT AND OTHER PROPERTY RIGHTS IN THESE DRAWINGS. THESE DRAWINGS AND DESIGN HEREIN SHALL REMAIN THE PROPERTY OF THE ARCHITECTS AND IS NOT TO BE COPIED, REPRODUCED OR ASSIGNED TO ANY PARTY WITHOUT THE ARCHITECT'S WRITTEN PERMISSION.

ADG PROJECT NO. **1087**

C.o.T. NO. **24-C-00032**

PROJECT STATUS:
PERMIT DOCUMENTS

ISSUE DATE:
9/9/2024

REVISIONS:

DRAWN BY: **VG**
CHECKED BY: **RM**

TPD HOWARD AVENUE ANNEX BUILDING

SITE DETAILS

A-013

MATERIAL LEGEND


- SMOOTH STUCCO FINISH¹ P1 WHITE
- SMOOTH STUCCO FINISH¹ P2 BLUE
- CHAINLINK

SYMBOL LEGEND


- C.J — CONTROL JOINT
- ### — GATE SYSTEM

NOTE:
AT ALL EXISTING CONCRETE/CMU SURFACES RECEIVING STUCCO, PROVIDE STUCCO OVER METAL LATHE.


NEW SURFACES TO RECEIVE STUCCO DIRECTLY APPLIED TO CMU.




7 WALL SECTION AT GATE
1/4" = 1'-0"




6 SECURITY WALL AND PEDESTRIAN GATE ELEVATION
1/4" = 1'-0"




5 PEDESTRIAN GATE PLAN
1/4" = 1'-0"




4 SECURITY PICKET SECTION
1/4" = 1'-0"




3 PLATFORM GATE ELEVATION
1/4" = 1'-0"



2 PLATFORM GATE PLAN
1/4" = 1'-0"





1 RETAINING WALL ELEVATION
1/8" = 1'-0"

CITY OF TAMPA
APPROVED SITE REVIEW ONLY, NOT VALID WITHOUT BUILDING PLANS
BLD-25-0517072
9/3/2025

City of Tampa
CONSTRUCTION SERVICES DIVISION
PLANS APPROVAL
BLD-25-0517072 9/3/2025
THIS SET OF PLANS MUST BE KEPT ON THE JOB SITE
It is unlawful to make changes or alterations without written approval from the City of Tampa Construction Services Division.
The Stamping of Plans and/or Specifications shall not be held to permit or to be an approval of the violation of any City or State Codes
REVIEWED FOR CODE COMPLIANCE

Architects Design Group
333 North Knowles Avenue
Winter Park, Florida 32789
HOWARD + ASSOCIATES
ARCHITECTS, P.A.
2030 Henderson Blvd., Ste. 206B
Tampa, FL 33629 • 813.872.8668
AA0003016
Ian Reeves

SIGNATURE AND SEAL:



DO NOT SCALE THE DRAWINGS. VERIFY ALL DIMENSIONS BEFORE COMMENCING ANY WORK. THE ARCHITECT HEREBY EXPRESSLY RESERVES COPYRIGHT AND OTHER PROPERTY RIGHTS IN THESE DRAWINGS. THESE DRAWINGS AND DESIGN HEREIN SHALL REMAIN THE PROPERTY OF THE ARCHITECTS AND IS NOT TO BE COPIED, REPRODUCED OR ASSIGNED TO ANY PARTY WITHOUT THE ARCHITECT'S WRITTEN PERMISSION.

ADG PROJECT NO. **1087**

C.o.T. NO. **24-C-00032**

PROJECT STATUS:
PERMIT DOCUMENTS

ISSUE DATE:
9/9/2024


REVISIONS:

DRAWN BY: **VG**
CHECKED BY: **RM**


TPD HOWARD AVENUE ANNEX BUILDING

SITE DETAILS


A-014




4 CUP NORTH ELEVATION
1/4" = 1'-0"



3 CUP EAST ELEVATION (TYP.)
1/4" = 1'-0"



2 CENTRAL UTILITY PLANT SECTION
1/4" = 1'-0"



1 CENTRAL UTILITY PLANT ENLARGED PLAN
1/4" = 1'-0"

NOTE:
AT ALL EXISTING CONCRETE/CMU SURFACES RECEIVING STUCCO, PROVIDE STUCCO OVER METAL LATHE.

NEW SURFACES TO RECEIVE STUCCO DIRECTLY APPLIED TO CONCRETE/CMU.

CITY OF TAMPA
APPROVED SITE REVIEW ONLY,
NOT VALID WITHOUT
BUILDING PLANS
BLD-25-0517072
9/3/2025

City of Tampa
CONSTRUCTION SERVICES DIVISION
PLANS APPROVAL
BLD-25-0517072 9/3/2025
THIS SET OF PLANS MUST BE KEPT ON
THE JOB SITE AT ALL TIMES
It is unlawful to make changes or
alterations without written approval
from the City of Tampa Construction
Services Division.
The Stamp of Approval is not to be
held to permit or approve violation
of any City or State Codes
REVIEWED FOR CODE COMPLIANCE

Architects Design Group
333 North Knowles Avenue
Winter Park, Florida 32789

HOWARD + ASSOCIATES
ARCHITECTS, P.A.
2030 Henderson Blvd., Ste. 2068
Tampa, FL 33629 • 813.872.8868

Ian Reeves

SIGNATURE AND SEAL:



DO NOT SCALE THE DRAWINGS. VERIFY ALL DIMENSIONS BEFORE COMMENCING ANY WORK. THE ARCHITECT HEREBY EXPRESSLY RESERVES COPYRIGHT AND OTHER PROPERTY RIGHTS IN THESE DRAWINGS. THESE DRAWINGS AND DESIGN HEREIN SHALL REMAIN THE PROPERTY OF THE ARCHITECTS AND IS NOT TO BE COPIED, REPRODUCED OR ASSIGNED TO ANY PARTY WITHOUT THE ARCHITECT'S WRITTEN PERMISSION.

ADG PROJECT NO. **1087**

C.o.T. NO. **24-C-00032**

PROJECT STATUS:
PERMIT DOCUMENTS

ISSUE DATE:
9/9/2024

REVISIONS:

DRAWN BY: **VG**
CHECKED BY: **RM**

TPD HOWARD AVENUE ANNEX BUILDING

CUP ENCLOSURE PLANS AND SECTION

TRUE PROJECT NORTH:

A-021

GENERAL PLAN NOTES

1. REFER TO SHEET G-201 FOR WALL PARTITION ASSEMBLIES.
2. DO NOT SCALE DRAWINGS, USE WRITTEN DIMENSIONS ONLY. ALL PLAN DIMENSIONS SHOWN ARE TO THE FACE OF FRAMING, BLOCK, & COLUMN CENTERLINES, OR FACE OF MASONRY /CONCRETE UNITS U.N.O.
3. PROVIDE NONCOMBUSTIBLE BLOCKING AS REQUIRED FOR ALL WALL CABINETS, WALL HUNG SINKS, SHELVING STANDARDS, COUNTERTOPS, TOILET ACCESSORIES, SUPPORTS, AND EQUIPMENT PER MANUFACTURERS RECOMMENDATIONS.
4. ALL PARTITION DRYWALL JOINTS SHALL BE MUDDED, TAPED AND SANDED SMOOTH WITH NO VISIBLE JOINTS, LEVEL 4 FINISH, ALL EXTERIOR DRYWALL CORNERS SHALL HAVE SCREWED METAL CORNER BEADS.
5. ALL INTERIOR PARTITIONS SHALL BE TYPE P1 U.N.O. REFER TO PLANS AND WALL TYPE LEGEND.
6. ALL FURRED WALLS SHALL BE F4 U.N.O. REFER TO PLANS AND WALL TYPE LEGEND.
7. PROVIDE CAULKING AT INTERSECTION OF ALL DISSIMILAR MATERIALS.
8. PROVIDE MOISTURE RESISTANT GYPSUM BOARD AT ALL SHOWER AND WET LOCATIONS.
9. PROVIDE NONCOMBUSTIBLE BLOCKING AND POWER/JUNCTION BOX AT ALL WALL-MOUNTED AND FUTURE TV LOCATIONS. COORDINATE FINAL LOCATIONS WITH FURNITURE & EQUIPMENT DRAWINGS, TECHNOLOGY DWGS, AND OWNER.
10. ALL EXISTING CMU WALL ARE GREY SCALED, REFER TO DEMOLITION PLANS.

City of Tampa
CONSTRUCTION SERVICES DIVISION
PLANS APPROVAL
BLD-25-0517072 9/3/2025
THIS SET OF PLANS MUST BE KEPT ON THE JOB SITE AT ALL TIMES
It is unlawful to make changes or alterations without written approval from the City of Tampa Construction Services Division.
The Stamping of these plans does not constitute a permit nor is it held to permit or approve violations of any City or State Codes
REVIEWED FOR CODE COMPLIANCE

ADG Architects Design Group
333 North Knowles Avenue
Winter Park, Florida 32789
HOWARD + ASSOCIATES
ARCHITECTS, P.A.
2630 Henderson Blvd., Ste. 2068
Tampa, FL 33609 • 813.872.8668
Ian Reeves
SIGNATURE AND SEAL:
STATE OF FLORIDA IAN M. REEVES REGISTERED ARCHITECT

DO NOT SCALE THE DRAWINGS. VERIFY ALL DIMENSIONS BEFORE COMMENCING ANY WORK. THE ARCHITECT HEREBY EXPRESSLY RESERVES COPYRIGHT AND OTHER PROPERTY RIGHTS IN THESE DRAWINGS. THESE DRAWINGS AND DESIGN HEREIN SHALL REMAIN THE PROPERTY OF THE ARCHITECTS AND IS NOT TO BE COPIED, REPRODUCED OR ASSIGNED TO ANY PARTY WITHOUT THE ARCHITECT'S WRITTEN PERMISSION.

ADG PROJECT NO. **1087**

C.o.T. NO. **24-C-00032**

PROJECT STATUS:

PERMIT DOCUMENTS

ISSUE DATE:

9/9/2024

REVISIONS:

DRAWN BY: **VG**

CHECKED BY: **RM**

TPD HOWARD AVENUE ANNEX BUILDING

FLOOR PLAN AREA B


TRUE PROJECT NORTH:

A-101B

1 FLOOR PLAN - AREA B

1/8" = 1'-0"

KEY PLAN




1/8" = 1'-0" SCALE 5 0 5 10 15 20 FEET


CITY OF TAMPA
APPROVED SET FOR REVIEW ONLY, NOT VALID WITHOUT BUILDING PLANS
BLD-25-0517072
9/3/2025

GENERAL PLAN NOTES

1. REFER TO SHEET G-201 FOR WALL PARTITION ASSEMBLIES.
2. DO NOT SCALE DRAWINGS. USE WRITTEN DIMENSIONS ONLY. ALL PLAN DIMENSIONS SHOWN ARE TO THE FACE OF FRAMING, BLOCK, & COLUMN CENTERLINES, OR FACE OF MASONRY (CONCRETE UNITS U.N.O.
3. PROVIDE NONCOMBUSTIBLE BLOCKING AS REQUIRED FOR ALL WALL CABINETS, WALL HUNG SINKS, SHELVING STANDARDS, COUNTERTOPS, TOILET ACCESSORIES, SUPPORTS, AND EQUIPMENT PER MANUFACTURERS RECOMMENDATIONS.
4. ALL PARTITION DRYWALL JOINTS SHALL BE MUDDED, TAPED AND SANDED SMOOTH WITH NO VISIBLE JOINTS, LEVEL 4 FINISH, ALL EXTERIOR DRYWALL CORNERS SHALL HAVE SCREWED METAL CORNER BEADS,
5. ALL INTERIOR PARTITIONS SHALL BE TYPE P1 U.N.O. REFER TO PLANS AND WALL TYPE LEGEND.
6. ALL FURRED WALLS SHALL BE F4 U.N.O, REFER TO PLANS AND WALL TYPE LEGEND.
7. PROVIDE CAULKING AT INTERSECTION OF ALL DISSIMILAR MATERIALS.
8. PROVIDE MOISTURE RESISTANT GYPSUM BOARD AT ALL SHOWER AND WET LOCATIONS.
9. PROVIDE NONCOMBUSTIBLE BLOCKING AND POWER/JUNCTION BOX AT ALL WALL-MOUNTED AND FUTURE TV LOCATIONS. COORDINATE FINAL LOCATIONS WITH FURNITURE & EQUIPMENT DRAWINGS, TECHNOLOGY DWGS, AND OWNER.
10. ALL EXISTING CMU WALL ARE GREY SCALED, REFER TO DEMOLITION PLANS.




KEY PLAN




2 FLOOR PLAN - AREA C

1/8" = 1'-0"

1/8" = 1'-0" SCALE 5 0 5 10 15 20 FEET



KEY PLAN



1 FLOOR PLAN - AREA A

1/8" = 1'-0"

1/8" = 1'-0" SCALE 5 0 5 10 15 20 FEET

CITY OF TAMPA
APPROVED SITE REVIEW ONLY. NOT VALID WITHOUT BUILDING PLANS
BLD-25-0517072
9/3/2025

City of Tampa
CONSTRUCTION SERVICES DIVISION
PLANS APPROVAL
BLD-25-0517072 9/3/2025
THIS SET OF PLANS MUST BE KEPT ON THE JOB SITE
It is unlawful to make changes or alterations without written approval from the City of Tampa Construction Services Division.
The Stamp of Approval does not relieve the applicant of the necessity to obtain all required permits and shall not be held to permit or approve violations of any City or State Codes
REVIEWED FOR CODE COMPLIANCE

Architects Design Group
333 North Knowles Avenue
Winter Park, Florida 32789

HOWARD+ASSOCIATES
ARCHITECTS, P.A.
2030 Henderson Blvd., Ste. 2068
Tampa, FL 33629 • 813.872.8668

Ian Reeves

SIGNATURE AND SEAL:



DO NOT SCALE THE DRAWINGS. VERIFY ALL DIMENSIONS BEFORE COMMENCING ANY WORK. THE ARCHITECT HEREBY EXPRESSLY RESERVES COPYRIGHT AND OTHER PROPERTY RIGHTS IN THESE DRAWINGS. THESE DRAWINGS AND DESIGN HEREIN SHALL REMAIN THE PROPERTY OF THE ARCHITECTS AND IS NOT TO BE COPIED, REPRODUCED OR ASSIGNED TO ANY PARTY WITHOUT THE ARCHITECT'S WRITTEN PERMISSION.

ADG PROJECT NO. **1087**

C.o.T. NO. **24-C-00032**

PROJECT STATUS:

PERMIT DOCUMENTS

ISSUE DATE:

9/9/2024

REVISIONS:

DRAWN BY: **VG**

CHECKED BY: **RM**

TPD HOWARD AVENUE ANNEX BUILDING


DIMENSION FLOOR PLAN AREAS A & C

TRUE PROJECT NORTH:

A-101C

GENERAL PLAN NOTES

1. REFER TO SHEET G-201 FOR WALL PARTITION ASSEMBLIES.
2. DO NOT SCALE DRAWINGS. USE WRITTEN DIMENSIONS ONLY. ALL PLAN DIMENSIONS SHOWN ARE TO THE FACE OF FRAMING, BLOCK, & COLUMN CENTERLINES, OR FACE OF MASONRY /CONCRETE UNITS U.N.O.
3. PROVIDE NONCOMBUSTIBLE BLOCKING AS REQUIRED FOR ALL WALL CABINETS, WALL HUNG SINKS, SHELVING STANDARDS, COUNTERTOPS, TOILET ACCESSORIES, SUPPORTS, AND EQUIPMENT PER MANUFACTURERS RECOMMENDATIONS.
4. ALL PARTITION DRYWALL JOINTS SHALL BE MUDDED, TAPED AND SANDED SMOOTH WITH NO VISIBLE JOINTS., LEVEL 4 FINISH. ALL EXTERIOR DRYWALL CORNERS SHALL HAVE SCREWED METAL CORNER BEADS.
5. ALL INTERIOR PARTITIONS SHALL BE TYPE P1 U.N.O.. REFER TO PLANS AND WALL TYPE LEGEND.
6. ALL FURRED WALLS SHALL BE F4 U.N.O. REFER TO PLANS AND WALL TYPE LEGEND.
7. PROVIDE CAULKING AT INTERSECTION OF ALL DISSIMILAR MATERIALS.
8. PROVIDE MOISTURE RESISTANT GYPSUM BOARD AT ALL SHOWER AND WET LOCATIONS.
9. PROVIDE NONCOMBUSTIBLE BLOCKING AND POWER/JUNCTION BOX AT ALL WALL-MOUNTED AND FUTURE TV LOCATIONS. COORDINATE FINAL LOCATIONS WITH FURNITURE & EQUIPMENT DRAWINGS, TECHNOLOGY DWGS, AND OWNER.
10. ALL EXISTING CMU WALL ARE GREY SCALED. REFER TO DEMOLITION PLANS.



1 FLOOR PLAN
3/32" = 1'-0"

CITY OF TAMPA
APPROVED SITE REVIEW ONLY, NOT VALID WITHOUT BUILDING PLANS
BLD-25-0517072
9/3/2025

City of Tampa
CONSTRUCTION SERVICES DIVISION
PLANS APPROVAL
BLD-25-0517072 9/3/2025
THIS SET OF PLANS MUST BE KEPT ON THE JOB SITE AT ALL TIMES
It is unlawful to make changes or alterations without written approval from the City of Tampa Construction Services Division.
The Stamping of these plans does not be held to permit or allow any violation of any City or State Codes
REVIEWED FOR CODE COMPLIANCE

Architects Design Group
333 North Knowles Avenue
Winter Park, Florida 32789
HOWARD + ASSOCIATES
ARCHITECTS, P.A.
AA0003531
2030 Henderson Blvd., Ste. 2068
Tampa, FL 33629 • 813.872.8668
Ian Reeves

SIGNATURE AND SEAL:



DO NOT SCALE THE DRAWINGS. VERIFY ALL DIMENSIONS BEFORE COMMENCING ANY WORK. THE ARCHITECT HEREBY EXPRESSLY RESERVES COPYRIGHT AND OTHER PROPERTY RIGHTS IN THESE DRAWINGS. THESE DRAWINGS AND DESIGN HEREIN SHALL REMAIN THE PROPERTY OF THE ARCHITECTS AND IS NOT TO BE COPIED, REPRODUCED OR ASSIGNED TO ANY PARTY WITHOUT THE ARCHITECT'S WRITTEN PERMISSION.

ADG PROJECT NO. 1087

C.o.T. NO. 24-C-00032

PROJECT STATUS:
PERMIT DOCUMENTS

ISSUE DATE:
9/9/2024

REVISIONS:

DRAWN BY: VG
CHECKED BY: RM

TPD HOWARD AVENUE ANNEX BUILDING

FLOOR PLAN

TRUE PROJECT NORTH:

A-101

GENERAL DEMOLITION NOTES


1. GENERAL CONTRACTOR SHALL VERIFY IN FIELD (V.I.F.) ALL EXISTING DIMENSIONS PRIOR TO THE START OF ANY WORK.
2. PRIOR TO THE START OF DEMOLITION WORK, GENERAL CONTRACTOR (G.C.) SHALL DETERMINE THE LOCATION OF ALL LOAD BEARING PARTITIONS AND COLUMNS AND PROVIDE TEMPORARY SUPPORTS, AS REQUIRED, WHERE REMOVAL OR RELOCATION OF SUCH PARTITIONS ARE TO OCCUR. G.C. SHALL ENSURE ALL TEMPORARY SUPPORTS ARE BRACED AGAINST SUFFICIENT ADJACENT MATERIAL SUPPORT TO PRESERVE STRUCTURAL STABILITY. REFER TO STRUCTURAL DRAWINGS.
3. FURNISH, INSTALL, AND MAINTAIN DUST COVERINGS TO PREVENT THE SPREAD OF DUST PARTICLES BEYOND THE IMMEDIATE AREA WHERE DEMOLITION IS BEING PERFORMED.
4. G.C. SHALL PRESSURE WASH EXTERIOR PERIMETER FACE OF EXISTING BUILDING INCLUDING UNDERSIDE OF EXISTING ROOF CANOPY IF G.C. DETERMINES IT WILL NOT ADVERSELY DAMAGE THE UNDERSIDE OF EXPOSED METAL DECKING, TRUSS SUPPORT AND ROOFING ABOVE.
5. REMOVE ALL EXISTING EXTERIOR WALL FINISHES, AS REQUIRED, AND PREP SURFACES TO RECEIVE NEW SPECIFIED STUCCO FINISH. ADDITIONALLY, REMOVE EXTERIOR FINISH AT EXISTING LOADING DOCK SUPPORT WALLS. PATCH AND PREP TO RECEIVE NEW SPECIFIED FINISH. REMOVE ALL EXISTING INTERIOR FINISHES (WHERE INDICATED IN PLAN) AND REPAIR & PREP ALL SURFACES TO RECEIVE NEW FINISHES.
6. MATERIALS HAVING SALVAGE VALUE SHALL BECOME THE PROPERTY OF THE OWNER. ALL OTHER MATERIAL AND DEBRIS ACCUMULATED AS A RESULT OF DEMOLITION SHALL BECOME THE PROPERTY OF THE CONTRACTOR AND SHALL BE REMOVED FROM THE PREMISES BY THE CONTRACTOR AND DISPOSED OF IN A LEGAL AND PROPER MANNER.
7. ALL WALLS, DOORS, WINDOWS, FURNISHINGS, ETC. DENOTED WITH DASHED LINES ARE TO BE REMOVED, REFER TO PROPOSED PLAN LAYOUT FOR CLARIFICATION.
8. REFER TO STRUCTURAL DRAWINGS FOR ALL STRUCTURAL DEMOLITION LOCATIONS & DETAILS.
9. REFER TO STRUCTURAL DRAWINGS FOR ALL HORIZONTAL AND VERTICAL REINFORCMENT OF NEW OPENINGS.
10. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE REMOVAL AND TEMPORARY RELOCATION OF ALL LIFE SAFETY SYSTEMS INCLUDING FIRE/SMOKE ALARMS, AS REQUIRED, DURING THE DEMOLITION AND CONSTRUCTION PHASES.
11. ALL DAMAGE TO THE EXISTING FLOOR SLAB TO BE REPAIRED AND LEVELED.
12. CUT SECTIONS OF EXISTING SLAB TO RE-ROUTE AND OR INSTALL NEW WATER SUPPLY AND/OR SEWER CONNECTIONS. WHERE NEW PLUMBING LINES ARE SEEN ROUTED THRU EXISTING INTERIOR CMU WALLS, COORDINATE IN ADVANCE, PLACEMENT OF NEW LINES WITH EXISTING DOORWAYS OR NEW SAW-CUT OPENINGS THAT EXTEND DOWN TO THE FLOOR. REFER TO PLUMBING AND STRUCTURAL DRAWINGS.
13. GENERAL CONTRACTOR SHALL LOCATE, IDENTIFY AND DISCONNECT, SEAL OR CAP-OFF ALL UTILITY SERVICES INCLUDING MECHANICAL/ELECTRICAL/PLUMBING SYSTEMS SERVING AREAS TO BE SELECTIVELY DEMOLISHED AFTER BYPASSING SERVICES. REFER TO ELECTRICAL, MECHANICAL AND PLUMBING DRAWINGS.
14. REMOVE ALL ELECTRICAL PANELS, EQUIPMENT, LIGHT FIXTURES, CONTROLS, DEVICES AND SURFACE MOUNTED CONDUITS. REFER TO ELECTRICAL DRAWINGS.
15. REMOVE ALL PLUMBING FIXTURES AND FITTINGS. REFER TO PLUMBING DRAWINGS.
16. REMOVE ALL MECHANICAL EQUIPMENT INCLUDING BUT NOT LIMITED TO A/C DUCTWORK. ASSOCIATED GRILLES/DIFFUSERS, AIR HANDLERS AND CONDENSERS. REFER TO MECHANICAL DRAWINGS.

EXISTING WITH VARIOUS ITEMS TO BE REMOVED, PATCH AND REPAIR ITEMS TO REMAIN.

EXISTING TO BE DEMOLISHED

FLOOR SLAB TO BE PATCHED AND RESURFACED

FLOOR SLAB TO BE REMOVED AND REPLACED. PROVIDE ADDITIONAL CONCRETE SUPPORT WALLS UNDER NEW SLAB AS INDICATED ON STRUCTURAL DRAWINGS.



1 DEMOLITION FLOOR PLAN - AREA B
1/8" = 1'-0"

1/8" = 1'-0" SCALE 5 0 5 10 15 20 FEET

KEY PLAN

CITY OF TAMPA
APPROVED SITE REVIEW ONLY, NOT VALID WITHOUT BUILDING PLANS
BLD-25-0517072
9/3/2025

City of Tampa
CONSTRUCTION SERVICES DIVISION
PLANS APPROVAL
BLD-25-0517072 9/3/2025
THIS SET OF PLANS MUST BE KEPT ON THE JOB SITE
It is unlawful to make alterations without written approval from the City of Tampa Construction Services Division.
The Stamp of Approval is held to permit compliance of any City or State Codes REVIEWED FOR CODE COMPLIANCE

Architects Design Group
333 North Knowles Avenue
Winter Park, Florida 32789
HOWARD+ASSOCIATES ARCHITECTS, P.A.
3300 Henderson Blvd., Ste. 206E
Tampa, FL 33609 • 813.872.6680
Ian Reeves

SIGNATURE AND SEAL:

DO NOT SCALE THE DRAWINGS. VERIFY ALL DIMENSIONS BEFORE COMMENCING ANY WORK. THE ARCHITECT HEREBY EXPRESSLY RESERVES COPYRIGHT AND OTHER PROPERTY RIGHTS IN THESE DRAWINGS. THESE DRAWINGS AND DESIGN HEREIN SHALL REMAIN THE PROPERTY OF THE ARCHITECT AND IS NOT TO BE COPIED, REPRODUCED OR ASSIGNED TO ANY PARTY WITHOUT THE ARCHITECT'S WRITTEN PERMISSION.

ADG PROJECT NO. **1087**

C.o.T. NO. **24-C-00032**

PROJECT STATUS:

PERMIT DOCUMENTS

ISSUE DATE:

9/9/2024

REVISIONS:

DRAWN BY: **WJ / MP2**

CHECKED BY: **RM**

TPD HOWARD AVENUE ANNEX BUILDING

DEMOLITION PLAN AREA B

TRUE PROJECT NORTH:

AD-101B


GENERAL PLAN NOTES

1. REFER TO SHEET G-201 FOR WALL PARTITION ASSEMBLIES.
2. DO NOT SCALE DRAWINGS, USE WRITTEN DIMENSIONS ONLY. ALL PLAN DIMENSIONS SHOWN ARE TO THE FACE OF FRAMING, BLOCK, & COLUMN CENTERLINES, OR FACE OF MASONRY /CONCRETE UNTS U.N.O.
3. PROVIDE NONCOMBUSTIBLE BLOCKING AS REQUIRED FOR ALL WALL CABINETS, WALL HUNG SINKS, SHELVING STANDARDS, COUNTERTOPS, TOILET ACCESSORIES, SUPPORTS, AND EQUIPMENT PER MANUFACTURERS RECOMMENDATIONS.
4. ALL PARTITION DRYWALL JOINTS SHALL BE MUDDED, TAPED AND SANDED SMOOTH WITH NO VISIBLE JOINTS, LEVEL 4 FINISH. ALL EXTERIOR DRYWALL CORNERS SHALL HAVE SCREWED METAL CORNER BEADS.
5. ALL INTERIOR PARTITIONS SHALL BE TYPE P1 U.N.O., REFER TO PLANS AND WALL TYPE LEGEND.
6. ALL FURRED WALLS SHALL BE F4 U.N.O. REFER TO PLANS AND WALL TYPE LEGEND.
7. PROVIDE CAULKING AT INTERSECTION OF ALL DISSIMILAR MATERIALS.
8. PROVIDE MOISTURE RESISTANT GYPSUM BOARD AT ALL SHOWER AND WET LOCATIONS.
9. PROVIDE NONCOMBUSTIBLE BLOCKING AND POWER/JUNCTION BOX AT ALL WALL-MOUNTED AND FUTURE TV LOCATIONS. COORDINATE FINAL LOCATIONS WITH FURNITURE & EQUIPMENT DRAWINGS, TECHNOLOGY DWGS, AND OWNER.
10. ALL EXISTING CMU WALL ARE GREY SCALED, REFER TO DEMOLITION PLANS.



1 FLOOR PLAN - AREA B
1/8" = 1'-0"

KEY PLAN



1/8" = 1'-0" SCALE 5 0 5 10 15 20 FEET

CITY OF TAMPA
APPROVED SET FOR REVIEW ONLY, NOT VALID WITHOUT BUILDING PLANS
BLD-25-0517072
9/3/2025

City of Tampa
CONSTRUCTION SERVICES DIVISION
PLANS APPROVAL
BLD-25-0517072 9/3/2025
THIS SET OF PLANS MUST BE KEPT ON THE JOB SITE
It is unlawful to make changes or alterations without written approval from the City of Tampa Construction Services Division.
The Stamping of these plans does not authorize violation of any City or State Codes
REVIEWED FOR CODE COMPLIANCE

Architects Design Group
333 North Knowles Avenue
Winter Park, Florida 32789
HOWARD+ASSOCIATES ARCHITECTS, P.A.
AR0008316
2030 Henderson Blvd., Ste. 206S
Tampa, FL 33629 • 813.872.8668
Ian Reeves

SIGNATURE AND SEAL:

DO NOT SCALE THE DRAWINGS. VERIFY ALL DIMENSIONS BEFORE COMMENCING ANY WORK. THE ARCHITECT HEREBY EXPRESSLY RESERVES COPYRIGHT AND OTHER PROPERTY RIGHTS IN THESE DRAWINGS. THESE DRAWINGS AND DESIGN HEREIN SHALL REMAIN THE PROPERTY OF THE ARCHITECTS AND IS NOT TO BE COPIED, REPRODUCED OR ASSIGNED TO ANY PARTY WITHOUT THE ARCHITECT'S WRITTEN PERMISSION.

ADG PROJECT NO. **1087**

C.o.T. NO. **24-C-00032**

PROJECT STATUS:

PERMIT DOCUMENTS

ISSUE DATE:

9/9/2024

REVISIONS:

DRAWN BY: **VG**

CHECKED BY: **RM**

TPD HOWARD AVENUE ANNEX BUILDING


DIMENSION FLOOR PLAN AREA B

TRUE PROJECT NORTH:

A-101D

GENERAL PLAN NOTES

1. REFER TO SHEET G-201 FOR WALL PARTITION ASSEMBLIES.
2. DO NOT SCALE DRAWINGS, USE WRITTEN DIMENSIONS ONLY. ALL PLAN DIMENSIONS SHOWN ARE TO THE FACE OF FRAMING, BLOCK, & COLUMN CENTERLINES, OR FACE OF MASONRY /CONCRETE UNITS U.N.O.
3. PROVIDE NONCOMBUSTIBLE BLOCKING AS REQUIRED FOR ALL WALL CABINETS, WALL HUNG SINKS, SHELVING STANDARDS, COUNTERTOPS, TOILET ACCESSORIES, SUPPORTS, AND EQUIPMENT PER MANUFACTURERS RECOMMENDATIONS.
4. ALL PARTITION DRYWALL JOINTS SHALL BE MUDDED, TAPED AND SANDED SMOOTH WITH NO VISIBLE JOINTS, LEVEL 4 FINISH. ALL EXTERIOR DRYWALL CORNERS SHALL HAVE SCREWED METAL CORNER BEADS.
5. ALL INTERIOR PARTITIONS SHALL BE TYPE P1 U.N.O. REFER TO PLANS AND WALL TYPE LEGEND.
6. ALL FURRED WALLS SHALL BE F4 U.N.O. REFER TO PLANS AND WALL TYPE LEGEND.
7. PROVIDE CAULKING AT INTERSECTION OF ALL DISSIMILAR MATERIALS.
8. PROVIDE MOISTURE RESISTANT GYPSUM BOARD AT ALL SHOWER AND WET LOCATIONS.
9. PROVIDE NONCOMBUSTIBLE BLOCKING AND POWER/JUNCTION BOX AT ALL WALL-MOUNTED AND FUTURE TV LOCATIONS. COORDINATE FINAL LOCATIONS WITH FURNITURE & EQUIPMENT DRAWINGS, TECHNOLOGY DWGS, AND OWNER.
10. ALL EXISTING CMU WALL ARE GREY SCALED, REFER TO DEMOLITION PLANS.





2 FLOOR PLAN - AREA C

1/8" = 1'-0"

1/8" = 1'-0" SCALE 5 0 5 10 15 20 FEET

KEY PLAN





1 FLOOR PLAN - AREA A

1/8" = 1'-0"

1/8" = 1'-0" SCALE 5 0 5 10 15 20 FEET

KEY PLAN

CITY OF TAMPA
APPROVED SITE REVIEW ONLY, NOT VALID WITHOUT BUILDING PLANS
BLD-25-0517072
9/3/2025

City of Tampa
CONSTRUCTION SERVICES DIVISION
PLANS APPROVAL
BLD-25-0517072 9/3/2025
THIS SET OF PLANS MUST BE KEPT ON THE JOB SITE
It is unlawful to make changes or alterations to these plans
from the City of Tampa Construction Services Division.
The Stamp of Approval is void 6 months from date
Held to permit owner to comply with the requirements
of any City or State Codes
REVIEWED FOR CODE COMPLIANCE

Architects Design Group
333 North Knowles Avenue
Winter Park, Florida 32789

HOWARD + ASSOCIATES
ARCHITECTS, P.A.
2630 Henderson Blvd., Ste. 2068
Tampa, FL 33609 • 813.872.8888

Ian Reeves

SIGNATURE AND SEAL:

DO NOT SCALE THE DRAWINGS. VERIFY ALL DIMENSIONS BEFORE COMMENCING ANY WORK. THE ARCHITECT HEREBY EXPRESSLY RESERVES COPYRIGHT AND OTHER PROPERTY RIGHTS IN THESE DRAWINGS. THESE DRAWINGS AND DESIGN HEREIN SHALL REMAIN THE PROPERTY OF THE ARCHITECTS AND IS NOT TO BE COPIED, REPRODUCED OR ASSIGNED TO ANY PARTY WITHOUT THE ARCHITECT'S WRITTEN PERMISSION.

ADG PROJECT NO. **1087**

C.o.T. NO. **24-C-00032**

PROJECT STATUS:

PERMIT DOCUMENTS

ISSUE DATE:

9/9/2024

REVISIONS:

DRAWN BY: **VG**

CHECKED BY: **RM**

TPD HOWARD AVENUE ANNEX BUILDING

FLOOR PLAN AREAS A & C

TRUE PROJECT NORTH:

A-101A

GENERAL DEMOLITION NOTES


1. GENERAL CONTRACTOR SHALL VERIFY IN FIELD (V.I.F.) ALL EXISTING DIMENSIONS PRIOR TO THE START OF ANY WORK.
2. PRIOR TO THE START OF DEMOLITION WORK, GENERAL CONTRACTOR (G.C.) SHALL DETERMINE THE LOCATION OF ALL LOAD BEARING PARTITIONS AND COLUMNS AND PROVIDE TEMPORARY SUPPORTS, AS REQUIRED, WHERE REMOVAL OR RELOCATION OF SUCH PARTITIONS ARE TO OCCUR. G.C. SHALL ENSURE ALL TEMPORARY SUPPORTS ARE BRACED AGAINST SUFFICIENT ADJACENT MATERIAL SUPPORT TO PRESERVE STRUCTURAL STABILITY. REFER TO STRUCTURAL DRAWINGS.
3. FURNISH, INSTALL, AND MAINTAIN DUST COVERINGS TO PREVENT THE SPREAD OF DUST PARTICLES BEYOND THE IMMEDIATE AREA WHERE DEMOLITION IS BEING PERFORMED.
4. G.C. SHALL PRESSURE WASH EXTERIOR PERIMETER FACE OF EXISTING BUILDING INCLUDING UNDERSIDE OF EXISTING ROOF CANOPY IF G.C. DETERMINES IT WILL NOT ADVERSELY DAMAGE THE UNDERSIDE OF EXPOSED METAL DECKING, TRUSS SUPPORT AND ROOFING ABOVE.
5. REMOVE ALL EXISTING EXTERIOR WALL FINISHES, AS REQUIRED, AND PREP SURFACES TO RECEIVE NEW SPECIFIED STUCCO FINISH. ADDITIONALLY, REMOVE EXTERIOR FINISH AT EXISTING LOADING DOCK SUPPORT WALLS. PATCH AND PREP TO RECEIVE NEW SPECIFIED FINISH. REMOVE ALL EXISTING INTERIOR FINISHES (WHERE INDICATED IN PLAN) AND REPAIR & PREP ALL SURFACES TO RECEIVE NEW FINISHES.
6. MATERIALS HAVING SALVAGE VALUE SHALL BECOME THE PROPERTY OF THE OWNER. ALL OTHER MATERIAL AND DEBRIS ACCUMULATED AS A RESULT OF DEMOLITION SHALL BECOME THE PROPERTY OF THE CONTRACTOR AND SHALL BE REMOVED FROM THE PREMISES BY THE CONTRACTOR AND DISPOSED OF IN A LEGAL AND PROPER MANNER.
7. ALL WALLS, DOORS, WINDOWS, FURNISHINGS, ETC. DENOTED WITH DASHED LINES ARE TO BE REMOVED, REFER TO PROPOSED PLAN LAYOUT FOR CLARIFICATION.
8. REFER TO STRUCTURAL DRAWINGS FOR ALL STRUCTURAL DEMOLITION LOCATIONS & DETAILS.
9. REFER TO STRUCTURAL DRAWINGS FOR ALL HORIZONTAL AND VERTICAL REINFORCMENT OF NEW OPENINGS.
10. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE REMOVAL AND TEMPORARY RELOCATION OF ALL LIFE SAFETY SYSTEMS INCLUDING FIRE/SMOKE ALARMS, AS REQUIRED, DURING THE DEMOLITION AND CONSTRUCTION PHASES.
11. ALL DAMAGE TO THE EXISTING FLOOR SLAB TO BE REPAIRED AND LEVELED.
12. CUT SECTIONS OF EXISTING SLAB TO RE-ROUTE AND OR INSTALL NEW WATER SUPPLY AND/OR SEWER CONNECTIONS. WHERE NEW PLUMBING LINES ARE SEEN ROUTED THRU EXISTING INTERIOR CMU WALLS, COORDINATE IN ADVANCE. PLACEMENT OF NEW LINES WITH EXISTING DOORWAYS OR NEW SAW-CUT OPENINGS THAT EXTEND DOWN TO THE FLOOR. REFER TO PLUMBING AND STRUCTURAL DRAWINGS.
13. GENERAL CONTRACTOR SHALL LOCATE, IDENTIFY AND DISCONNECT, SEAL OR CAP-OFF ALL UTILITY SERVICES INCLUDING MECHANICAL/ELECTRICAL/PLUMBING SYSTEMS SERVING AREAS TO BE SELECTIVELY DEMOLISHED AFTER BYPASSING SERVICES. REFER TO ELECTRICAL, MECHANICAL AND PLUMBING DRAWINGS.
14. REMOVE ALL ELECTRICAL PANELS, EQUIPMENT, LIGHT FIXTURES, CONTROLS, DEVICES AND SURFACE MOUNTED CONDUITS. REFER TO ELECTRICAL DRAWINGS.
15. REMOVE ALL PLUMBING FIXTURES AND FITTINGS. REFER TO PLUMBING DRAWINGS.
16. REMOVE ALL MECHANICAL EQUIPMENT INCLUDING BUT NOT LIMITED TO A/C DUCTWORK. ASSOCIATED GRILLES/DIFFUSERS, AIR HANDLERS AND CONDENSERS. REFER TO MECHANICAL DRAWINGS.

EXISTING WITH VARIOUS ITEMS TO BE REMOVED, PATCH AND REPAIR ITEMS TO REMAIN.

EXISTING TO BE DEMOLISHED

FLOOR SLAB TO BE PATCHED AND RESURFACED

FLOOR SLAB TO BE REMOVED AND REPLACED. PROVIDE ADDITIONAL CONCRETE SUPPORT WALLS UNDER NEW SLAB AS INDICATED ON STRUCTURAL DRAWINGS.



1 DEMOLITION FLOOR PLAN
3/32" = 1'-0"

3/32" = 1'-0" SCALE 10 0 10 20 30 40 FEET

CITY OF TAMPA
APPROVED SITE REVIEW ONLY,
NOT VALID WITHOUT
BUILDING PLANS
BLD-25-0517072
9/3/2025

City of Tampa
CONSTRUCTION SERVICES DIVISION
PLANS APPROVAL
BLD-25-0517072 9/3/2025
THIS SET OF PLANS MUST BE KEPT ON THE JOB SITE
It is unlawful to make any alterations without written approval from the City of Tampa Construction Services Division.
The Stamp of Approval must be held to permit inspection under any City or State Codes.
REVIEWED FOR CODE COMPLIANCE

Architects Design Group
333 North Knowles Avenue
Winter Park, Florida 32789
HOWARD+ASSOCIATES
ARCHITECTS, P.A.
0000818
3300 Henderson Blvd., Ste. 206E
Tampa, FL 33609 • 813.872.6680
Ian Reeves

SIGNATURE AND SEAL:



DO NOT SCALE THE DRAWINGS. VERIFY ALL DIMENSIONS BEFORE COMMENCING ANY WORK. THE ARCHITECT HEREBY EXPRESSLY RESERVES COPYRIGHT AND OTHER PROPERTY RIGHTS IN THESE DRAWINGS. THESE DRAWINGS AND DESIGN HEREIN SHALL REMAIN THE PROPERTY OF THE ARCHITECT AND IS NOT TO BE COPIED, REPRODUCED OR ASSIGNED TO ANY PARTY WITHOUT THE ARCHITECT'S WRITTEN PERMISSION.

ADG PROJECT NO. **1087**

C.o.T. NO. **24-C-00032**

PROJECT STATUS:
PERMIT DOCUMENTS

ISSUE DATE:
9/9/2024

REVISIONS:

DRAWN BY: **WJ / MP2**
CHECKED BY: **RM**

TPD HOWARD AVENUE ANNEX BUILDING

DEMOLITION PLAN - OVERALL

TRUE PROJECT NORTH:

AD-101


CEILING PLAN LEGEND

SYMBOL	TYPE	SYMBOL	MARK	LIGHTING TYPE
	CEILING MOUNTED PROJECTOR		B1	24" x 24" RECESSED, FLAT
	CEILING HEIGHT		2C	48" LINEAR
	24" X 24" EMERGENCY TROFFER		2E	96" LINEAR
	SUPPLY AIR REGISTER		D	6" RECESSED DOWNLIGHT
	RETURN AIR REGISTER		D1	6" RECESSED DOWNLIGHT, WET LOCATION
	EXHAUST AIR REGISTER		D2	4" RECESSED DOWNLIGHT
	SPRINKLER HEAD (SHALL BE CENTERED W/ ACT)		---	UNDERCABINET LIGHTING
SD	SMOKE DETECTOR		F	24" FHE
	1H FIRE RATED WALL		V24	24" VANITY LIGHT
	EXIT LIGHT		V36	36" VANITY LIGHT
	ROOF HATCH			

SYMBOL	CEILING TYPE
	GYPSUM
	BULKHEAD
	ACT-1 2x2 ACOUSTICAL CEILING GRID
	ACT-2 2x2 WIPABLE ACOUSTICAL CEILING GRID
	EXPOSED STRUCTURE

CEILING PLAN GENERAL NOTES


1. ALL EXPOSED STRUCTURE AND VISIBLE ITEMS ABOVE 12'-0" AFF (UTILITY, DUCT WORK, PIPING, ETC) TO BE PAINTED PER 099100, REFER TO FINISH LEGEND ID-401 FOR COLOR.
2. MOISTURE RESISTANT GYPSUM WALL BOARD TO BE USED IN WET LOCATIONS (SHOWERS AND BATHROOMS).
3. BULKHEADS OVER WALL-HUNG CABINETRY TO BE 1'-3" DEEP. BOTTOM OF GYPSUM BULKHEAD OVER CABINETRY TO BE AT 7'-6" AFF U.N.O., REFER TO INTERIOR ELEVATIONS.
4. ALL CEILINGS TO BE 9'-0" AFF. UNLESS NOTED OTHERWISE, REFER TO ENLARGED REFLECTED CEILING PLANS FOR CEILING HEIGHT INFORMATION.
5. ALL RESTROOMS CEILINGS TO BE AT 10' - 0" AFF. UNLESS NOTED OTHERWISE
6. ALL LIGHTING TO BE SUBMITTED WITH LIGHTING DESIGN PACKAGE FOR BIDDING AND BASIS OF DESIGN SELECTION BY ARCHITECT. INCLUDE FIXTURE TYPE, STYLE, COLOR, ETC.
7. ALL GWB CEILINGS TO BE PAINTED PT-5 U.N.O. ON REFLECTED CEILING PLANS. SOFFITS TO BE PAINTED TO MATCH ADJACENT WALL U.N.O. REFER TO INTERIOR ELEVATIONS, WALL FINISH & ACCESSORY PLANS, FINISH SCHEDULES, AND FINISH LEGEND.
8. ALL SINGLE LIGHTS IN ROOMS TO BE CENTERED.
9. ALL LIGHTS IN CEILING TILES TO BE CENTERED IN TILE.
10. LIGHTS TO BE INSTALLED PER DIMENSIONS ON CEILING PLANS.
11. ALL CEILING SUSPENDED CEILINGS SURROUNDED BY EXPOSED CEILING AREAS (CLOUDS) TO BE CENTERED TO ROOM.



CITY OF TAMPA
APPROVED SITE REVIEW ONLY,
NOT VALID WITHOUT
BUILDING PLANS
BLD-25-0517072
9/3/2025

1 OVERALL REFLECTED CEILING PLAN
3/32" = 1'-0"

KEY PLAN



3/32" = 1'-0" SCALE
10 0 10 20 30 40 FEET

City of Tampa
CONSTRUCTION SERVICES DIVISION
PLANS APPROVAL
BLD-25-0517072 9/3/2025
THIS SET OF PLANS MUST BE KEPT ON THE JOB SITE
It is unlawful to make changes or alterations without written approval from the City of Tampa Construction Services Division.
The Stamp of approval is not to be held to permit violation of any City or State Codes
REVIEWED FOR CODE COMPLIANCE

Architects Design Group
333 North Knowles Avenue
Winter Park, Florida 32789
HOWARD + ASSOCIATES
ARCHITECTS, P.A.
2030 Henderson Blvd., Ste. 2068
Tampa, FL 33629 • 813.872.8888
Ian Reeves

SIGNATURE AND SEAL:

DO NOT SCALE THE DRAWINGS. VERIFY ALL DIMENSIONS BEFORE COMMENCING ANY WORK. THE ARCHITECT HEREBY EXPRESSLY RESERVES COPYRIGHT AND OTHER PROPERTY RIGHTS IN THESE DRAWINGS. THESE DRAWINGS AND DESIGN HEREIN SHALL REMAIN THE PROPERTY OF THE ARCHITECTS AND IS NOT TO BE COPIED, REPRODUCED OR ASSIGNED TO ANY PARTY WITHOUT THE ARCHITECT'S WRITTEN PERMISSION.

ADG PROJECT NO. 1087

C.o.T. NO. 24-C-00032

PROJECT STATUS:
PERMIT DOCUMENTS

ISSUE DATE:
9/9/2024

REVISIONS:

DRAWN BY: LK
CHECKED BY: RM

TPD HOWARD AVENUE ANNEX BUILDING

OVERALL REFLECTED CEILING PLAN

TRUE PROJECT NORTH:

A-111

City of Tampa
CONSTRUCTION SERVICES DIVISION
PLANS APPROVAL
BLD-25-0517072 9/3/2025
THIS SET OF PLANS MUST BE KEPT ON
THE JOB AT ALL TIMES
It is unlawful to make changes or
alterations without written approval
from the City of Tampa Construction
Services Division.
The Stamping of these plans is not to be
held to permit or be an approval of the violation
of any City or State Codes
REVIEWED FOR CODE COMPLIANCE

Architects Design Group
333 North Knowles Avenue
Winter Park, Florida 32789

HOWARD+ASSOCIATES
ARCHITECTS, P.A.
2030 Henderson Blvd., Ste. 2068
Tampa, FL 33629 • 813.872.8668

Ian Reeves

SIGNATURE AND SEAL:



DO NOT SCALE THE DRAWINGS. VERIFY ALL DIMENSIONS BEFORE COMMENCING ANY WORK. THE ARCHITECT HEREBY EXPRESSLY RESERVES COPYRIGHT AND OTHER PROPERTY RIGHTS IN THESE DRAWINGS. THESE DRAWINGS AND DESIGN HEREIN SHALL REMAIN THE PROPERTY OF THE ARCHITECTS AND IS NOT TO BE COPIED, REPRODUCED OR ASSIGNED TO ANY PARTY WITHOUT THE ARCHITECT'S WRITTEN PERMISSION.

ADG PROJECT NO. **1087**

C.o.T. NO. **24-C-00032**

PROJECT STATUS:

PERMIT DOCUMENTS

ISSUE DATE:

9/9/2024

REVISIONS:

DRAWN BY: **Author**


CHECKED BY: **Checker**

TPD HOWARD AVENUE ANNEX BUILDING

CEILING DETAILS


TRUE PROJECT NORTH:

A-115




3 PROJECTION SCREEN

3" = 1'-0"



2 CEILING SOFFIT - GYP-ACT

1 1/2" = 1'-0"



1 CEILING BULKHEAD

1 1/2" = 1'-0"

CITY OF TAMPA
APPROVED SITE REVIEW ONLY,
NOT VALID WITHOUT
BUILDING PLANS
BLD-25-0517072
9/3/2025

DOWNSPOUT & GUTTER SIZING (SOUTH FACING, TYPICAL - 8A)

NOTE: CALCULATIONS ARE DERIVED USING THE 7th EDITION OF SMACNA's ARCHITECTURAL SHEET METAL MANUAL


RAINFALL INTENSITY (in/hr): 10.8
* BASED ON RAINFALL AVERAGES IN TAMPA, FLORIDA (100 years)

ROOF RAINFALL DESIGN AREA (ft²): 17,406.00
* AREA OF LARGEST ROOF SERVING A SINGLE GUTTER SYSTEM

GUTTER IN LINEAL FEET: 354
* AREA OF LARGEST ROOF SERVING A SINGLE GUTTER SYSTEM

GUTTER LENGTH SERVING SINGLE DOWNSPOUT (ft): 45
* MAXIMUM GUTTER LENGTH RECOMMENDATION TO BE SERVED BY A DOWNSPOUT IS 50-FEET PER SMACNA ASMM

* M * (DEPTH TO WIDTH RATIO)	0.75
MIN. GUTTER WIDTH (in)	8.5 (Rectangular)
MIN. GUTTER DEPTH (in)	6.5
MIN. No. OF TOTAL DOWNSPOUTS	8
MIN. AREA PER DOWNSPOUT (in²)	19.78
MIN. DOWNSPOUT SIZE (in)	6 (Plain Round)



DOWNSPOUT & GUTTER SIZING (NORTH FACING ROOF CANOPY OVERHANG - 9)

NOTE: CALCULATIONS ARE DERIVED USING THE 7th EDITION OF SMACNA's ARCHITECTURAL SHEET METAL MANUAL


RAINFALL INTENSITY (in/hr): 10.8
* BASED ON RAINFALL AVERAGES IN TAMPA, FLORIDA (100 years)

ROOF RAINFALL DESIGN AREA (ft²): 2,413.00
* AREA OF LARGEST ROOF SERVING A SINGLE GUTTER SYSTEM

GUTTER IN LINEAL FEET: 24
* AREA OF LARGEST ROOF SERVING A SINGLE GUTTER SYSTEM

GUTTER LENGTH SERVING SINGLE DOWNSPOUT (ft): 24
* MAXIMUM GUTTER LENGTH RECOMMENDATION TO BE SERVED BY A DOWNSPOUT IS 50-FEET PER SMACNA ASMM

* M * (DEPTH TO WIDTH RATIO)	0.75
MIN. GUTTER WIDTH (in)	8.0 (Rectangular)
MIN. GUTTER DEPTH (in)	6.0
MIN. No. OF TOTAL DOWNSPOUTS	1
MIN. AREA PER DOWNSPOUT (in²)	21.94
MIN. DOWNSPOUT SIZE (in)	6 (Plain Round)



DOWNSPOUT & GUTTER SIZING (NORTH FACING - 8B)

NOTE: CALCULATIONS ARE DERIVED USING THE 7th EDITION OF SMACNA's ARCHITECTURAL SHEET METAL MANUAL

RAINFALL INTENSITY (in/hr): 10.8
* BASED ON RAINFALL AVERAGES IN TAMPA, FLORIDA (100 years)

ROOF RAINFALL DESIGN AREA (ft²): 6,618.00
* AREA OF LARGEST ROOF SERVING A SINGLE GUTTER SYSTEM

GUTTER IN LINEAL FEET: 68
* AREA OF LARGEST ROOF SERVING A SINGLE GUTTER SYSTEM

GUTTER LENGTH SERVING SINGLE DOWNSPOUT (ft): 34
* MAXIMUM GUTTER LENGTH RECOMMENDATION TO BE SERVED BY A DOWNSPOUT IS 50-FEET PER SMACNA ASMM


* M * (DEPTH TO WIDTH RATIO)	0.75
MIN. GUTTER WIDTH (in)	9.5 (Rectangular)
MIN. GUTTER DEPTH (in)	7.5
MIN. No. OF TOTAL DOWNSPOUTS	2
MIN. AREA PER DOWNSPOUT (in²)	30.08
MIN. DOWNSPOUT SIZE (in)	8 (Plain Round)

GENERAL NOTES

1. ALL NEW PREFINISHED DOWNSPOUTS (DS) and INTERNAL CANOPY COLUMN DOWNSPOUTS (IDS) SHALL BE TIED DIRECTLY INTO THE UNDERGROUND STORMWATER DRAINAGE SYSTEM. ONLY THE NEW SOUTH FACING DOWNSPOUTS (DS) SHALL BE CONNECTED INTO A NEWLY REDESIGNED EXPOSED STORMWATER SYSTEM THAT WILL ROUTE ROOF RUN-OFF UNDERNEATH THE BUILDING SLAB TO THE NEW POND LOCATED NORTH OF THE STRUCTURE. SEE EXISTING SOUTH FACING, STORMWATER DRAINAGE SYSTEM AS DEPICTED ON DEMOLITION PLANS IN AREAS A & B - SHEETS AD-101A and AD-101B. REFER TO CIVIL AND PLUMBING DRAWINGS.

LEGEND


DS	DOWNSPOUT
IDS	INTERNAL DOWNSPOUT/CANOPY COLUMN
GEJ	GUTTER EXPANSION JOINT
RD	ROOF DRAIN
OD	OVERFLOW DRAIN
VC	PLUMBING VENT THRU ROOF



1 ROOF PLAN

3/32" = 1'-0"

KEY PLAN



SCALE 3/32" = 1'-0" — 10 0 10 20 30 40 FEET

CITY OF TAMPA
APPROVED SITE REVIEW ONLY, NOT VALID WITHOUT BUILDING PLANS
BLD-25-0517072
9/3/2025

City of Tampa
CONSTRUCTION SERVICES DIVISION
PLANS APPROVAL
BLD-25-0517072 9/3/2025
THIS SET OF PLANS MUST BE KEPT ON THE JOB SITE
It is unlawful to make changes or alterations without written approval from the City of Tampa Construction Services Division.
The Stamp of Approval does not relieve the applicant from the responsibility to obtain all required permits and to comply with all applicable codes of any City, or State, Federal.
REVIEWED FOR CODE COMPLIANCE

Architects Design Group
333 North Knowles Avenue
Winter Park, Florida 32789
HOWARD + ASSOCIATES ARCHITECTS, P.A.
3300 Henderson Blvd., Ste. 206B
Tampa, FL 33609 • 813.872.6880
Ian Reeves

SIGNATURE AND SEAL:

DO NOT SCALE THE DRAWINGS. VERIFY ALL DIMENSIONS BEFORE COMMENCING ANY WORK. THE ARCHITECT HEREBY EXPRESSLY RESERVES COPYRIGHT AND OTHER PROPERTY RIGHTS IN THESE DRAWINGS. THESE DRAWINGS AND DESIGN HEREIN SHALL REMAIN THE PROPERTY OF THE ARCHITECT AND IS NOT TO BE COPIED, REPRODUCED OR ASSIGNED TO ANY PARTY WITHOUT THE ARCHITECT'S WRITTEN PERMISSION.

ADG PROJECT NO. **1087**

C.o.T. NO. **24-C-00032**

PROJECT STATUS:

PERMIT DOCUMENTS

ISSUE DATE:

9/9/2024

REVISIONS:

DRAWN BY: **MP2**

CHECKED BY: **RM**

TPD HOWARD AVENUE ANNEX BUILDING


ROOF PLAN AND ROOF CALCULATIONS

TRUE PROJECT NORTH:

A-121

RESTROOM ACCESSORY ELEVATIONS


NOTE: ALL LAVATORY PIPING TO HAVE PIPING SHROUD



DRINKING FOUNTAINS


FIRE EXTINGUISHER CABINET

URINAL MOUNTING HEIGHTS




ADA TYPICAL MOUNTING DIMENSIONS


TYPICAL RESTROOM ELEVATIONS




SIDE VIEW




REAR VIEW



PARTITION STALL - SIDE VIEW



PARTITION STALL - REAR VIEW




TOILET SEAT COVER DISPENSER | PAPER TOWEL DISPENSER | PAPER TOWEL DISPENSER & TRASH RECEPTACLE | FRAMELESS MIRROR | ADA COMPLIANT LAVATORY MIRROR | SOAP DISPENSER | SURFACE-MOUNTED SOAP DISH | TOILET PAPER DISPENSER | SANITARY NAPKIN DISPOSAL | L-SHAPED TOILET GRAB BAR SEE TYPICAL TOILET STALL ELEVATION FOR ADDITIONAL INFORMATION | VERTICAL GRAB BAR SEE TYPICAL TOILET STALL ELEVATION FOR ADDITIONAL INFORMATION | TOILET SHELF | WALL MOUNTED HOOK BAR | DOUBLE ROBE HOOK | SEE TYPICAL SHOWER STALL ELEVATION FOR ADDITIONAL INFORMATION | SEE TYPICAL SHOWER STALL ELEVATION FOR ADDITIONAL INFORMATION | SHOWER CURTAIN ROD | FULL-HEIGHT MIRROR

RESTROOM ACCESSORY SCHEDULE

#	DESCRIPTION
A.1	BOBRICK B-2111 SURFACE MOUNTED SOAP DISPENSER
A.2	BOBRICK B-38034 COMBO RECESED PAPER TOWEL DISP./ WAST RECEPTACLE
A.3	BRADLEY 24 X 40 FRAMELESS MIRROR 747-024400
A.4	BOBRICK B-5897.99 TWO-WALL PEENED GRAB BAR
A.5	BOBRICK B-2892 SURFACE-MOUNTED TWIN JUMBO-ROLL TOILET TISSUE DISPENSER
A.6	BOBRICK B-683X24 SURFACE-MOUNTED TOILETRY SHELF
A.7	BOBRICK B-239 UTILITY SHELF W/ BROOM + MOP HOLDERS
A.8	BRADLEY 36"W X 40"MIRROR #747-036400
A.9	BOBRICK B-254 SANITARY NAPKIN DISPOSAL
A.10	BOBRICK B-672 SURFACE-MOUNTED DOUBLE ROBE HOOK
A.11	BOBRICK B-5191 SOLID PHENOLIC FOLSING SHOWER SEAT
A.12	BOBRICK STRAIGHT PEENED GRAB BAR B-5806.99x48
A.13	BOBRICK STRAIGHT PEENED GRAB BAR B-5806.99x24
A.14	DURAVIT #009952 LIQUID SOAP CATCHER/ SOAP DISH
A.15	BOBRICK HEAVY-DUTY SHOWER CURTAIN BAR B6107-36; BOBRICK SHOWER CURTAIN 204-2; BOBRICK SHOWER CURTAIN HOOK 204-1
A.16	WING-ITS CONTOUR™ TUBULAR CORNER FOOT REST #WFRTC8SN
A.17	WING-ITS CONTOUR™ 10" Satin Rectangular Basket #WCONRBSN10


RESTROOM GENERAL NOTES

1. SEE SHEET A131 FOR TOILET ACCESSORIES LEGEND AND MOUNTING HEIGHTS.
2. SEE SHEET A132 FOR ENLARGED RESTROOM AND SHOWER ROOM PLAN.
3. PROVIDE WOOD BLOCKING AROUND WATER CLOSETS & SHOWERS AND AT ALL GRAB BARS & SHOWER SEATS (INCLUDING FUTURE LOCATONS; SEE INTERIOR ELEVATIONS
4. PROVIDE ADA PIPE SHROUD AT ALL EXPOSED PIPE LOCATIONS UNDER SINKS, LAVATORIES, ETC.
5. PROVIDE DOUBLE ROBE HOOK AT ALL TOILET PARTITION DOORS (INSIDE STALL), TYPICAL
6. TILE SHOWN FOR REPRESENTATION ONLY. REFER TO FINISH LEGEND FOR PATTERN/
7. ANY ELECTRICAL OUTLET ON TILE SHOULD B BRUSHED STAINLESS STEEL




WALL TILE TRANSITION VERTICAL OUTSIDE CORNER & EDGE

4 — 6" = 1'-0"




WALL TILE FINISHING EDGE (TR-1)

3 — 6" = 1'-0"



SECTION DETAIL - RESTROOM ADA SINK

2 — 1 1/2" = 1'-0"



NOTES:
1. 2023 FLORIDA BUILDING CODE: ACCESSIBILITY: SECTIONS 608.3.2 AND 608.3.3
2. SECTION 608.3 GRAB BARS: EXCEPTION 2. GRAB BARS ARE NOT REQUIRED PROVIDED THAT REINFORCEMENT HAS BEEN INSTALLED IN WALLS TO PERMIT THE INSTALLATION OF FUTURE GRAB BARS.
3. SECTION 608.3.3 ALTERNATE ROLL-IN TYPE SHOWER COMPARTMENT CONTROL LOCATION, WHERE A SEAT IS PROVIDED, THE CONTROLS, FAUCETS AND SHOWER SPRAY UNIT SHALL BE LOCATED ON THE SIDE WALL ADJACENT TO THE SEAT 27 INCHES MAX. FROM THE SIDE WALL BEHIND THE SEAT.

ADA ROLL-IN SHOWER W/ SEAT

1 — 1/2" = 1'-0"

CITY OF TAMPA
APPROVED SITE REVIEW ONLY, NOT VALID WITHOUT BUILDING PLANS
BLD-25-0517072
9/3/2025

City of Tampa
CONSTRUCTION SERVICES DIVISION
PLANS APPROVAL
BLD-25-0517072 9/3/2025
THIS SET OF PLANS MUST BE KEPT ON THE JOB SITE
It is unlawful to make changes or alterations without written approval from the City of Tampa Construction Services Division.
The Stamping of Plans and/or Specifications shall not be held to permit or be an approval of the violation of any City or State Codes
REVIEWED FOR CODE COMPLIANCE

Architects Design Group
333 North Knowles Avenue
Winter Park, Florida 32789
HOWARD+ASSOCIATES
ARCHITECTS, P.A. AA0003016
2030 Henderson Blvd., Ste. 2068
Tampa, FL 33629 • 813.872.8668
Ian Reeves

SIGNATURE AND SEAL:

DO NOT SCALE THE DRAWINGS, VERIFY ALL DIMENSIONS BEFORE COMMENCING ANY WORK. THE ARCHITECT HEREBY EXPRESSLY RESERVES COPYRIGHT AND OTHER PROPERTY RIGHTS IN THESE DRAWINGS. THESE DRAWINGS AND DESIGN HEREIN SHALL REMAIN THE PROPERTY OF THE ARCHITECTS AND IS NOT TO BE COPIED, REPRODUCED OR ASSIGNED TO ANY PARTY WITHOUT THE ARCHITECT'S WRITTEN PERMISSION.

ADG PROJECT NO. 1087

C.o.T. NO. 24-C-00032

PROJECT STATUS:
PERMIT DOCUMENTS

ISSUE DATE:
9/9/2024


REVISIONS:

DRAWN BY: LK
CHECKED BY: Checker

TPD HOWARD AVENUE ANNEX BUILDING


RESTROOM ACCESSORIES & DETAILS

A-131




4 RESTROOM 111, RESTROOM 112, SHOWER ROOM 131, SHOWER ROOM 130

1/2" = 1'-0"




2 RESTROOM 165, RESTROOM 166, RESTROOM 167

1/2" = 1'-0"



3 PUBLIC RESTROOM 102

1/2" = 1'-0"



1 PUBLIC RESTROOM 101

1/2" = 1'-0"

CITY OF TAMPA
APPROVED SITE REVIEW ONLY, NOT VALID WITHOUT BUILDING PLANS
BLD-25-0517072
9/3/2025

City of Tampa
CONSTRUCTION SERVICES DIVISION
PLANS APPROVAL
BLD-25-0517072 9/3/2025
THIS SET OF PLANS MUST BE KEPT ON THE JOB SITE AT ALL TIMES
It is unlawful to make any changes or alterations without written approval from the City of Tampa Construction Services Division.
The Stamping of these plans does not be held to permit or to be an approval of any City or State Codes
REVIEWED FOR CODE COMPLIANCE

Architects Design Group
333 North Knowles Avenue
Winter Park, Florida 32789

HOWARD + ASSOCIATES
ARCHITECTS, P.A.
2010 Henderson Blvd., Ste. 2068
Tampa, FL 33629 • 813.872.8668

Ian Reeves

SIGNATURE AND SEAL:

DO NOT SCALE THE DRAWINGS. VERIFY ALL DIMENSIONS BEFORE COMMENCING ANY WORK. THE ARCHITECT HEREBY EXPRESSLY RESERVES COPYRIGHT AND OTHER PROPERTY RIGHTS IN THESE DRAWINGS. THESE DRAWINGS AND DESIGN HEREIN SHALL REMAIN THE PROPERTY OF THE ARCHITECTS AND IS NOT TO BE COPIED, REPRODUCED OR ASSIGNED TO ANY PARTY WITHOUT THE ARCHITECT'S WRITTEN PERMISSION.

ADG PROJECT NO. **1087**

C.o.T. NO. **24-C-00032**

PROJECT STATUS:

PERMIT DOCUMENTS

ISSUE DATE:

9/9/2024

REVISIONS:

DRAWN BY: **LK**


CHECKED BY: **Checker**

TPD HOWARD AVENUE ANNEX BUILDING


ENLARGED PLANS - RESTROOMS

TRUE PROJECT NORTH:


A-132




8 CONFERENCE + TRAINING 140
1/4" = 1'-0"




FILE STORAGE 157B/ COPY + SUPPLY ALCOVE 157A
5 1/4" = 1'-0"




3 WORK ROOM 109
1/4" = 1'-0"




2 CENTRAL BREAKROOM 110
1/4" = 1'-0"



6 VEHICLE 119B
1/4" = 1'-0"



4 BREAK ROOM 164
1/2" = 1'-0"



1 PUBLIC LOBBY 100/COPY-SERVICE COUNTER 107/ WORK ROOM 106
1/4" = 1'-0"

7 BREAK AREA 118
1/2" = 1'-0"

CITY OF TAMPA
APPROVED SITE REVIEW ONLY,
NOT VALID WITHOUT
BUILDING PLANS
BLD-25-0517072
9/3/2025

City of Tampa
CONSTRUCTION SERVICES DIVISION
PLANS APPROVAL
BLD-25-0517072 9/3/2025
THIS SET OF PLANS MUST BE KEPT ON
THE JOB SITE
It is unlawful to make changes or
alterations without written approval
from the City of Tampa Construction
Services Division.
The Stamp of Approval is required
of any City or State Codes
REVIEWED FOR CODE COMPLIANCE

Architects Design Group
333 North Knowles Avenue
Winter Park, Florida 32789

HOWARD + ASSOCIATES
ARCHITECTS, P.A.
2030 Henderson Blvd., Ste. 2068
Tampa, FL 33629 • 813.872.8668

Ian Reeves

SIGNATURE AND SEAL:

DO NOT SCALE THE DRAWINGS. VERIFY ALL DIMENSIONS BEFORE COMMENCING ANY WORK. THE ARCHITECT HEREBY EXPRESSLY RESERVES COPYRIGHT AND OTHER PROPERTY RIGHTS IN THESE DRAWINGS. THESE DRAWINGS AND DESIGN HEREIN SHALL REMAIN THE PROPERTY OF THE ARCHITECTS AND IS NOT TO BE COPIED, REPRODUCED OR ASSIGNED TO ANY PARTY WITHOUT THE ARCHITECT'S WRITTEN PERMISSION.

ADG PROJECT NO. **1087**

C.o.T. NO. **24-C-00032**

PROJECT STATUS:

PERMIT DOCUMENTS

ISSUE DATE:

9/9/2024

REVISIONS:

DRAWN BY: **LK**


CHECKED BY: **Checker**

TPD HOWARD AVENUE ANNEX BUILDING


ENLARGED FLOOR PLANS

TRUE PROJECT NORTH:


A-133




7 PROCESSING ROOM 146
1/4" = 1'-0"




6 PACKING ROOM 147/ STORAGE 147A/ DECON 147B
1/4" = 1'-0"




5 STORAGE 154/ STORAGE OFFICE 155
1/4" = 1'-0"




3 STORAGE 148
1/4" = 1'-0"



4 WORK ROOM 150
1/4" = 1'-0"



2 CLEAN ROOM PACKAGING 139
1/4" = 1'-0"



1 ROOM A 149A
1/4" = 1'-0"

CITY OF TAMPA
APPROVED SITE REVIEW ONLY,
NOT VALID WITHOUT
BUILDING PLANS
BLD-25-0517072
9/3/2025

City of Tampa
CONSTRUCTION SERVICES DIVISION
PLANS APPROVAL
BLD-25-0517072 9/3/2025
THIS SET OF PLANS MUST BE KEPT ON
THE JOB AT ALL TIMES
It is unlawful to make changes or
alterations without written approval
from the City of Tampa Construction
Services Division.
The Stamping of Plans and Specifications shall not be
held to permit or to be an approval of the violation
of any City or State Codes
REVIEWED FOR CODE COMPLIANCE

Architects Design Group
333 North Knowles Avenue
Winter Park, Florida 32789
HOWARD+ASSOCIATES
ARCHITECTS, P.A.
AA0003016
3030 Henderson Blvd., Ste. 2068
Tampa, FL 33609 • 813.872.8668
Ian Reeves

SIGNATURE AND SEAL:

DO NOT SCALE THE DRAWINGS. VERIFY ALL DIMENSIONS BEFORE COMMENCING ANY WORK. THE ARCHITECT HEREBY EXPRESSLY RESERVES COPYRIGHT AND OTHER PROPERTY RIGHTS IN THESE DRAWINGS. THESE DRAWINGS AND DESIGN HEREIN SHALL REMAIN THE PROPERTY OF THE ARCHITECTS AND IS NOT TO BE COPIED, REPRODUCED OR ASSIGNED TO ANY PARTY WITHOUT THE ARCHITECT'S WRITTEN PERMISSION.

ADG PROJECT NO. 1087
C.o.T. NO. 24-C-00032

PROJECT STATUS:
PERMIT DOCUMENTS

ISSUE DATE:
9/9/2024

REVISIONS:


DRAWN BY: Author
CHECKED BY: Checker

TPD HOWARD AVENUE ANNEX BUILDING

ENLARGED FLOOR PLANS

TRUE PROJECT NORTH:

A-134



1 ENLARGED RCP - STAGING 163, STORAGE 169, 172, 173

1/4" = 1'-0"

CEILING PLAN LEGEND

SYMBOL	TYPE	SYMBOL	MARK	TYPE	SYMBOL
	CEILING MOUNTED PROJECTOR		B1	24" x 24" RECESSED, FLAT	GYPSUM
	CEILING HEIGHT		2C	48" LINEAR	
	24" X 24" EMERGENCY TROFFER		2E	96" LINEAR	BULKHEAD
	SUPPLY AIR REGISTER		D	6" RECESSED DOWNLIGHT	ACT-1 2x2 ACOUSTICAL CEILING GRID
	RETURN AIR REGISTER		D1	6" RECESSED DOWNLIGHT, WET LOCATION	
	EXHAUST AIR REGISTER		D2	4" RECESSED DOWNLIGHT	ACT-2 2x2 WIPABLE ACOUSTICAL CEILING GRID
	SPRINKLER HEAD (SHALL BE CENTERED W/ ACT)		---	UNDERCABINET LIGHTING	
SD	SMOKE DETECTOR		F	24" FHE	EXPOSED STRUCTURE
	1H FIRE RATED WALL		V24	24" VANITY LIGHT	
	EXIT LIGHT		V36	36" VANITY LIGHT	
	ROOF HATCH				

CEILING PLAN GENERAL NOTES

1. ALL EXPOSED STRUCTURE AND VISIBLE ITEMS ABOVE 12'-0" AFF (UTILITY, DUCT WORK, PIPING, ETC) TO BE PAINTED PER 099100. REFER TO FINISH LEGEND ID-401 FOR COLOR.
2. MOISTURE RESISTANT GYPSUM WALL BOARD TO BE USED IN WET LOCATIONS (SHOWERS AND BATHROOMS).
3. BULKHEADS OVER WALL-HUNG CABINETRY TO BE 1'-3" DEEP. BOTTOM OF GYPSUM BULKHEAD OVER CABINETRY TO BE AT 7'-6" AFF U.N.O., REFER TO INTERIOR ELEVATIONS.
4. ALL CEILINGS TO BE 9'-0" AFF. UNLESS NOTED OTHERWISE, REFER TO ENLARGED REFLECTED CEILING PLANS FOR CEILING HEIGHT INFORMATION.
5. ALL RESTROOMS CEILINGS TO BE AT 10' - 0" AFF. UNLESS NOTED OTHERWISE
6. ALL LIGHTING TO BE SUBMITTED WITH LIGHTING DESIGN PACKAGE FOR BIDDING AND BASIS OF DESIGN SELECTION BY ARCHITECT. INCLUDE FIXTURE TYPE, STYLE, COLOR, ETC.
7. ALL GWB CEILINGS TO BE PAINTED PT-5 U.N.O. ON REFLECTED CEILING PLANS. SOFFITS TO BE PAINTED TO MATCH ADJACENT WALL U.N.O. REFER TO INTERIOR ELEVATIONS, WALL FINISH & ACCESSORY PLANS, FINISH SCHEDULES, AND FINISH LEGEND.
8. ALL SINGLE LIGHTS IN ROOMS TO BE CENTERED.
9. ALL LIGHTS IN CEILING TILES TO BE CENTERED IN TILE.
10. LIGHTS TO BE INSTALLED PER DIMENSIONS ON CEILING PLANS.
11. ALL CEILING SUSPENDED CEILINGS SURROUNDED BY EXPOSED CEILING AREAS (CLOUDS) TO BE CENTERED TO ROOM.

CITY OF TAMPA
APPROVED SITE REVIEW ONLY,
NOT VALID WITHOUT
BUILDING PLANS
BLD-25-0517072
9/3/2025

City of Tampa
CONSTRUCTION SERVICES DIVISION
PLANS APPROVAL
BLD-25-0517072 9/3/2025
THIS SET OF PLANS MUST BE KEPT ON
THE JOB SITE
It is unlawful to make changes or
alterations without written approval
from the City of Tampa Construction
Services Division.
The Stamp of Approval is void if not
held to permit owner, builder, and/or
of any City or State Codes
REVIEWED FOR CODE COMPLIANCE

Architects Design Group
333 North Knowles Avenue
Winter Park, Florida 32789

HOWARD + ASSOCIATES
ARCHITECTS, P.A.
2630 Henderson Blvd., Ste. 2068
Tampa, FL 33609 • 813.872.8668

Ian Reeves

SIGNATURE AND SEAL:

DO NOT SCALE THE DRAWINGS. VERIFY ALL DIMENSIONS BEFORE COMMENCING ANY WORK. THE ARCHITECT HEREBY EXPRESSLY RESERVES COPYRIGHT AND OTHER PROPERTY RIGHTS IN THESE DRAWINGS. THESE DRAWINGS AND DESIGN HEREIN SHALL REMAIN THE PROPERTY OF THE ARCHITECTS AND IS NOT TO BE COPIED, REPRODUCED OR ASSIGNED TO ANY PARTY WITHOUT THE ARCHITECT'S WRITTEN PERMISSION.

ADG PROJECT NO. 1087

C.o.T. NO. 24-C-00032

PROJECT STATUS:

PERMIT DOCUMENTS

ISSUE DATE:

9/9/2024

REVISIONS:

DRAWN BY: LK

CHECKED BY: Checker

TPD HOWARD AVENUE ANNEX BUILDING

ENLARGED RCP

TRUE PROJECT NORTH:

A-135



ENLARGED RCP - SUPERVISOR 160, ASSIT. SUP. 161, OFFICE 162, CORR. C108, SPEC OFFICE 158,159, CORR. C107, WORK AREA 156

1 — 1/4" = 1'-0"

CEILING PLAN LEGEND

SYMBOL	TYPE	SYMBOL	MARK	TYPE	SYMBOL
	CEILING MOUNTED PROJECTOR		B1	24" x 24" RECESSED, FLAT	GYPSUM
	CEILING HEIGHT		2C	48" LINEAR	BULKHEAD
	24" X 24" EMERGENCY TROFFER		2E	96" LINEAR	ACT-1 2x2 ACOUSTICAL CEILING GRID
	SUPPLY AIR REGISTER		D	6" RECESSED DOWNLIGHT	ACT-2 2x2 WIPABLE ACOUSTICAL CEILING GRID
	RETURN AIR REGISTER		D1	6" RECESSED DOWNLIGHT, WET LOCATION	EXPOSED STRUCTURE
	EXHAUST AIR REGISTER		D2	4" RECESSED DOWNLIGHT	
	SPRINKLER HEAD (SHALL BE CENTERED W/ ACT)		---	UNDERCABINET LIGHTING	
SD	SMOKE DETECTOR		F	24" FHE	
	1H FIRE RATED WALL		V24	24" VANITY LIGHT	
	EXIT LIGHT		V36	36" VANITY LIGHT	
	ROOF HATCH				

CEILING PLAN GENERAL NOTES

1. ALL EXPOSED STRUCTURE AND VISIBLE ITEMS ABOVE 12'-0" AFF (UTILITY, DUCT WORK, PIPING, ETC) TO BE PAINTED PER 099100, REFER TO FINISH LEGEND ID-401 FOR COLOR.
2. MOISTURE RESISTANT GYPSUM WALL BOARD TO BE USED IN WET LOCATIONS (SHOWERS AND BATHROOMS).
3. BULKHEADS OVER WALL-HUNG CABINETRY TO BE 1'-3" DEEP. BOTTOM OF GYPSUM BULKHEAD OVER CABINETRY TO BE AT 7'-6" AFF U.N.O., REFER TO INTERIOR ELEVATIONS.
4. ALL CEILINGS TO BE 9'-0" AFF. UNLESS NOTED OTHERWISE, REFER TO ENLARGED REFLECTED CEILING PLANS FOR CEILING HEIGHT INFORMATION.
5. ALL RESTROOMS CEILINGS TO BE AT 10' - 0" AFF. UNLESS NOTED OTHERWISE
6. ALL LIGHTING TO BE SUBMITTED WITH LIGHTING DESIGN PACKAGE FOR BIDDING AND BASIS OF DESIGN SELECTION BY ARCHITECT. INCLUDE FIXTURE TYPE, STYLE, COLOR, ETC.
7. ALL GWB CEILINGS TO BE PAINTED PT-5 U.N.O. ON REFLECTED CEILING PLANS. SOFFITS TO BE PAINTED TO MATCH ADJACENT WALL U.N.O. REFER TO INTERIOR ELEVATIONS, WALL FINISH & ACCESSORY PLANS, FINISH SCHEDULES, AND FINISH LEGEND.
8. ALL SINGLE LIGHTS IN ROOMS TO BE CENTERED.
9. ALL LIGHTS IN CEILING TILES TO BE CENTERED IN TILE.
10. LIGHTS TO BE INSTALLED PER DIMENSIONS ON CEILING PLANS.
11. ALL CEILING SUSPENDED CEILINGS SURROUNDED BY EXPOSED CEILING AREAS (CLOUDS) TO BE CENTERED TO ROOM.

CITY OF TAMPA
APPROVED SITE REVIEW ONLY, NOT VALID WITHOUT BUILDING PLANS
BLD-25-0517072
9/3/2025

City of Tampa
CONSTRUCTION SERVICES DIVISION
PLANS APPROVAL
BLD-25-0517072 9/3/2025
THIS SET OF PLANS MUST BE KEPT ON THE JOB SITE
It is unlawful to make changes or alterations without written approval from the City of Tampa Construction Services Division.
The Stamp of Approval is void if used or held to permit work in violation of any City or State Codes
REVIEWED FOR CODE COMPLIANCE

Architects Design Group
333 North Knowles Avenue
Winter Park, Florida 32789
HOWARD + ASSOCIATES
ARCHITECTS, P.A.
2030 Henderson Blvd., Ste. 2068
Tampa, FL 33629 • 813.872.8868

Ian Reeves

SIGNATURE AND SEAL:

STATE OF FLORIDA IAN M. REEVES REGISTERED ARCHITECT

DO NOT SCALE THE DRAWINGS. VERIFY ALL DIMENSIONS BEFORE COMMENCING ANY WORK. THE ARCHITECT HEREBY EXPRESSLY RESERVES COPYRIGHT AND OTHER PROPERTY RIGHTS IN THESE DRAWINGS. THESE DRAWINGS AND DESIGN HEREIN SHALL REMAIN THE PROPERTY OF THE ARCHITECTS AND IS NOT TO BE COPIED, REPRODUCED OR ASSIGNED TO ANY PARTY WITHOUT THE ARCHITECT'S WRITTEN PERMISSION.

ADG PROJECT NO. 1087

C.o.T. NO. 24-C-00032

PROJECT STATUS:

PERMIT DOCUMENTS

ISSUE DATE:

9/9/2024

REVISIONS:

DRAWN BY: Author

CHECKED BY: Checker

TPD HOWARD AVENUE ANNEX BUILDING

ENLARGED RCP

TRUE PROJECT NORTH:

A-136



CITY OF TAMPA
APPROVED SITE REVIEW ONLY
NOT VALID FOR
BUILDING PLANS
BLD-25-051722
9/3/2025

ENLARGED RCP - TECH AREA 113, WORK ROOM 109, CENTRAL BREAKROOM 110, CORRIDOR C107

1 1/4" = 1'-0"

CEILING PLAN LEGEND

SYMBOL	TYPE	SYMBOL	MARK	TYPE	SYMBOL
	CEILING MOUNTED PROJECTOR		B1	24" x 24" RECESSED, FLAT	PRE-FAB CEILING
	CEILING HEIGHT		2C	48" LINEAR	
	24" X 24" EMERGENCY TROFFER		D	6" RECESSED DOWNLIGHT	GYPSUM
	SUPPLY AIR REGISTER		D1	6" RECESSED DOWNLIGHT, WET LOCATION	BULKHEAD
	RETURN AIR REGISTER		D2	4" RECESSED DOWNLIGHT	ACT-1 2x2 ACOUSTICAL CEILING GRID
	EXHAUST AIR REGISTER		2E	48" HIGH BAY, WET LOCATION	
	SPRINKLER HEAD (SHALL BE CENTERED W/ ACT)		---	UNDERCABINET LIGHTING	ACT-2 2x2 WIPABLE ACOUSTICAL CEILING GRID
SD	SMOKE DETECTOR		F	24" FHE	
	1H FIRE RATED WALL		2F	24" VANITY LIGHT	EXPOSED STRUCTURE
	EXIT LIGHT		3F	36" VANITY LIGHT	
	ROOF HATCH				

CEILING PLAN GENERAL NOTES

1. ALL EXPOSED STRUCTURE AND VISIBLE ITEMS ABOVE 12'-0" AFF (UTILITY, DUCT WORK, PIPING, ETC) TO BE PAINTED PER 099100, REFER TO FINISH LEGEND ID-401 FOR COLOR.
2. MOISTURE RESISTANT GYPSUM WALL BOARD TO BE USED IN WET LOCATIONS (SHOWERS AND BATHROOMS).
3. BULKHEADS OVER WALL-HUNG CABINETRY TO BE 1'-3" DEEP. BOTTOM OF GYPSUM BULKHEAD OVER CABINETRY TO BE AT 7'-6" AFF U.N.O., REFER TO INTERIOR ELEVATIONS.
4. ALL CEILINGS TO BE 9'-0" AFF. UNLESS NOTED OTHERWISE, REFER TO ENLARGED REFLECTED CEILING PLANS FOR CEILING HEIGHT INFORMATION.
5. ALL RESTROOMS CEILINGS TO BE AT 10' - 0" AFF. UNLESS MNOTED OTHERWISE
6. ALL LIGHTING TO BE SUBMITTED WITH LIGHTING DESIGN PACKAGE FOR BIDDING AND BASIS OF DESIGN SELECTION BY ARCHITECT. INCLUDE FIXTURE TYPE, STYLE, COLOR, ETC.
7. ALL GWB CEILINGS TO BE PAINTED PT-5 U.N.O. ON REFLECTED CEILING PLANS. SOFFITS TO BE PAINTED TO MATCH ADJACENT WALL U.N.O. REFER TO INTERIOR ELEVATIONS, WALL FINISH & ACCESSORY PLANS, FINISH SCHEDULES, AND FINISH LEGEND.
8. ALL SINGLE LIGHTS IN ROOMS TO BE CENTERED
9. ALL LIGHTS IN CEILING TILES TO BE CENTERED IN TILE.
10. LIGHTS TO BE INSTALLED PER DIMENSIONS ON CEILING PLANS
11. ALL CEILING SUSPENDED CEILINGS SURROUNDED BY EXPOSED CEILING AREAS (CLOUDS) TO BE CENTERED TO ROOM.

City of Tampa
CONSTRUCTION SERVICES DIVISION
PLANS APPROVAL
BLD-25-051722 9/3/2025
THIS SET OF PLANS MUST BE KEPT ON THE JOB SITE AT ALL TIMES
It is unlawful to make changes or alterations without written approval from the City of Tampa Construction Services Division.
The Stamping of these plans does not be held to permit or approve the violation of any City or State Codes
REVIEWED FOR CODE COMPLIANCE

Architects Design Group
333 North Knowles Avenue
Winter Park, Florida 32789
HOWARD+ASSOCIATES
ARCHITECTS, P.A.
2630 Henderson Blvd., Ste. 2068
Tampa, FL 33609 • 813.872.8868
Ian Reeves

SIGNATURE AND SEAL:

DO NOT SCALE THE DRAWINGS. VERIFY ALL DIMENSIONS BEFORE COMMENCING ANY WORK. THE ARCHITECT HEREBY EXPRESSLY RESERVES COPYRIGHT AND OTHER PROPERTY RIGHTS IN THESE DRAWINGS. THESE DRAWINGS AND DESIGN HEREIN SHALL REMAIN THE PROPERTY OF THE ARCHITECTS AND IS NOT TO BE COPIED, REPRODUCED OR ASSIGNED TO ANY PARTY WITHOUT THE ARCHITECT'S WRITTEN PERMISSION.

ADG PROJECT NO. 1087

C.o.T. NO. 24-C-00032

PROJECT STATUS:

PERMIT DOCUMENTS

ISSUE DATE:

9/9/2024

REVISIONS:

DRAWN BY: LK


CHECKED BY: Checker

TPD HOWARD AVENUE ANNEX BUILDING

ENLARGED RCP

TRUE PROJECT NORTH:

A-137



1 ENLARGED RCP - VEHICLE 119, GARAGE 121

1/4" = 1'-0"

CEILING PLAN LEGEND

SYMBOL	TYPE
	CEILING MOUNTED PROJECTOR
	CEILING HEIGHT
	24" X 24" EMERGENCY TROFFER
	SUPPLY AIR REGISTER
	RETURN AIR REGISTER
	EXHAUST AIR REGISTER
	SPRINKLER HEAD (SHALL BE CENTERED W/ ACT)
SD	SMOKE DETECTOR
	1H FIRE RATED WALL
	EXIT LIGHT
	ROOF HATCH

SYMBOL	MARK	TYPE
	B1	24" x 24" RECESSED, FLAT
	2C	48" LINEAR
	2E	96" LINEAR
	D	6" RECESSED DOWNLIGHT
	D1	6" RECESSED DOWNLIGHT, WET LOCATION
	D2	4" RECESSED DOWNLIGHT
	---	UNDERCABINET LIGHTING
	F	24" FHE
	V24	24" VANITY LIGHT
	V36	36" VANITY LIGHT

SYMBOL	
	GYPSUM
	BULKHEAD
	ACT-1 2x2 ACOUSTICAL CEILING GRID
	ACT-2 2x2 WIPABLE ACOUSTICAL CEILING GRID
	EXPOSED STRUCTURE

CEILING PLAN GENERAL NOTES

1. ALL EXPOSED STRUCTURE AND VISIBLE ITEMS ABOVE 12'-0" AFF (UTILITY, DUCT WORK, PIPING, ETC) TO BE PAINTED PER 999100, REFER TO FINISH LEGEND ID-401 FOR COLOR.
2. MOISTURE RESISTANT GYPSUM WALL BOARD TO BE USED IN WET LOCATIONS (SHOWERS AND BATHROOMS).
3. BULKHEADS OVER WALL-HUNG CABINETRY TO BE 1'-3" DEEP. BOTTOM OF GYPSUM BULKHEAD OVER CABINETRY TO BE AT 7'-6" AFF U.N.O., REFER TO INTERIOR ELEVATIONS.
4. ALL CEILINGS TO BE 9'-0" AFF. UNLESS NOTED OTHERWISE, REFER TO ENLARGED REFLECTED CEILING PLANS FOR CEILING HEIGHT INFORMATION.
5. ALL RESTROOMS CEILINGS TO BE AT 10' - 0" AFF. UNLESS NOTED OTHERWISE
6. ALL LIGHTING TO BE SUBMITTED WITH LIGHTING DESIGN PACKAGE FOR BIDDING AND BASIS OF DESIGN SELECTION BY ARCHITECT. INCLUDE FIXTURE TYPE, STYLE, COLOR, ETC.
7. ALL GWB CEILINGS TO BE PAINTED PT-5 U.N.O. ON REFLECTED CEILING PLANS. SOFFITS TO BE PAINTED TO MATCH ADJACENT WALL U.N.O. REFER TO INTERIOR ELEVATIONS, WALL FINISH & ACCESSORY PLANS, FINISH SCHEDULES, AND FINISH LEGEND.
8. ALL SINGLE LIGHTS IN ROOMS TO BE CENTERED.
9. ALL LIGHTS IN CEILING TILES TO BE CENTERED IN TILE.
10. LIGHTS TO BE INSTALLED PER DIMENSIONS ON CEILING PLANS.
11. ALL CEILING SUSPENDED CEILINGS SURROUNDED BY EXPOSED CEILING AREAS (CLOUDS) TO BE CENTERED TO ROOM.

CITY OF TAMPA
APPROVED SITE REVIEW ONLY,
NOT VALID WITHOUT
BUILDING PLANS
BLD-25-0517072
9/3/2025

City of Tampa
CONSTRUCTION SERVICES DIVISION
PLANS APPROVAL
BLD-25-0517072 9/3/2025
THIS SET OF PLANS MUST BE KEPT ON
THE JOB AT ALL TIMES
It is unlawful to make changes or
alterations without written approval
from the City of Tampa Construction
Services Division.
The Stamping of these plans shall not be
held to permit or be an approval
of any City or State Codes
REVIEWED FOR CODE COMPLIANCE

Architects Design Group
333 North Knowles Avenue
Winter Park, Florida 32789
HOWARD + ASSOCIATES
ARCHITECTS, P.A.
AA0003531
3030 Henderson Blvd., Ste. 2068
Tampa, FL 33609 • 813.872.8668
Ian Reeves

SIGNATURE AND SEAL:

DO NOT SCALE THE DRAWINGS. VERIFY ALL DIMENSIONS BEFORE COMMENCING ANY WORK. THE ARCHITECT HEREBY EXPRESSLY RESERVES COPYRIGHT AND OTHER PROPERTY RIGHTS IN THESE DRAWINGS. THESE DRAWINGS AND DESIGN HEREIN SHALL REMAIN THE PROPERTY OF THE ARCHITECTS AND IS NOT TO BE COPIED, REPRODUCED OR ASSIGNED TO ANY PARTY WITHOUT THE ARCHITECT'S WRITTEN PERMISSION.

ADG PROJECT NO. 1087

C.o.T. NO. 24-C-00032

PROJECT STATUS:

PERMIT DOCUMENTS

ISSUE DATE:

9/9/2024

REVISIONS:

DRAWN BY: LK

CHECKED BY: Checker

TPD HOWARD AVENUE ANNEX BUILDING

ENLARGED RCP

TRUE PROJECT NORTH:

A-138



ENLARGED RCP - CORRIDOR C101, SHOWER ROOMS 130-131,CONFERENCE/TRAINING 140

1 1/4" = 1'-0"

CEILING PLAN LEGEND

SYMBOL	TYPE	SYMBOL	MARK	TYPE	SYMBOL
	CEILING MOUNTED PROJECTOR		B1	24" x 24" RECESSED, FLAT	GYPSUM
	CEILING HEIGHT		2C	48" LINEAR	BULKHEAD
	24" X 24" EMERGENCY TROFFER		2E	96" LINEAR	ACT-1 2x2 ACOUSTICAL CEILING GRID
	SUPPLY AIR REGISTER		D	6" RECESSED DOWNLIGHT	ACT-2 2x2 WIPABLE ACOUSTICAL CEILING GRID
	RETURN AIR REGISTER		D1	6" RECESSED DOWNLIGHT, WET LOCATION	EXPOSED STRUCTURE
	EXHAUST AIR REGISTER		D2	4" RECESSED DOWNLIGHT	
	SPRINKLER HEAD (SHALL BE CENTERED W/ ACT)		---	UNDERCABINET LIGHTING	
SD	SMOKE DETECTOR		F	24" FHE	
	1H FIRE RATED WALL		V24	24" VANITY LIGHT	
	EXIT LIGHT		V36	36" VANITY LIGHT	
V	ROOF HATCH				

CEILING PLAN GENERAL NOTES

1. ALL EXPOSED STRUCTURE AND VISIBLE ITEMS ABOVE 12'-0" AFF (UTILITY, DUCT WORK, PIPING, ETC) TO BE PAINTED PER 099100, REFER TO FINISH LEGEND ID-401 FOR COLOR.
2. MOISTURE RESISTANT GYPSUM WALL BOARD TO BE USED IN WET LOCATIONS (SHOWERS AND BATHROOMS).
3. BULKHEADS OVER WALL-HUNG CABINETRY TO BE 1'-3" DEEP. BOTTOM OF GYPSUM BULKHEAD OVER CABINETRY TO BE AT 7'-6" AFF U.N.O., REFER TO INTERIOR ELEVATIONS.
4. ALL CEILINGS TO BE 9'-0" AFF. UNLESS NOTED OTHERWISE, REFER TO ENLARGED REFLECTED CEILING PLANS FOR CEILING HEIGHT INFORMATION.
5. ALL RESTROOMS CEILINGS TO BE AT 10' - 0" AFF. UNLESS NOTED OTHERWISE
6. ALL LIGHTING TO BE SUBMITTED WITH LIGHTING DESIGN PACKAGE FOR BIDDING AND BASIS OF DESIGN SELECTION BY ARCHITECT. INCLUDE FIXTURE TYPE, STYLE, COLOR, ETC.
7. ALL GWB CEILINGS TO BE PAINTED PT-5 U.N.O. ON REFLECTED CEILING PLANS. SOFFITS TO BE PAINTED TO MATCH ADJACENT WALL U.N.O. REFER TO INTERIOR ELEVATIONS, WALL FINISH & ACCESSORY PLANS, FINISH SCHEDULES, AND FINISH LEGEND.
8. ALL SINGLE LIGHTS IN ROOMS TO BE CENTERED.
9. ALL LIGHTS IN CEILING TILES TO BE CENTERED IN TILE.
10. LIGHTS TO BE INSTALLED PER DIMENSIONS ON CEILING PLANS.
11. ALL CEILING SUSPENDED CEILINGS SURROUNDED BY EXPOSED CEILING AREAS (CLOUDS) TO BE CENTERED TO ROOM.

CITY OF TAMPA
APPROVED SITE REVIEW ONLY, NOT VALID WITHOUT BUILDING PLANS
BLD-25-0517072
9/3/2025

City of Tampa
CONSTRUCTION SERVICES DIVISION
PLANS APPROVAL
BLD-25-0517072 9/3/2025
THIS SET OF PLANS MUST BE KEPT ON THE JOB SITE AT ALL TIMES
It is unlawful to make changes or alterations without written approval from the City of Tampa Construction Services Division.
The Stamping of these plans does not be held to permit or allow any violation of any City or State Codes
REVIEWED FOR CODE COMPLIANCE

Architects Design Group
333 North Knowles Avenue
Winter Park, Florida 32789

HOWARD+ASSOCIATES ARCHITECTS, P.A.
2050 Henderson Blvd., Ste. 2068
Tampa, FL 33629 • 813.872.8668

Ian Reeves

SIGNATURE AND SEAL:
STATE OF FLORIDA IAN REEVES REGISTERED ARCHITECT

DO NOT SCALE THE DRAWINGS. VERIFY ALL DIMENSIONS BEFORE COMMENCING ANY WORK. THE ARCHITECT HEREBY EXPRESSLY RESERVES COPYRIGHT AND OTHER PROPERTY RIGHTS IN THESE DRAWINGS. THESE DRAWINGS AND DESIGN HEREIN SHALL REMAIN THE PROPERTY OF THE ARCHITECTS AND IS NOT TO BE COPIED, REPRODUCED OR ASSIGNED TO ANY PARTY WITHOUT THE ARCHITECT'S WRITTEN PERMISSION.

ADG PROJECT NO. 1087

C.o.T. NO. 24-C-00032

PROJECT STATUS:
PERMIT DOCUMENTS

ISSUE DATE:
9/9/2024

REVISIONS:

DRAWN BY: LK
CHECKED BY: Checker

TPD HOWARD AVENUE ANNEX BUILDING

ENLARGED RCP


TRUE PROJECT NORTH:

A-139


GENERAL NOTES

1. ALL EXISTING STRUCTURE NOTED IN DIAGONAL HALFTONE, VERIFY IN FIELD (V.I.F.) ALL EXISTING WALLS DIMENSIONS PRIOR TO WORK.
2. ALL EXISTING SURFACES TO RECEIVE STUCCO OVER METAL LATHE. ALL NEW SURFACES TO RECEIVE STUCCO DIRECTLY APPLIED.


EXISTING CONDITIONS: WALL, ROOF AND SLAB




4 NEW ADDITION CMU @ EXISTING COLUMN
1 1/2" = 1'-0"



2 STAIRS AT LIFT PLATFORM SECTION
1/2" = 1'-0"



3 WALL FURRING AT EXISTING COLUMN TYP.
1 1/2" = 1'-0"



1 LIFT PLATFORM ENLARGED PLAN
1/2" = 1'-0"

CITY OF TAMPA
APPROVED SITE REVIEW ONLY, NOT VALID WITHOUT BUILDING PLANS
BLD-25-0517072
9/3/2025

City of Tampa
CONSTRUCTION SERVICES DIVISION
PLANS APPROVAL
BLD-25-0517072 9/3/2025
THIS SET OF PLANS MUST BE KEPT ON THE JOB SITE AT ALL TIMES
It is unlawful to make changes or alterations without written approval from the City of Tampa Construction Services Division.
The Stamp of Approval is not to be held to permit violations of any City or State Codes
REVIEWED FOR CODE COMPLIANCE

Architects Design Group
333 North Knowles Avenue
Winter Park, Florida 32789

HOWARD + ASSOCIATES
ARCHITECTS, P.A.
AA0003016
3030 Henderson Blvd., Ste. 206B
Tampa, FL 33609 • 813.872.8668

Ian Reeves

SIGNATURE AND SEAL:



DO NOT SCALE THE DRAWINGS. VERIFY ALL DIMENSIONS BEFORE COMMENCING ANY WORK. THE ARCHITECT HEREBY EXPRESSLY RESERVES COPYRIGHT AND OTHER PROPERTY RIGHTS IN THESE DRAWINGS. THESE DRAWINGS AND DESIGN HEREIN SHALL REMAIN THE PROPERTY OF THE ARCHITECTS AND IS NOT TO BE COPIED, REPRODUCED OR ASSIGNED TO ANY PARTY WITHOUT THE ARCHITECT'S WRITTEN PERMISSION.

ADG PROJECT NO. **1087**

C.o.T. NO. **24-C-00032**

PROJECT STATUS:
PERMIT DOCUMENTS

ISSUE DATE:
9/9/2024

REVISIONS:

DRAWN BY: **VG**
CHECKED BY: **RM**

TPD HOWARD AVENUE ANNEX BUILDING

PLAN DETAILS & SECTIONS

TRUE PROJECT NORTH:

A-141

FURNITURE & EQUIPMENT GENERAL NOTES

1. OPOI - INDICATES OWNER PROVIDED, OWNER INSTALLED FFE ITEMS, NOT IN CONTRACT, UNLESS NOTED OTHERWISE.
2. OPCI - INDICATES OWNER PROVIDED, CONTRACTOR INSTALLED ITEMS, OWNER TO COORDINATE PURCHASE AND DELIVERY TO SITE WITH CONTRACTOR'S INSTALLATION SCHEDULE.
3. CPOI - INDICATES CONTACTOR PROVIDED, CONTRACTOR INSTALLED ITEMS, CONTRACTOR TO VERIFY QUANTITES SHOWN ON PLANS, ELEVATIONS AND SCHEDULES.
4. TAGS ENDED IN " .R " MEANS EQUIPMENT IS BEING RELOCATED FROM OLD FACILITY TO NEW FACILITY.
5. CONTRACTOR TO PROVIDE NON-COMBUSTIBLE BLOCKING AS REQUIRED FOR ALL WALL-MOUNTED OR CEILING-MOUNTED COMPONENTS, ACCESSORIES, FURNITURE, AND EQUIPMENT AS REQUIRED PER MANUFACTURER'S PRODUCT DATA.
6. CONTRACTOR TO COORDINATE FINAL EQUIPMENT LOCATIONS WITH OWNER; ELECTRICAL / PLUMBING CONNECTION AND REQUIREMENTS AS INDICATED ON MECHANICAL / ELECTRICAL / PLUMBING DRAWINGS AND SCHEDULES. COORDINATE FLOOR JUNCTION BOXES WITH FURNITURE LOCATIONS FOR FFE ELECTRICAL / DATA RQUIREMENTS.
7. CONTRACTOR TO COORDINATE FINAL TECHNOLOGY EQUIPMENT LOCATIONS WITH OWNER; NON-COMBUSTIBLE BLOCKING, JUNCTION BOX CONNECTION, AND ELECTRICAL / DATA REQUIREMENTS AS INDICATED ON TECHNOLOGY DRAWINGS AND SCHEDULES.
8. CONTRACTOR TO COORDINATE LOCATION OF DOOR ACCESS HARDWARE TO COMPLY WITH ACCESSIBILITY REQUIREMENTS, LOW-VOLTAGE, ELECTRICAL, AND DATA AS INDICATED ON ARCHITECUTRE, MEP, AND TECHNOLOGY DRAWINGS AND SCHEDULES.
9. CONTRACTOR TO PROVIDE NON-COMBUSTIBLE BLOCKING AND CONDUIT FOR FUTURE EQUIPMENT LOCATIONS LABELED AND INDICATED WITH DASHED LINES.



CITY OF TAMPA
APPROVED SITE REVIEW ONLY,
NOT VALID WITHOUT
BUILDING PLANS
BLD-25-0517072
9/3/2025

City of Tampa
CONSTRUCTION SERVICES DIVISION
PLANS APPROVAL
BLD-25-0517072 9/3/2025
THIS SET OF PLANS MUST BE KEPT ON
THE JOB SITE
It is unlawful to make changes or
alterations without written approval
from the City of Tampa Construction
Services Division.
The Stamping of these plans is not to be
held to permit or be an approval
of any City or State Codes
REVIEWED FOR CODE COMPLIANCE

Architects Design Group
333 North Knowles Avenue
Winter Park, Florida 32789
HOWARD + ASSOCIATES
ARCHITECTS, P.A.
AA0003615
2030 Henderson Blvd., Ste. 2068
Tampa, FL 33629 • 813.872.8668
Ian Reeves

SIGNATURE AND SEAL:



DO NOT SCALE THE DRAWINGS. VERIFY ALL DIMENSIONS BEFORE COMMENCING ANY WORK. THE ARCHITECT HEREBY EXPRESSLY RESERVES COPYRIGHT AND OTHER PROPERTY RIGHTS IN THESE DRAWINGS. THESE DRAWINGS AND DESIGN HEREIN SHALL REMAIN THE PROPERTY OF THE ARCHITECTS AND IS NOT TO BE COPIED, REPRODUCED OR ASSIGNED TO ANY PARTY WITHOUT THE ARCHITECT'S WRITTEN PERMISSION.

ADG PROJECT NO. **1087**

C.o.T. NO. **24-C-00032**

PROJECT STATUS:

PERMIT DOCUMENTS

ISSUE DATE:

9/9/2024

REVISIONS:

DRAWN BY: **LK**

CHECKED BY: **Checker**

TPD HOWARD AVENUE ANNEX BUILDING

SPECIALTY EQUIPMENT PLAN

TRUE PROJECT NORTH:

A-151

SPECIALTY EQUIPMENT LEGEND

TAG	QTY	RESPONSIBILITY	DESCRIPTION	BASIS OF DESIGN	REQUIREMENTS
E1	3	CPCI	FOLDING WORKBENCH W/ ROUNDED EDGES 48" W X 24" D	ULINE #H-8992-LAM	
E1.R	2	OPCI	DESKTOP MONITOR W/ PRINTER		POWER & DATA REQUIRED
E2	2	CPCI	PORTABLE SINGLE POST VEHICLE LIFT - 6000LB. CAPACITY	ATLAS EQUIPTMENT #ATEXH-PSP-6000	POWER & DATA REQUIRED
E2.R	1	OPCI	TAG PRINTER		POWER & DATA REQUIRED
E3	1	CPCI	WALL-HUNG DIGITAL SMART BOARD 86"W X 57"H X 3/8"D	SMART BOARD 6000 PRO #SBID-6286S-V3-P/SBID-6286S-V3-PW	POWER & DATA REQUIRED; COORDINATE WITH CITY OF TAMPA T+I
E3.R	1	OPCI	DESKTOP COMPUTER W/ SCANNER		POWER & DATA REQUIRED; COORDINATE WITH CITY OF TAMPA T+I
E4	1	CPCI	MOTORIZED/RECESSED PROJECTION SCREEN	DRAPER INC ACCESS V ELECTRIC 16:10/ 94"	POWER REQUIRED; 110 V; COORDINATE WITH CITY OF TAMPA T+I
E5	1	CPCI	CEILING HUNG PROJECTOR 16:10	POWERLITE - EPSON - L770U 3LCD Laser Projector with 4K Enhancement1	POWER & DATA REQUIRED: ACCESSORIES REQUIRED: Wireless LAN Adapter (ELPAP11) V12H005A02; External Speaker (ELPSP02) V12H467020; COORDINATE WITH CITY OF TAMPA T+I
E5.1	1	CPCI	MOUNTING FOR CEILING HNG PROJECTOR	Universal Projector Mount (ELPMBPJG) V12H808001	COORDINATE WITH CITY OF TAMPA T+I
E6	5	CPCI	STAINLESS STEEL WORKTABLE 304 STS DELUXE 96" L X 30" W	ULINE #H-9656	
E7	2	CPCI	6-SHELF CLOSED INDUSTRIAL BOX STORAGE 36"W x 87"H x 18"D	ULINE 87" HEIGHT CLOSED INDUSTRIAL STEEL SHELVING #H-4351	
E8	31	CPCI	FREESTANDING 24 GA. STORAGE CABINET 72" X 36" X 24"	SANDUSKY COMMERCIAL GRADE STORAGE CABINET #CA41362472-05	
E9	7	CPCI	REACH-IN SOLID SWING DOOR FREEZER	MFR: TRUE MFG MODEL # T-49F-HC	POWER REQUIRED; UNIT COMPLETELY PRE-WIRED AT FACTORY AND READY FOR FINAL CONNECTION TO A 115/60/1 PHASE, 15 AMP DEDICATED OUTLET. CORD AND PLUG SET INCLUDED; NEMA-5-15R
E10	4	CPCI	REACH-IN SOLID SWING DOOR REFRIGERATOR	MFR: TRUE MFG MOSDDEL #T-49-HC	POWER REQUIRED; COMPLETELY PRE-WIRED AT FACTORY AND READY FOR FINAL CONNECTION TO A 115/60/1 PHASE, 15 AMP DEDICATED OUTLET. CORD AND PLUG SET INCLUDED; NEMA-5-15R
E10.R	4	OPOI	REACH-IN SOLID SWING DOOR REFRIGERATOR	MFR: TRUE MFG MOSDDEL #T-49-HC	POWER REQUIRED; COMPLETELY PRE-WIRED AT FACTORY AND READY FOR FINAL CONNECTION TO A 115/60/1 PHASE, 15 AMP DEDICATED OUTLET. CORD AND PLUG SET INCLUDED; NEMA-5-15R
E11	24	CPCI	PERSONAL LOCKER SINGLE FULL HEIGHT 72"H X 24"D X 18"W	SPACESAVER FREESTYLE LOCKER, SINGLE FULL HEIGHT #PSL722418S	BOOT TRAY, FULL-WIDTH SHELVES, HANGER BAR ASSEMBLY KIT, COMBINATION LOCK
E13	2	CPCI	OPEN BASE SS WORK TABLE ON CASTERS 60"W X 14"D	AMGOOD SUPPLY SS Type 430 Table on Casters #WT-1460-RCB	
E14	2	CPCI	DOWNDRAFT FILTER WORKSTATION / EVIDENCE PROCESSING PHOTOGRAPHY	ATTESTOR FORENSICS PHOTOvent #LH151-L	POWER NEEDED; 2.0 ON 110V
E15	3	OPOI	DESKTOP COMPUTER W/ TAG PRINTER	DELL INSPIRON 24 ALL-IN-ONE - 24IN DISPLAY	POWER & DATA REQUIRED
E16	5	CPCI	HEIGHT ADJUSTABLE DESK 60"W X 30"D	ULINE ELECTRIC ADJUSTABLE HEIGHT DESK - Gray #H-7598GR	POWER REQUIRED
E17.R	1	OPCI	360 FUMING CHAMBER 72"W X 48"D X 80"H	AIRSCIENCE Safefume 360 AUTOMATIC CYANOACRYLATE FUMING CHAMBERS #ARV-72XL-A	POWER REQUIRED
E18	1	CPCI	72" DUCT FUME HOOD 72"W X 24"D X 25"H	CLEARTECH 72" HIGH-CLEARANCE FUME HOOD W/ 35" POWDER COATED STEEEL STAND #1100-9-G	POWER REQUIRED
E19.R	1	OPCI	FUME HOOD 48'W X 27"D X 35"H	AIRSCIENCE Purair RX DUCTLESS BALANCE ENCLOSURE #P5-48-XT (RX) -A	POWER REQUIRED; 115VAC, 60HZ; ACCESSORIES: METAL BASE: #CART-MCC-50
E20.R	1	OPCI	FUMING CHAMBER 60"W x 28"D x 82.25"H	AIRSCIENCE Safefume AUTOMATIC CYANOACRYLATE FUMING CHAMBER #CATRI	POWER REQUIRED
E21.R	1	OPCI	FUMING CHAMBER - 30"W x 28"D x 74.88"H	AIRSCIENCE Safefume AUTOMATIC CYANOACRYLATE FUMING CHAMBER #CA30T	POWER REQUIRED
E22	1	CPCI	TABLETOP EVIDENCE DRYING CABINET 24"W X 23"D X 30"H	SIRCHIE EVIDENCE DRYING CABINET #ACEVD24A	POWER REQUIRED; STANDARD 110V OR 220V ELECTRICAL OUTLET
E22.R	2	OPCI	TABLETOP EVIDENCE DRYING CABINET 24"W X 23"D X 30"H	SIRCHIE EVIDENCE DRYING CABINET #ACEVD24A	POWER REQUIRED; STANDARD 110V OR 220V ELECTRICAL OUTLET
E23.R	3	OPCI	FREESTANDING DBL. FORENSIC EVIDENCE DRYING CABINET 72"W X 26"D X 84"H	SIRCHIE FREESTANDING DRYSAFE, 60", Double Chamber #ACEVD60AS	POWER REQUIRED + WATER REQUIRED; STANDARD 110V OR 220V ELECTRICAL OUTLET
E24.R	1	OPCI	FREESTANDING SINGLE FORENSIC EVIDENCE DRYING CABINET 30"W X 26"D X 84"H	SIRCHIE FREESTANDING DRYSAFE, 30", SINGLE CHAMBER #ACEVD30A	POWER REQUIRED + WATER REQUIRED; STANDARD 110V OR 220V ELECTRICAL OUTLET
E25.R	1	OPCI	FINGERPRINT DEVELOPMENT CHAMBER 36.25"W X 25.5"D X 29.25"H	AIRSCIENCE Safedevelop Fingerprint Development Chamber W/ Base Stand #SD-34S	POWER REQUIRED; ACCESSORIES: HEAVY DUTY BASE STAND #CART-30; VENT-BOX FILTRATION #VB60
E26	1	CPCI	DUCTED POLYPROPYLENE FUME HOOD 96"W X 24"D X 25"H	CLEARTECH 96" POLYPROPYLENE CHEMICAL FUME HOOD W WORKSURFACE/BUILT-IN SINK #A11-WS-PR96	POWER & WATER REQUIRED; ACCESSORIES: UTILITY SINK #A11-SK-F; 35"H, EPOXY POWDER COATED STEEL STAND W/ LEVELING MOUNT #A11-ST-P35HL; POLYPROPYLENE BASE CABINET FOR STAND #A11-BC-PP; DOUBLE FAN MODULES (120 VAC, ADJUSTABLE SPEED, 480 CFM EACH)
E26.R	1	OPCI	EVIDENCE VIEWING/ PHOTO TABLE 90 X 28		POWER REQUIRED
E27.R	1	CPCI	36" DUCT FUME HOOD 36"W X 30"D X 25"H	CLEARTECH 36" High-Clearance Laboratory Fume Hood W/ 35" STEEL STAND #11004C	POWER REQUIRED: ACCESSORIES: BASE STAND #A11-WS-PR36
E28.R	1	CPCI	48" DUCT FUME HOOD 48"W X 24"D X 25"H	CLEARTECH 48" High-Clearance Laboratory Fume Hood W/ 35" STEEL STAND #1100-4-D	POWER REQUIRED; ACCESSORIES: BASE STAND #A11-WS-PR48
E29	1	CPCI	ROOM AVAILABILITY INDICATOR LIGHT 2.79"W X 2.16"D X 6.41"H	CRESTON STATUS INDICATOR, WALL MOUNT #SIW-100	POWER & DATA REQUIRED
E30	5	CPCI	PASS-THROUGH EVIDENCE LOCKER, 36"W X 82"H	SPACESAVER ED3P-55,10 DOOR EVIDENCE LOCKER, 36"W X 82"H	
E31	1	CPCI	BRASSTAX ACQUISITION STATION 67"W X 30" D X 27"H- VERIFY W/ OWNER	Ultra Electronics Forensic Technology Inc. / IBIS TRAX-HD3D | BRASSTRAX H3 Acquisition Station	POWER REQUIRED; DATA REQUIRED; SEE SPEC DOCUMENT: SFD26-00004
E32	1	CPCI	MATCHPOINT ANALYSIS STATION 67"W X 30"D 27"H- VERIFY W/ OWNER	Ultra Electronics Forensic Technology Inc. /IBIS TRAX-HD3D | MATCHPOINT Analysis Station	POWER REQUIRED; DATA REQUIRED; SEE SPEC DOCUMENT: SFD30-00001
E33	1	OPOI	SHOT TANK 34 1/2"D X 104"W	MODEL# BRS 101 48 A	
E34	30	CPCI	4 DRAWER LETTER/LEGAL FILE CABINET 18W X 25D X 52H	ULINE H-6366BL	
E35	1	CPCI	FUMING CHAMBER, BENCHTOP 30"W X 28"D X 48"H	AIRSCIENCE Safefume AUTOMATIC CYANOACRYLATE FUMING CHAMBE #CA30S-A	POWER REQUIRED:
E36	1	CPCI	CEILING MOUNT FOR TV	MFR: MOUNT IT! MODEL#MI-509B	FOR E36.R TVS;
E36.R	2	OPCI	RELOCATED TV	RELOCATED TV	POWER & DATA; CEILING MOUNTING -E36; CONDUIT, RACEWAY, AND BRACKET BY CONTRACTOR. COORDINATE CONNECTION TO COMPUTER WITH T+I

SPECIALTY EQUIPMENT LEGEND

TAG	QTY	RESPONSIBILITY	DESCRIPTION	BASIS OF DESIGN	REQUIREMENTS
E37	2	OPOI	DESKTOP MONITOR	DELL INSPIRON 27 ALL-IN-ONE MODEL#7730-AIO	POWER & DATA REQUIRED
E38	2	OPOI	TAG PRINTER		POWER & DATA REQUIRED
E39	2	CPCI	COUNTER HEIGHT CAB W/ SHELVES 36" X 18" X 42"	GLOBAL INDUSTRIES COUNTER HEIGHT STEEL CAB #WBB3134169	
E41	3	CPCI	CHROME WALL RACK WITH BAR 36" X 24" X 6"	NEXEL CHROME WALL RACK WITH BARS- WALL MOUNT T9F184444	
E42	1	OPOI	VENDING MACHINE: SNACKS - 72"H X 35.2 "W X 34.75"D	SELECTIVEND, MODEL: SEL 32	POWER REQUIRED
E43	2	OPOI	VENDING MACHINE, SODA	DIXIE NARCO - MODEL# DN501E-T COLD DRINKS	POWER REQUIRED; CREDIT CARD READER OPTION REQUIRED
E44	2	CPCI	REFRIGERATOR	SUMMIT - FISHER AND PAYKEL - MODEL#E522BRXFD5 67 1/2"H X 31 1/8"W X 27 3/8"DEPTH	POWER REQUIRED
E45	4	CPCI	STAINLESS STEEL COUNTERTOP MICROWAVE/CONVECTION	DACOR - MODEL#DCM24S 24 5/8"W X 14 7/8"H X 19" D	POWER REQUIRED
E46	1	CPCI	ADA STAINLESS STEEL DISHWASHER	BOSCH - 24" BAR HANDLE ADA 800 SERIES - MODEL#SGX78C55UC 32 1/16"H X 23 9/16"W X 22 9/16"DEPTH	POWER & WATER REQUIRED - REFER TO SPEC SHEET
E47	2	CPCI	ICE & WATER DISPENSER	HOSHIZAKI - ICE MAKER AND WATER MODEL#DCM-500BAH 26"W X 22"D X 40"H(72 3/4" W/ STAND)	POWER & WATER REQUIRED - REFER TO SPEC SHEET; ACCESSORIES REQUIRED- SD500 STAND
E48	2	CPCI	BUIILT-IN UNDERCOUNTER ADA REFRIGERATOR	SUMMIT - MODEL# AL55 31.63"H X 23.5"W X 25.38"DEPTH (W/ HANDLE)	POWER REQUIRED
E49	3	CPCI	RECESSED DEAL TRAY	ARMORTEX, INC. - RECESSED DEAL TRAY 10" X 16" MODEL#TE-DT-10-16	UL 752 LEVEL IV BULLET RESISTANT
E50	1	CPCI	PACKAGE RECEIVER	ARMORTEX, INC. - PACKAGE RECEIVER 18 X 18 MODEL#SSPR-1818	UL 752 LEVEL IV BULLET RESISTANT
E51	4	CPCI	NATURAL VOICE SPEAK THRU SYSTEM	QUICKSERV - 6" BULLET RESISTANT SPEAK-THRU	UL 752 LEVEL IV BULLET RESISTANT
E52	20	CPCI	GO BAG STORAGE 24"W X 24"D X 74"H	SOUTHWEST SOLUTIONS GROUP -- QUOTE#146548 COLOR: BLUE GREY	(3) ADJUSTABLE OPENINGS, SLOPED TOP, LEVELING FEET, FULLY ASSEMBLED, SLOPED TOPS INSTALLED ON SITE
E53	1	CPCI	PASS-THROUGH EVIDENCE LOCKER, 36"W X 82"H	SPACESAVER ED3P-55,10 DOOR EVIDENCE LOCKER, 36"W X 82"H	
E54	2	CPCI	STS TABLE TOP, HD FRAME, LEVELING CASTERS, 96"W X 48"D X 36"H	FORMASPACE - ITEM# FSMOD-C1066232-0:MODIFIED ASSEMBLY 96W x 48D x 36H Details: SS Worksurface, Leveling Caster, HD Frame, Steel Gray PEARLESCENT (T028GR02)	
E55	1	CPCI	STATIC WIDE SPAN STORAGE STORAGE SHELVING 36 "W X 18"DP X 116 3/4"H	PATTERSON POPE	COORDINATE DELIVERY LOCATION WITH OWNER;
E56	2	OPCI	STORAGE LIFTS	CROWN WAV 60	
E57	1	CPCI	MOBILE STORAGE SHELVING 36"W X 18" DP X 112 7/16"H	PATTERSON POPE	COORDINATE DELIVERY LOCATION WITH OWNER;
E58	1	CPCI	STATIC STORAGE SHELVING 36"W X 18DP X 119 3/4"H	PATTERSON POPE	COORDINATE DELIVERY LOCATION WITH OWNER;
E59	1	CPCI	WIDE SPAN SHELVING 72"W X 36"DP X 121 1/2"H	PATTERSON POPE	COORDINATE DELIVERY LOCATION WITH OWNER;
E60	1	CPCI	TYPICAL STATIONARY + MOBILE HANDGUN STORAGE 36W X 30"DP X 111 15/16"H - 36X30-F	PATTERSON POPE	COORDINATE DELIVERY LOCATION WITH OWNER;
E61	1	CPCI	STATIC LONGGUN STORAGE 36"W X 18"DP X 109 1/4"H	PATTERSON POPE	COORDINATE DELIVERY LOCATION WITH OWNER;
E62	1	CPCI	STATIC LONGGUN STORAGE 36"W X 36"D X 109 1/4"H	PATTERSON POPE	COORDINATE DELIVERY LOCATION WITH OWNER;
E63	1	CPCI	MOBILE LONG GUN SHELVING 36"W X 36"DP X 111 1/2"H	PATTERSON POPE	COORDINATE DELIVERY LOCATION WITH OWNER;
E64	1	CPCI	MOBILE LONG GUN SHELVING 36"W X 18"DP X 111 1/2"H	PATTERSON POPE	COORDINATE DELIVERY LOCATION WITH OWNER;
E65	1	CPCI	STATIC WIDE SPAN STOARAGE SHELVING 72"W X 36"DP X 109 5/8"H	PATTERSON POPE	COORDINATE DELIVERY LOCATION WITH OWNER;
E66	1	CPCI	STATIC WIDE SPAN STORAGE SHELVING 84"W X 36"DP X 109 5/8"H	PATTERSON POPE	COORDINATE DELIVERY LOCATION WITH OWNER;
E67	1	CPCI	MOBILE STORAGE 36"W X 18"DP X 1110 1/4"H	PATTERSON POPE	COORDINATE DELIVERY LOCATION WITH OWNER;
E68	1	CPCI	STATIONARY STORAGE SHELVING 48"W X 24"DP X 110 1/4"H	PATTERSON POPE	COORDINATE DELIVERY LOCATION WITH OWNER;
E69	1	CPCI	STATIONARY STORAGE SHELVING 36"W X 24"DP X 110 1/4"H	PATTERSON POPE	COORDINATE DELIVERY LOCATION WITH OWNER;

FURNITURE & EQUIPMENT GENERAL NOTES

1. OPOI - INDICATES OWNER PROVIDED, OWNER INSTALLED FFE ITEMS, NOT IN CONTRACT, UNLESS NOTED OTHERWISE.
2. OPCI - INDICATES OWNER PROVIDED, CONTRACTOR INSTALLED ITEMS. OWNER TO COORDINATE PURCHASE AND DELIVERY TO SITE WITH CONTRACTOR'S INSTALLATION SCHEDULE.
3. CPCI - INDICATES CONTACTOR PROVIDED, CONTRACTOR INSTALLED ITEMS. CONTRACTOR TO VERIFY QUANTITES SHOWN ON PLANS, ELEVATIONS AND SCHEDULES.
4. OFOI -INDICATES OWNER FURNISHED, OWNER INSTALLED FURNITURE (NIC) BEING RELOCATED FROM OLD FACILITY TO NEW
5. TAGS ENDED IN " .R " MEANS EQUIPMENT IS BEING RELOCATED FROM OLD FACILITY TO NEW FACILITY.
6. CONTRACTOR TO PROVIDE NON-COMBUSTIBLE BLOCKING AS REQUIRED FOR ALL WALL-MOUNTED OR CEILING - MOUNTED COMPONENTS, ACCESSORIES, FURNITURE, AND EQUIPMENT AS REQUIRED PER MANUFACTURER'S PRODUCT DATA.
7. CONTRACTOR TO COORDINATE FINAL EQUIPMENT LOCATIONS WITH OWNER; ELECTRICAL / PLUMBING CONNECTION AND REQUIREMENTS AS INDICATED ON MECHANICAL / ELECTRICAL / PLUMBING DRAWINGS AND SCHEDULES. COORDINATE FLOOR JUNCTION BOXES WITH FURNITURE LOCATIONS FOR FFE ELECTRICAL / DATA REQUIREMENTS.
8. CONTRACTOR TO COORDINATE FINAL TECHNOLOGY EQUIPMENT LOCATIONS WITH OWNER; NON-COMBUSTIBLE BLOCKING, JUNCTION BOX CONNECTION, AND ELECTRICAL / DATA REQUIREMENTS AS INDICATED ON TECHNOLOGY DRAWINGS AND SCHEDULES.
9. CONTRACTOR TO COORDINATE LOCATION OF DOOR ACCESS HARDWARE TO COMPLY WITH ACCESSIBILITY REQUIREMENTS, LOW-VOLTAGE, ELECTRICAL, AND DATA AS INDICATED ON ARCHITECUTRE, MEP, AND TECHNOLOGY DRAWINGS AND SCHEDULES.
10. CONTRACTOR TO PROVIDE NON-COMBUSTIBLE BLOCKING AND CONDUIT FOR FUTURE EQUIPMENT LOCATIONS LABELED AND INDICATED WITH DASHED LINES.

CITY OF TAMPA
APPROVED SITE REVIEW ONLY, NOT VALID WITHOUT BUILDING PLANS
BLD-25-0517072
9/3/2025

City of Tampa
CONSTRUCTION SERVICES DIVISION
PLANS APPROVAL
BLD-25-0517072 9/3/2025
THIS SET OF PLANS MUST BE KEPT ON THE JOB SITE
It is unlawful to make changes or alterations without written approval from the City of Tampa Construction Services Division.
The Stamping of Plans and/or Specifications shall not be held to permit or to be an approval of the violation of any City or State Codes
REVIEWED FOR CODE COMPLIANCE

Architects Design Group
333 North Knowles Avenue
Winter Park, Florida 32789
HOWARD + ASSOCIATES
ARCHITECTS, P.A.
2030 Henderson Blvd., Ste. 2068
Tampa, FL 33629 • 813.872.8888
Ian Reeves

SIGNATURE AND SEAL:

DO NOT SCALE THE DRAWINGS, VERIFY ALL DIMENSIONS BEFORE COMMENCING ANY WORK. THE ARCHITECT HEREBY EXPRESSLY RESERVES COPYRIGHT AND OTHER PROPERTY RIGHTS IN THESE DRAWINGS. THESE DRAWINGS AND DESIGN HEREIN SHALL REMAIN THE PROPERTY OF THE ARCHITECTS AND IS NOT TO BE COPIED, REPRODUCED OR ASSIGNED TO ANY PARTY WITHOUT THE ARCHITECT'S WRITTEN PERMISSION.

ADG PROJECT NO. 1087

C.o.T. NO. 24-C-00032

PROJECT STATUS:

PERMIT DOCUMENTS

ISSUE DATE:

9/9/2024

REVISIONS:

DRAWN BY: LK


CHECKED BY: Checker

TPD HOWARD AVENUE ANNEX BUILDING

SPECIALTY EQUIPMENT SCHEDULE

A-152

FURNITURE - NOT IN CONTRACT			
TAG	COUNT	RESPONSIBILITY	DESCRIPTION
F1	2	OPOI	U-GROUP DESK
F2	8	OPOI	FLIP TOP TRAINING TABLE 84 X 24
F3	2	OPOI	FLIP TOP TRAINING TRAINING 60 X 24
F4	2	OPOI	BREAK ROOM 4 SIDE TABLE
F5	1	OPOI	STRASSA BAR HEIGHT TABLE 120 X 24
F6	1	OPOI	LECTERN STAND
F7	12	OPOI	MIKA SIDE CHAIR
F8	62	OPOI	HUMANSCALE SMART CHAIR W/ ARMS
F9	33	OPOI	KIMBALL JOYA CHAIR
F10	22	OPOI	NESTING MOBILE CHAIR W/ ARMS
F11	4	OPOI	MIKA COUNTER STOOL
F12	9	OPOI	LAB STOOL
F13	2	OPOI	42" ROUND TABLE
F14	13	OPOI	L-SHAPE PRIVATE OFFICE DESK
F15	20	OPOI	NARRATE 7X8 WORKSTATION
F16	1	OPOI	30" ROUND TABLE
F17	2	OPOI	NARRATE 2 X 8 DROP IN DESK
F18	12	OPOI	NARRATE L-SHAPE WORKSTATION 6 X 8
F19	37	OPOI	LATERAL FILE CABINET - 36" W X 65"H X 18"D, 5 Drawer, Black
F20	4	OPOI	60" X 24" QUAD POST HEAVY DUTY WIRE SHELF
F21	9	OPOI	72" X 24" - QUAD POST HEAVY DUTY WIRE SHELF
F22	6	OPOI	48" X 24" QUAD POST HEAVY DUTY WIRE SHELF
F23	26	OPOI	VINYL PADDED MOBILE SHOP STOOL
F24.R	4	OFOI	RELOCATED - L-SHAPE PRIVATE OFFICE DESK



1 01 FLOOR PLAN 0 FURNITURE N.I.C.
3/32" = 1'-0"

CITY OF TAMPA
APPROVED SITE REVIEW ONLY,
NOT VALID WITHOUT
BUILDING PLANS
BLD-25-0517072
9/3/2025

City of Tampa
CONSTRUCTION SERVICES DIVISION
PLANS APPROVAL
BLD-25-0517072 9/3/2025
THIS SET OF PLANS MUST BE KEPT ON THE JOB SITE
It is unlawful to make changes or alterations without written approval from the City of Tampa Construction Services Division.
The Stamp of Approval is not to be held to permit violation of any City or State Codes
REVIEWED FOR CODE COMPLIANCE

ADG Architects Design Group
333 North Knowles Avenue
Winter Park, Florida 32789
HOWARD + ASSOCIATES
ARCHITECTS, P.A.
2630 Henderson Blvd., Ste. 2068
Tampa, FL 33609 • 813.872.8888
Ian Reeves

SIGNATURE AND SEAL:



DO NOT SCALE THE DRAWINGS. VERIFY ALL DIMENSIONS BEFORE COMMENCING ANY WORK. THE ARCHITECT HEREBY EXPRESSLY RESERVES COPYRIGHT AND OTHER PROPERTY RIGHTS IN THESE DRAWINGS. THESE DRAWINGS AND DESIGN HEREIN SHALL REMAIN THE PROPERTY OF THE ARCHITECTS AND IS NOT TO BE COPIED, REPRODUCED OR ASSIGNED TO ANY PARTY WITHOUT THE ARCHITECT'S WRITTEN PERMISSION.

ADG PROJECT NO. 1087

C.o.T. NO. 24-C-00032

PROJECT STATUS:
PERMIT DOCUMENTS

ISSUE DATE:
9/9/2024

REVISIONS:


DRAWN BY: LK
CHECKED BY: Checker

TPD HOWARD AVENUE ANNEX BUILDING

FURNITURE PLAN N.I.C.+ SCHEDULE


TRUE PROJECT NORTH:

A-153




7 EAST ELEVATION

3/32" = 1'-0"




6 SOUTH ELEVATION

3/32" = 1'-0"




2 WEST ELEVATION

3/32" = 1'-0"




3 LOUVER L-1-1

3/16" = 1'-0"




4 LOUVER L-1-2

3/16" = 1'-0"



5 LOUVER L-1-3

3/16" = 1'-0"



1 NORTH ELEVATION

3/32" = 1'-0"

CITY OF TAMPA
APPROVED SITE PLAN
NOT VALID WITHOUT
BUILDING PLANS
BLD-25-0517072
9/3/2025

MATERIAL LEGEND

- SMOOTH STUCCO FINISH P1 WHITE
- SMOOTH STUCCO FINISH P2 BLUE
- GLAZING COLOR, CLEAR

SYMBOL LEGEND

- W# — ALUMINUM WINDOW SYSTEM
- C.J — CONTROL JOINT
- ### — DOOR SYSTEM

GENERAL NOTES

1. ALL EXISTING SURFACES TO RECEIVE STUCCO OVER METAL LATHE. ALL NEW SURFACES TO RECEIVE STUCCO DIRECTLY APPLIED TO SURFACE.
2. 2. THE CUP ELEVATIONS HAVE BEEN REMOVED FROM THIS SHEET FOR CLARIFICATION AND STUCCO COORDINATION OF THE MAIN BUILDING. REFER TO SHEET A-021 FOR CUP ELEVATIONS.

City of Tampa
CONSTRUCTION SERVICES DIVISION
PLANS APPROVAL
BLD-25-0517072 9/3/2025
THIS SET OF PLANS MUST BE KEPT ON THE JOB SITE
It is unlawful to make changes or alterations without written approval from the City of Tampa Construction Services Division.
The Stamp of approval is not to be held to permit violation of any City or State Codes
REVIEWED FOR CODE COMPLIANCE

Architects Design Group
333 North Knowles Avenue
Winter Park, Florida 32789
HOWARD + ASSOCIATES
ARCHITECTS, P.A.
AA0003531
2030 Henderson Blvd., Ste. 2068
Tampa, FL 33629 • 813.872.8868
Ian Reeves

SIGNATURE AND SEAL:

DO NOT SCALE THE DRAWINGS. VERIFY ALL DIMENSIONS BEFORE COMMENCING ANY WORK. THE ARCHITECT HEREBY EXPRESSLY RESERVES COPYRIGHT AND OTHER PROPERTY RIGHTS IN THESE DRAWINGS. THESE DRAWINGS AND DESIGN HEREIN SHALL REMAIN THE PROPERTY OF THE ARCHITECTS AND IS NOT TO BE COPIED, REPRODUCED OR ASSIGNED TO ANY PARTY WITHOUT THE ARCHITECT'S WRITTEN PERMISSION.

ADG PROJECT NO. **1087**

C.o.T. NO. **24-C-00032**

PROJECT STATUS:

PERMIT DOCUMENTS

ISSUE DATE:

9/9/2024

REVISIONS:


DRAWN BY: **WJ**

CHECKED BY: **RM**

TPD HOWARD AVENUE ANNEX BUILDING


BUILDING ELEVATIONS

A-201




5 OVERALL BUILDING SECTION 1

1/8" = 1'-0"




4 BUILDING ADDITION SECTION 1

1/8" = 1'-0"




3 BUILDING ADDITION SECTION 2

1/8" = 1'-0"



2 OVERALL BUILDING SECTION 2 - ZONE A

1/8" = 1'-0"



1 OVERALL BUILDING SECTION 2 - ZONE B

1/8" = 1'-0"

CITY OF TAMPA
APPROVED SITE REVIEW ONLY,
NOT VALID WITHOUT
BUILDING PLANS
BLD-25-0517072
9/3/2025

City of Tampa
CONSTRUCTION SERVICES DIVISION
PLANS APPROVAL
BLD-25-0517072 9/3/2025
THIS SET OF PLANS MUST BE KEPT ON
THE JOB SITE AT ALL TIMES
It is unlawful to make changes or
alterations without written approval
from the City of Tampa Construction
Services Division.
The Stamp of Approval is not to be
held to permit violation of any City or State Codes
REVIEWED FOR CODE COMPLIANCE

Architects Design Group
333 North Knowles Avenue
Winter Park, Florida 32789

HOWARD + ASSOCIATES
ARCHITECTS, P.A.
AA0003531
3030 Henderson Blvd., Ste. 2068
Tampa, FL 33609 • 813.872.8868

Ian Reeves

SIGNATURE AND SEAL:



DO NOT SCALE THE DRAWINGS. VERIFY ALL DIMENSIONS BEFORE COMMENCING ANY WORK. THE ARCHITECT HEREBY EXPRESSLY RESERVES COPYRIGHT AND OTHER PROPERTY RIGHTS IN THESE DRAWINGS. THESE DRAWINGS AND DESIGN HEREIN SHALL REMAIN THE PROPERTY OF THE ARCHITECTS AND IS NOT TO BE COPIED, REPRODUCED OR ASSIGNED TO ANY PARTY WITHOUT THE ARCHITECT'S WRITTEN PERMISSION.

ADG PROJECT NO. **1087**

C.o.T. NO. **24-C-00032**

PROJECT STATUS:

PERMIT DOCUMENTS

ISSUE DATE:

9/9/2024

REVISIONS:

DRAWN BY: **WJ**

CHECKED BY: **RM**

TPD HOWARD AVENUE ANNEX BUILDING


BUILDING SECTIONS

A-301


GENERAL NOTES

1. ALL EXISTING STRUCTURE NOTED IN DIAGONAL HALFTONE. VERIFY IN FIELD (V.I.F.) ALL EXISTING WALLS DIMENSIONS PRIOR TO WORK.
2. ALL EXISTING SURFACES TO RECEIVE STUCCO OVER METAL LATHE. ALL NEW SURFACES TO RECEIVE STUCCO DIRECTLY APPLIED.


EXISTING CONDITIONS: WALL, ROOF AND SLAB




4 WALL SECTION 4
1" = 1'-0"



3 WALL SECTION 3
1" = 1'-0"



2 WALL SECTION 2
1" = 1'-0"



1 WALL SECTION 1
1" = 1'-0"

CITY OF TAMPA
APPROVED SITE REVIEW ONLY, NOT VALID WITHOUT BUILDING PLANS
PLEASE SEE ATTACHED CONDITIONS

City of Tampa
CONSTRUCTION SERVICES DIVISION
PLANS APPROVAL
BLDR-25-05172 9/3/2025
THIS SET OF PLANS MUST BE KEPT ON THE JOB SITE AT ALL TIMES
It is unlawful to make changes or alterations without written approval from the City of Tampa Construction Services Division.
The Stamp of approval is not to be held to permit violation of any City or State Codes
REVIEWED FOR CODE COMPLIANCE

Architects Design Group
333 North Knowles Avenue
Winter Park, Florida 32789

HOWARD + ASSOCIATES
ARCHITECTS, P.A.
AA0003016
3030 Henderson Blvd., Ste. 2068
Tampa, FL 33609 • 813.872.8668

Ian Reeves

SIGNATURE AND SEAL:

DO NOT SCALE THE DRAWINGS. VERIFY ALL DIMENSIONS BEFORE COMMENCING ANY WORK. THE ARCHITECT HEREBY EXPRESSLY RESERVES COPYRIGHT AND OTHER PROPERTY RIGHTS IN THESE DRAWINGS. THESE DRAWINGS AND DESIGN HEREIN SHALL REMAIN THE PROPERTY OF THE ARCHITECTS AND IS NOT TO BE COPIED, REPRODUCED OR ASSIGNED TO ANY PARTY WITHOUT THE ARCHITECT'S WRITTEN PERMISSION.

ADG PROJECT NO. **1087**

C.o.T. NO. **24-C-00032**

PROJECT STATUS:

PERMIT DOCUMENTS

ISSUE DATE:

9/9/2024

REVISIONS:

DRAWN BY: **Author**

CHECKED BY: **Checker**

TPD HOWARD AVENUE ANNEX BUILDING


WALL SECTIONS - EXTERIOR/ INTERIOR

A-311


GENERAL NOTES

1. ALL EXISTING STRUCTURE NOTED IN DIAGONAL HALFTONE, VERIFY IN FIELD (V.I.F.) ALL EXISTING WALLS DIMENSIONS PRIOR TO WORK.
2. ALL EXISTING SURFACES TO RECEIVE STUCCO OVER METAL LATHE. ALL NEW SURFACES TO RECEIVE STUCCO DIRECTLY APPLIED.

EXISTING CONDITIONS: WALL, ROOF AND SLAB



2 WALL SECTION 6
1" = 1'-0"



1 WALL SECTION 5
1" = 1'-0"

CITY OF TAMPA
APPROVED SITE REVIEW ONLY, NOT VALID WITHOUT BUILDING PLANS
BLD-25-0517072
9/3/2025

City of Tampa
CONSTRUCTION SERVICES DIVISION
PLANS APPROVAL
BLD-25-0517072 9/3/2025
THIS SET OF PLANS MUST BE KEPT ON THE JOB SITE AT ALL TIMES
It is unlawful to make changes or alterations without written approval from the City of Tampa Construction Services Division.
The Stamping of Plans and/or Specifications shall not be held to permit or to be an approval of the violation of any City or State Codes
REVIEWED FOR CODE COMPLIANCE

Architects Design Group
333 North Knowles Avenue
Winter Park, Florida 32789
HOWARD + ASSOCIATES
ARCHITECTS, P.A.
AA0003016
2030 Henderson Blvd., Ste. 206S
Tampa, FL 33629 • 813.872.8668
Ian Reeves

SIGNATURE AND SEAL:



DO NOT SCALE THE DRAWINGS. VERIFY ALL DIMENSIONS BEFORE COMMENCING ANY WORK. THE ARCHITECT HEREBY EXPRESSLY RESERVES COPYRIGHT AND OTHER PROPERTY RIGHTS IN THESE DRAWINGS. THESE DRAWINGS AND DESIGN HEREIN SHALL REMAIN THE PROPERTY OF THE ARCHITECTS AND IS NOT TO BE COPIED, REPRODUCED OR ASSIGNED TO ANY PARTY WITHOUT THE ARCHITECT'S WRITTEN PERMISSION.

ADG PROJECT NO. **1087**

C.o.T. NO. **24-C-00032**

PROJECT STATUS:
PERMIT DOCUMENTS

ISSUE DATE:
9/9/2024


REVISIONS:

DRAWN BY: **Author**
CHECKED BY: **Checker**

TPD HOWARD AVENUE ANNEX BUILDING

WALL SECTIONS - EXTERIOR/ INTERIOR

A-312




9 EXISTING CANOPY ROOF OVERHANG - GUTTER DETAIL

3" = 1'-0"

GENERAL NOTES


1. ALL EXISTING STRUCTURE NOTED IN DIAGONAL HALFTONE, VERIFY IN FIELD (V.I.F.) ALL EXISTING WALL DIMENSIONS PRIOR TO WORK.
2. ALL EXISTING EXTERIOR CONCRETE SURFACES (PERIMETER WALLS and PILASTER COLUMNS) SHALL RECEIVE A COMBINATION STUCCO OVER METAL LATHE FINISH. NEW EXTERIOR CONCRETE SURFACES, AS PART OF THE ONE-STORY ADDITION TO THE NORTH, WILL RECEIVE A STUCCO FINISH DIRECTLY APPLIED TO THE EXISTING SURFACE.

EXISTING CONDITIONS: WALL, ROOF AND SLAB




6 ROOF DETAIL - ROOF EXPANSION

3" = 1'-0"




4 CANOPY DETAIL

3" = 1'-0"




3 EXISTING WALL AND ROOF

3" = 1'-0"




2 STUCCO REVEAL TYP.

3" = 1'-0"




1 STUCCO TERMINATION DETAIL

3" = 1'-0"




8 EXISTING WALL AND ROOF - GUTTER DETAIL

3" = 1'-0"



7 ROOF DETAIL - COMBINATION ROOF & OVERFLOW DRAIN

3" = 1'-0"



5 ROOF DETAIL - PARAPET CAP

3" = 1'-0"

CITY OF TAMPA
APPROVED SITE REVIEW ONLY, NOT VALID WITHOUT BUILDING PERMIT
BLD25-0517072
9/3/2025

City of Tampa
CONSTRUCTION SERVICES DIVISION
PLAN APPROVAL
BLD-25-0517072 9/3/2025
THIS SET OF PLANS MUST BE KEPT ON THE JOB SITE
It is unlawful to make changes or alterations without written approval from the City of Tampa Construction Services Division.
The Stamp of Approval is not to be held to permit violation of any City, or State Codes.
REVIEWED FOR CODE COMPLIANCE

Architects Design Group
333 North Knowles Avenue
Winter Park, Florida 32789
HOWARD + ASSOCIATES ARCHITECTS, P.A.
3300 Henderson Blvd., Ste. 206E
Tampa, FL 33609 • 813.872.6680
Ian Reeves

SIGNATURE AND SEAL:

DO NOT SCALE THE DRAWINGS. VERIFY ALL DIMENSIONS BEFORE COMMENCING ANY WORK. THE ARCHITECT HEREBY EXPRESSLY RESERVES COPYRIGHT AND OTHER PROPERTY RIGHTS IN THESE DRAWINGS. THESE DRAWINGS AND DESIGN HEREIN SHALL REMAIN THE PROPERTY OF THE ARCHITECT AND IS NOT TO BE COPIED, REPRODUCED OR ASSIGNED TO ANY PARTY WITHOUT THE ARCHITECT'S WRITTEN PERMISSION.

ADG PROJECT NO. **1087**

C.o.T. NO. **24-C-00032**

PROJECT STATUS:

PERMIT DOCUMENTS

ISSUE DATE:

9/9/2024

REVISIONS:


DRAWN BY: **WJ / MP2**

CHECKED BY: **RM**

TPD HOWARD AVENUE ANNEX BUILDING


ROOF AND VERTICAL DETAILS

A-321



2 DEMOLITION FLOOR PLAN - AREA C

1/8" = 1'-0"



1 DEMOLITION FLOOR PLAN - AREA A

1/8" = 1'-0"

5 0 5 10 15 20
1/8" = 1'-0" SCALE FEET

GENERAL DEMOLITION NOTES

1. GENERAL CONTRACTOR SHALL VERIFY IN FIELD (V.I.F.) ALL EXISTING DIMENSIONS PRIOR TO THE START OF ANY WORK.
2. PRIOR TO THE START OF DEMOLITION WORK, GENERAL CONTRACTOR (G.C.) SHALL DETERMINE THE LOCATION OF ALL LOAD BEARING PARTITIONS AND COLUMNS AND PROVIDE TEMPORARY SUPPORTS, AS REQUIRED, WHERE REMOVAL OR RELOCATION OF SUCH PARTITIONS ARE TO OCCUR. G.C. SHALL ENSURE ALL TEMPORARY SUPPORTS ARE BRACED AGAINST SUFFICIENT ADJACENT MATERIAL SUPPORT TO PRESERVE STRUCTURAL STABILITY. REFER TO STRUCTURAL DRAWINGS.
3. FURNISH, INSTALL, AND MAINTAIN DUST COVERINGS TO PREVENT THE SPREAD OF DUST PARTICLES BEYOND THE IMMEDIATE AREA WHERE DEMOLITION IS BEING PERFORMED.
4. G.C. SHALL PRESSURE WASH EXTERIOR PERIMETER FACE OF EXISTING BUILDING INCLUDING UNDERSIDE OF EXISTING ROOF CANOPY IF G.C. DETERMINES IT WILL NOT ADVERSELY DAMAGE THE UNDERSIDE OF EXPOSED METAL DECKING, TRUSS SUPPORT AND ROOFING ABOVE.
5. REMOVE ALL EXISTING EXTERIOR WALL FINISHES, AS REQUIRED, AND PREP SURFACES TO RECEIVE NEW SPECIFIED STUCCO FINISH. ADDITIONALLY, REMOVE EXTERIOR FINISH AT EXISTING LOADING DOCK SUPPORT WALLS. PATCH AND PREP TO RECEIVE NEW SPECIFIED FINISH. REMOVE ALL EXISTING INTERIOR FINISHES (WHERE INDICATED IN PLAN) AND REPAIR & PREP ALL SURFACES TO RECEIVE NEW FINISHES.
6. MATERIALS HAVING SALVAGE VALUE SHALL BECOME THE PROPERTY OF THE OWNER. ALL OTHER MATERIAL AND DEBRIS ACCUMULATED AS A RESULT OF DEMOLITION SHALL BECOME THE PROPERTY OF THE CONTRACTOR AND SHALL BE REMOVED FROM THE PREMISES BY THE CONTRACTOR AND DISPOSED OF IN A LEGAL AND PROPER MANNER.
7. ALL WALLS, DOORS, WINDOWS, FURNISHINGS, ETC. DENOTED WITH DASHED LINES ARE TO BE REMOVED. REFER TO PROPOSED PLAN LAYOUT FOR CLARIFICATION.
8. REFER TO STRUCTURAL DRAWINGS FOR ALL STRUCTURAL DEMOLITION LOCATIONS & DETAILS.
9. REFER TO STRUCTURAL DRAWINGS FOR ALL HORIZONTAL AND VERTICAL REINFORCMENT OF NEW OPENINGS.
10. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE REMOVAL AND TEMPORARY RELOCATION OF ALL LIFE SAFETY SYSTEMS INCLUDING FIRE/SMOKE ALARMS, AS REQUIRED, DURING THE DEMOLITION AND CONSTRUCTION PHASES.
11. ALL DAMAGE TO THE EXISTING FLOOR SLAB TO BE REPAIRED AND LEVELED.
12. CUT SECTIONS OF EXISTING SLAB TO RE-ROUTE AND OR INSTALL NEW WATER SUPPLY AND/OR SEWER CONNECTIONS. WHERE NEW PLUMBING LINES ARE SEEN ROUTED THRU EXISTING INTERIOR CMU WALLS, COORDINATE IN ADVANCE, PLACEMENT OF NEW LINES WITH EXISTING DOORWAYS OR NEW SAW-CUT OPENINGS THAT EXTEND DOWN TO THE FLOOR. REFER TO PLUMBING AND STRUCTURAL DRAWINGS.
13. GENERAL CONTRACTOR SHALL LOCATE, IDENTIFY AND DISCONNECT, SEAL OR CAP-OFF ALL UTILITY SERVICES INCLUDING MECHANICAL/ELECTRICAL/PLUMBING SYSTEMS SERVING AREAS TO BE SELECTIVELY DEMOLISHED AFTER BYPASSING SERVICES. REFER TO ELECTRICAL, MECHANICAL AND PLUMBING DRAWINGS.
14. REMOVE ALL ELECTRICAL PANELS, EQUIPMENT, LIGHT FIXTURES, CONTROLS, DEVICES AND SURFACE MOUNTED CONDUITS. REFER TO ELECTRICAL DRAWINGS.
15. REMOVE ALL PLUMBING FIXTURES AND FITTINGS. REFER TO PLUMBING DRAWINGS.
16. REMOVE ALL MECHANICAL EQUIPMENT INCLUDING BUT NOT LIMITED TO A/C DUCTWORK, ASSOCIATED GRILLES/DIFFUSERS, AIR HANDLERS AND CONDENSERS. REFER TO MECHANICAL DRAWINGS.


EXISTING WITH VARIOUS ITEMS TO BE REMOVED. PATCH AND REPAIR ITEMS TO REMAIN.

EXISTING TO BE DEMOLISHED


FLOOR SLAB TO BE PATCHED AND RESURFACED

FLOOR SLAB TO BE REMOVED AND REPLACED. PROVIDE ADDITIONAL CONCRETE SUPPORT WALLS UNDER NEW SLAB AS INDICATED ON STRUCTURAL DRAWINGS.

KEY PLAN



KEY PLAN



CITY OF TAMPA
APPROVED PLANS MUST BE ON SITE
NOT VALID WITHOUT
BUILDING PLANS
BLD-25-0517072
9/3/2025

City of Tampa
CONSTRUCTION SERVICES DIVISION
PLANS APPROVAL
BLD-25-0517072 9/3/2025
THIS SET OF PLANS MUST BE KEPT ON THE JOB SITE
It is unlawful to make alterations without written approval from the City of Tampa Construction Services Division.
The Stamping of these plans is held to permit only compliance of any City or State Codes
REVIEWED FOR CODE COMPLIANCE

Architects Design Group
333 North Knowles Avenue
Winter Park, Florida 32789
HOWARD + ASSOCIATES ARCHITECTS, P.A.
3300 Henderson Blvd., Ste. 206S
Tampa, FL 33609 • 813.872.6680
Ian Reeves

SIGNATURE AND SEAL:



DO NOT SCALE THE DRAWINGS. VERIFY ALL DIMENSIONS BEFORE COMMENCING ANY WORK. THE ARCHITECT HEREBY EXPRESSLY RESERVES COPYRIGHT AND OTHER PROPERTY RIGHTS IN THESE DRAWINGS. THESE DRAWINGS AND DESIGN HEREIN SHALL REMAIN THE PROPERTY OF THE ARCHITECT AND IS NOT TO BE COPIED, REPRODUCED OR ASSIGNED TO ANY PARTY WITHOUT THE ARCHITECT'S WRITTEN PERMISSION.

ADG PROJECT NO. **1087**

C.o.T. NO. **24-C-00032**

PROJECT STATUS:

PERMIT DOCUMENTS

ISSUE DATE:

9/9/2024

REVISIONS:

DRAWN BY: **WJ / MP2**

CHECKED BY: **RM**

TPD HOWARD AVENUE ANNEX BUILDING

DEMOLITION PLAN AREA A & C

TRUE PROJECT NORTH:


AD-101A

GENERAL NOTES


1. ALL INTERIOR STOREFRONT MULLIONS SHOWN AT 2-1/2" IN WIDTH (CONFIRM DIMENSIONS WITH MANUFACTURER'S SPECIFICATIONS)
2. ALL INTERIOR STOREFRONTS' GLAZING MATERIAL TO BE TYPE 'B' U.N.O.
3. FIELD VERIFY ALL DIMENSIONS PRIOR TO FABRICATION / INSTALLATION
4. EXISTING TO BE DEMOLISHED / REMOVED. FILL REMAINING EXTERIOR MASONRY OPENING WITH C.M.U. FLUSH WITH ADJACENT EXTERIOR WALLS. PREP NEW AND SURROUNDING ADJACENT SURFACES TO RECEIVE NEW STUCCO FINISH, TYPICAL. REFER TO STRUCTURAL DRAWINGS.
5. REFER TO FLOOR PLAN SHEETS A-101A & A-101B REGARDING LOCATION OF ALL WINDOW DESIGNATIONS SHOWN AND IDENTIFIED ON THIS SHEET.
6. ALL EXISTING EXTERIOR CONCRETE SURFACES (PERIMETER WALLS and PILASTER COLUMNS) SHALL RECEIVE A COMBINATION STUCCO OVER METAL LATHE FINISH. NEW EXTERIOR CONCRETE SURFACES, AS PART OF THE ONE-STORY ADDITION TO THE NORTH, WILL RECEIVE A STUCCO FINISH DIRECTLY APPLIED TO THE EXPOSED SURFACE.

GLAZING MATERIAL TYPES


A	LOW-E, IMPACT RATED, LAMINATED, INSULATED GLAZING




6 WINDOW ELEVATION - SOUTH
1/4" = 1'-0"




5 WINDOW ELEVATION - EAST
1/4" = 1'-0"




4 WINDOW ELEVATION - NORTH 02
1/4" = 1'-0"



3 WINDOW ELEVATION - WEST 02
1/4" = 1'-0"



2 WINDOW ELEVATION - WEST 01
1/4" = 1'-0"



1 WINDOW ELEVATION - NORTH 01
1/4" = 1'-0"

CITY OF TAMPA
APPROVED SITE REVIEW ONLY,
NOT VALID WITHOUT
BUILDING PLANS
BLD-25-0517072
9/3/2025

City of Tampa
CONSTRUCTION SERVICES DIVISION
PLANS APPROVAL
BLD-25-0517072 9/3/2025
THIS SET OF PLANS MUST BE KEPT ON THE JOB SITE
It is unlawful to make alterations without written approval from the City of Tampa Construction Services Division.
The Stamp of Approval is not to be held to permit violation of any City, or State codes.
REVIEWED FOR CODE COMPLIANCE

Architects Design Group
333 North Knowles Avenue
Winter Park, Florida 32789
HOWARD+ASSOCIATES
ARCHITECTS, P.A.
3300 Henderson Blvd., Ste. 206E
Tampa, FL 33609 • 813.875.6880
Ian Reeves

SIGNATURE AND SEAL:

DO NOT SCALE THE DRAWINGS. VERIFY ALL DIMENSIONS BEFORE COMMENCING ANY WORK. THE ARCHITECT HEREBY EXPRESSLY RESERVES COPYRIGHT AND OTHER PROPERTY RIGHTS IN THESE DRAWINGS. THESE DRAWINGS AND DESIGN HEREIN SHALL REMAIN THE PROPERTY OF THE ARCHITECT AND IS NOT TO BE COPIED, REPRODUCED OR ASSIGNED TO ANY PARTY WITHOUT THE ARCHITECT'S WRITTEN PERMISSION.

ADG PROJECT NO. **1087**

C.o.T. NO. **24-C-00032**

PROJECT STATUS:

PERMIT DOCUMENTS

ISSUE DATE:

9/9/2024

REVISIONS:

DRAWN BY: **WJ / MP2**

CHECKED BY: **RM**

TPD HOWARD AVENUE ANNEX BUILDING


EXTERIOR WINDOW ELEVATIONS

A-501


GENERAL NOTES

1. ALL EXISTING STRUCTURE NOTED IN DIAGONAL HALFTONE, VERIFY IN FIELD (V.I.F.) ALL EXISTING WALL DIMENSIONS PRIOR TO WORK.
2. ALL EXISTING EXTERIOR CONCRETE SURFACES (PERIMETER WALLS and PILASTER COLUMNS) SHALL RECEIVE A COMBINATION STUCCO OVER METAL LATHE FINISH. NEW EXTERIOR CONCRETE SURFACES, AS PART OF THE ONE-STORY ADDITION TO THE NORTH, WILL RECEIVE A STUCCO FINISH DIRECTLY APPLIED TO THE EXPOSED SURFACE.


EXISTING CONDITIONS: WALL, ROOF AND SLAB




5 DETAIL - WINDOW HEAD
3" = 1'-0"




4 DETAIL - WINDOW JAMB @ COLUMN
3" = 1'-0"



3 DETAIL - WINDOW JAMB
3" = 1'-0"



2 DETAIL - WINDOW HEAD
3" = 1'-0"



1 DETAIL - WINDOW SILL
3" = 1'-0"

CITY OF TAMPA
APPROVED SITE REVIEW ONLY, NOT VALID WITHOUT BUILDING PLANS
BLD-25-0517072
9/3/2025

City of Tampa
CONSTRUCTION SERVICES DIVISION
PLANS APPROVAL
BLD-25-0517072 9/3/2025
THIS SET OF PLANS MUST BE KEPT ON THE JOB SITE AT ALL TIMES
It is unlawful to make alterations without written approval from the City of Tampa Construction Services Division.
The Stamp of Approval is not to be held to permit violation of any City or State codes.
REVIEWED FOR CODE COMPLIANCE

Architects Design Group
333 North Knowles Avenue
Winter Park, Florida 32789
HOWARD+ASSOCIATES ARCHITECTS, P.A.
AA0003510
3300 Henderson Blvd., Ste. 206S
Tampa, FL 33609 • 813.872.6680
Ian Reeves

SIGNATURE AND SEAL:



DO NOT SCALE THE DRAWINGS. VERIFY ALL DIMENSIONS BEFORE COMMENCING ANY WORK. THE ARCHITECT HEREBY EXPRESSLY RESERVES COPYRIGHT AND OTHER PROPERTY RIGHTS IN THESE DRAWINGS. THESE DRAWINGS AND DESIGN HEREIN SHALL REMAIN THE PROPERTY OF THE ARCHITECT AND IS NOT TO BE COPIED, REPRODUCED OR ASSIGNED TO ANY PARTY WITHOUT THE ARCHITECT'S WRITTEN PERMISSION.

ADG PROJECT NO. **1087**

C.o.T. NO. **24-C-00032**

PROJECT STATUS:
PERMIT DOCUMENTS

ISSUE DATE:
9/9/2024

REVISIONS:

DRAWN BY: **WJ / MP2**
CHECKED BY: **RM**

TPD HOWARD AVENUE ANNEX BUILDING

EXTERIOR WINDOW DETAILS

A-511


DOOR SCHEDULE - EXTERIOR

DOOR TAG	DOOR TYPE	DESCRIPTION	DOOR				CLOSERS	CARD READER	FIRE RATING	HWD SET	FRAME		DETAILS			COMMENTS
			HEIGHT	WIDTH	MATERIAL	GLASS TYPE					FRAME TYPE	FRAME MATERIAL	HEAD	JAMB	THRESHOLD	
100A	DBL D3	STOREFRONT DOUBLE DOORS	7' - 10 3/4"	6' - 7"	AL	C	Yes	Yes		1.0	See Door Schedule Note - No. 9	AL	8/A-613	9 & 10/A-613	7/A-613	ADA Automatic Door Operators
119B	OHC1	FBC RATED, INSULATED OVERHEAD COILING DOOR	10' - 0"	12' - 0"	STL		No	Yes	As Specified in 08 36 00	34.1		STL	2/A-613	3/A-613	1/A-613	
119C	OHC1	FBC RATED, INSULATED OVERHEAD COILING DOOR	10' - 0"	12' - 0"	STL		No	Yes	As Specified in 08 36 00	34.1		STL	2/A-613	3/A-613	1/A-613	
119D	D1	EXTERIOR FBC RATED DOOR	7' - 0"	3' - 0"	HM		Yes	Yes		3.0	F2	HM	5/A-613	6/A-613	4/A-613	
120B	OHC1	FBC RATED, INSULATED OVERHEAD COILING DOOR	10' - 0"	12' - 0"	STL		No	Yes	As Specified in 08 36 00	34.1		STL	2/A-613	3/A-613	1/A-613	
121B	OHC1	FBC RATED, INSULATED OVERHEAD COILING DOOR	14' - 0"	14' - 0"	STL		No	Yes	As Specified in 08 36 00	34.1		STL	2/A-613	3/A-613	1/A-613	See Door Schedule Note - No. 7
121C	D1	EXTERIOR FBC RATED DOOR	7' - 0"	3' - 0"	HM		Yes	Yes		5.0	F2	HM	5/A-613	6/A-613	4/A-613	
121D	OHC1	FBC RATED, INSULATED OVERHEAD COILING DOOR	14' - 0"	14' - 0"	STL		No	No	As Specified in 08 36 00	34.0		STL	2/A-613	3/A-613	1/A-613	
123A	D1	EXTERIOR FBC RATED DOOR	7' - 0"	3' - 0"	HM		Yes	Yes		5.0	F2	HM	5/A-613	6/A-613	4/A-613	
123B	OHC1	FBC RATED, INSULATED OVERHEAD COILING DOOR	14' - 0"	14' - 0"	STL		No	Yes	As Specified in 08 36 00	34.1		STL	2/A-613	3/A-613	1/A-613	
124	DBL D1	EXTERIOR FBC RATED DOOR	7' - 0"	6' - 0"	HM		Yes	Yes		2.0	F2	HM	5/A-613	6/A-613	4/A-613	
C103	D2	EXTERIOR FBC RATED DOOR	7' - 0"	4' - 0"	HM	C	Yes	Yes		6.0	F2	HM	7/A-611	10/A-611	4/A-613	
C107A	D1	EXTERIOR FBC RATED DOOR	7' - 0"	3' - 0"	HM		Yes	No		4.0	F2	HM	7/A-611	10/A-611	4/A-613	Only operable from the inside. EXIT only.
C107B	OHC1	FBC RATED, INSULATED OVERHEAD COILING DOOR	10' - 0"	12' - 0"	STL		No	No	As Specified in 08 36 00	34.0		STL	11/A-613	12/A-613	1/A-613	
C107C	D1	EXTERIOR FBC RATED DOOR	7' - 0"	3' - 0"	HM		Yes	Yes		3.0	F2	HM	7/A-611	10/A-611 13/A-613	4/A-613	

DOOR SCHEDULE - INTERIOR

DOOR TAG	DOOR TYPE	DESCRIPTION	DOOR				CLOSERS	CARD READER	FIRE RATING	HWD SET	FRAME		DETAILS			COMMENTS
			HEIGHT	WIDTH	MATERIAL	GLASS TYPE					FRAME TYPE	FRAME MATERIAL	HEAD	JAMB	THRESHOLD	
100B	D1		7' - 0"	3' - 0"	SC		Yes	Yes		12.0	F1	HM	5/A-611	6/A-611	4/A-611	UL 752 BALLISTIC RATED LEVEL IV
101	D1		7' - 0"	3' - 0"	SC		No	No		31.0	F1	HM	2/A-611	3/A-611	1/A-611	
102	D1		7' - 0"	3' - 0"	SC		No	No		31.0	F1	HM	2/A-611	3/A-611	1/A-611	
103	D1		7' - 0"	3' - 0"	SC		Yes	Yes		6.0	F1	HM	5/A-611	6/A-611	4/A-611	UL 752 BALLISTIC RATED LEVEL IV
104A	D1		7' - 0"	3' - 0"	SC		Yes	Yes		6.0	F1	HM	5/A-611	6/A-611	4/A-611	UL 752 BALLISTIC RATED LEVEL IV
104B	D1		7' - 0"	3' - 0"	SC		Yes	Yes		32.0	F2	HM	13/A-611	14/A-611	1/A-611	
105	D1		7' - 0"	3' - 0"	SC		Yes	No		26.0	F1	HM	2/A-611	3/A-611	1/A-611	
106A	D1		7' - 0"	3' - 0"	SC		Yes	Yes		13.0	F1	HM	5/A-611	6/A-611	4/A-611	UL 752 BALLISTIC RATED LEVEL IV
106B	D1		7' - 0"	3' - 0"	SC		Yes	Yes		18.0	F1	HM	2/A-611	3/A-611	1/A-611	
107	D1		7' - 0"	3' - 0"	SC		Yes	Yes		13.0	F1	HM	5/A-611	6/A-611	4/A-611	UL 752 BALLISTIC RATED LEVEL IV
108	DBL D1		7' - 0"	6' - 0"	SC		Yes	No		20.0	F1	HM	2/A-611	3/A-611	1/A-611	
110A	D3		7' - 0"	3' - 0"	SC	B	Yes	No		27.0	F1	HM	2/A-611	3/A-611	1/A-611	
110B	D1		7' - 0"	3' - 0"	SC		Yes	Yes		15.0	F2	HM	13/A-611	14/A-611	1/A-611	
111	D1		7' - 0"	3' - 0"	SC		Yes	No		27.0	F1	HM	2/A-611	3/A-611	1/A-611	
112	D1		7' - 0"	3' - 0"	SC		Yes	No		27.0	F1	HM	2/A-611	3/A-611	1/A-611	
114	D1		7' - 0"	3' - 0"	SC		No	No		30.0	F1	HM	2/A-611	3/A-611	1/A-611	
115	D1		7' - 0"	3' - 0"	SC		No	No		30.0	F1	HM	2/A-611	3/A-611	1/A-611	
116	D1		7' - 0"	3' - 0"	SC		No	No		30.0	F1	HM	2/A-611	3/A-611	1/A-611	
117	D1		7' - 0"	3' - 0"	SC		No	No		30.0	F1	HM	2/A-611	3/A-611	1/A-611	
119A	D1		7' - 0"	4' - 0"	HM		Yes	Yes		19.0	F2	HM	2/A-612	3/A-612	1/A-612	
120A	D1		7' - 0"	3' - 0"	HM		Yes	No		25.0	F2	HM	4/A-612	5/A-612	1/A-611	
121A	D1		7' - 0"	4' - 0"	HM		Yes	Yes		16.0	F2	HM	6/A-612	7/A-612	1/A-611	
122	DBL D1		7' - 0"	6' - 0"	SC		No	No		11.0	F2	HM	8/A-612	9/A-612	1/A-611	
127	D1		7' - 0"	3' - 0"	SC		Yes	Yes		17.0	F1	HM	2/A-611	3/A-611	1/A-611	
128	D1		7' - 0"	3' - 0"	SC		Yes	Yes		17.0	F1	HM	2/A-611	3/A-611	1/A-611	
129	D1		7' - 0"	3' - 0"	SC		No	No		30.0	F1	HM	2/A-611	3/A-611	1/A-611	
130	D1		7' - 0"	3' - 0"	SC		No	No		31.0	F1	HM	2/A-611	3/A-611	1/A-611	
131	D1		7' - 0"	3' - 0"	SC		No	No		31.0	F1	HM	2/A-611	3/A-611	1/A-611	
132	D1		7' - 0"	3' - 0"	SC		No	No		29.0	F1	HM	2/A-611	3/A-611	1/A-611	
133	D1		7' - 0"	3' - 0"	SC		No	No		30.0	F1	HM	2/A-611	3/A-611	1/A-611	
134	D1		7' - 0"	3' - 0"	SC		No	No		28.0	F1	HM	2/A-611	3/A-611	1/A-611	
135	D1		7' - 0"	3' - 0"	SC		No	No		30.0	F1	HM	2/A-611	3/A-611	1/A-611	
136	D1		7' - 0"	3' - 0"	SC		No	No		30.0	F1	HM	2/A-611	3/A-611	1/A-611	
137	D1		7' - 0"	3' - 0"	SC		Yes	Yes		17.0	F1	HM	2/A-611	3/A-611	1/A-611	
138A	D1		7' - 0"	3' - 0"	SC		Yes	Yes		14.0	F1	HM	2/A-611	3/A-611	1/A-611	
138B	D1		7' - 0"	3' - 0"	SC		Yes	No		25.0	F1	HM	2/A-611	3/A-611	1/A-611	
138C	D1		7' - 0"	3' - 0"	SC		Yes	Yes		14.0	F1	HM	2/A-611	3/A-611	1/A-611	
139	D1		7' - 0"	3' - 0"	SC		Yes	Yes		18.0	F1	HM	2/A-611	3/A-611	1/A-611	
140A	D1		7' - 0"	3' - 0"	SC		Yes	No		25.0	F1	HM	2/A-611	3/A-611	1/A-611	
140B	D1		7' - 0"	3' - 0"	SC		Yes	No		25.0	F1	HM	2/A-611	3/A-611	1/A-611	
142	D1		7' - 0"	3' - 0"	SC		No	No		30.0	F1	HM	2/A-611	3/A-611	1/A-611	
143	D1		7' - 0"	3' - 0"	SC		No	No		30.0	F1	HM	2/A-611	3/A-611	1/A-611	
144	D1		7' - 0"	3' - 0"	SC		No	No		30.0	F1	HM	2/A-611	3/A-611	1/A-611	
145	D1		7' - 0"	3' - 0"	SC		No	No		30.0	F1	HM	2/A-611	3/A-611	1/A-611	
146	DBL D1		7' - 0"	6' - 0"	SC		Yes	Yes		10.0	F1	HM	2/A-611	3/A-611	1/A-611	
147	DBL D1		7' - 0"	6' - 0"	SC		Yes	Yes		9.0	F1	HM	2/A-611	3/A-611	1/A-611	
147A	D1		7' - 0"	2' - 6"	SC		No	No		28.0	F1	HM	2/A-611	3/A-611	1/A-611	
148	D1		7' - 0"	3' - 0"	SC		Yes	Yes		14.0	F1	HM	2/A-611	3/A-611	1/A-611	
148A	DBL D1		7' - 0"	6' - 0"	SC		No	No		21.0	F1	HM	2/A-611	3/A-611	1/A-611	
149A	D1		7' - 0"	3' - 0"	SC		Yes	No		25.0	F2	HM	11/A-611	12/A-611	1/A-611	
149B	D1		7' - 0"	3' - 0"	SC		Yes	No		25.0	F2	HM	11/A-611	12/A-611	1/A-611	
150	DBL D1		7' - 0"	6' - 0"	SC		Yes	Yes		22.0	F1	HM	2/A-611	3/A-611	1/A-611	
150A	DBL D1		7' - 0"	6' - 0"	SC		Yes	No		23.0	F2	HM	10/A-612	11/A-612	1/A-611	STC 50+ RATED
150B	D1		7' - 0"	3' - 0"	HM		No	No		28.0	F1	HM	2/A-611	3/A-611	1/A-611	
151	D1		7' - 0"	4' - 0"	SC		Yes	No		26.0	F1	HM	2/A-611	3/A-611	1/A-611	
152A	DBL D1		7' - 0"	6' - 0"	SC		Yes	No		20.0	F1	HM	2/A-611	3/A-611	1/A-611	
152B	D1		7' - 0"	3' - 0"	SC		Yes	Yes		17.0	F1	HM	2/A-611	3/A-611	1/A-611	
153A	DBL D1		7' - 0"	6' - 0"	SC		Yes	Yes		10.1	F1	HM	8/A-611	9/A-611	1/A-611	
153B	D6	2' OPERABLE SIDE LEAF	7' - 0"	5' - 0"	SC		Yes	Yes		10.0	F1	HM	8/A-611	9/A-611	1/A-611	
154	DBL D1		7' - 0"	6' - 0"	SC		Yes	Yes		7.1	F1	HM	8/A-611	9/A-611	1/A-611	
155	D1		7' - 0"	3' - 0"	SC		No	No		30.0	F1	HM	2/A-611	3/A-611	1/A-611	
158	D1		7' - 0"	3' - 0"	SC		No	No		30.0	F1	HM	2/A-611	3/A-611	1/A-611	
159	D1		7' - 0"	3' - 0"	SC		No	No		30.0	F1	HM	2/A-611	3/A-611	1/A-611	
160	D1		7' - 0"	3' - 0"	SC		No	No		30.0	F1	HM	2/A-611	3/A-611	1/A-611	
161	D1		7' - 0"	3' - 0"	SC		No	No		30.0	F1	HM	2/A-611	3/A-611	1/A-611	
162	D1		7' - 0"	3' - 0"	SC		No	No		30.0	F1	HM	2/A-611	3/A-611	1/A-611	
165	D1		7' - 0"	3' - 0"	SC		No	No		31.0	F1	HM	2/A-611	3/A-611	1/A-611	
166	D1		7' - 0"	3' - 0"	SC		No	No		31.0	F1	HM	2/A-611	3/A-611	1/A-611	
167	D1		7' - 0"	3' - 0"	SC		No	No		31.0	F1	HM	2/A-611	3/A-611	1/A-611	
168	D1		7' - 0"	3' - 0"	SC		No	No		29.0	F1	HM	2/A-611	3/A-611	1/A-611	
169	DBL D1		7' - 0"	6' - 0"	SC		Yes	Yes		8.0	F1	HM	2/A-611	3/A-611	1/A-611	
170	DBL D1		7' - 0"	6' - 0"	SC		Yes	No		20.0	F1	HM	2/A-611	3/A-611	1/A-611	
171	DBL D1		7' - 0"	6' - 0"	SC		Yes	Yes		26.1	F1	HM	2/A-611	3/A-611	1/A-611	
172	DBL D1		7' - 0"	6' - 0"	SC		Yes	Yes		7.0	F1	HM	8/A-611	9/A-611	1/A-611	
173	DBL D1		7' - 0"	6' - 0"	SC		Yes	Yes		10.0	F1	HM	8/A-611	9/A-611	1/A-611	
C100A	D1		7' - 0"	4' - 0"	SC		Yes	Yes		24.0	F2	HM	11/A-611	12 & 15/A-611	1/A-611	
C100B	D2		7' - 0"	3' - 0"	SC	B	Yes	Yes		24.1	F1	HM	2/A-611	3/A-611	1/A-611	
C101A	D2		7' - 0"	3' - 0"	SC	B	Yes	Yes		24.0	F1	HM	2/A-611	3/A-611	1/A-611	
C104	D2		7' - 0"	4' - 0"	SC	B	Yes	Yes		14.0	F1	HM	2/A-611	3/A-611	1/A-611	


CITY OF TAMPA
APPROVED SITE REVIEW ONLY,
NOT VALID WITHOUT
BUILDING PLANS
BLD-25-0517072
9/3/2025





DOOR FRAME ELEVATIONS

3/8" = 1'-0"

NOTE: SEE SCHEDULE FOR GLAZING TYPE







DOOR ELEVATIONS

3/8" = 1'-0"

GENERAL NOTES

1. REFER TO FINISH SCHEDULE FOR ALL FINISH MATERIAL AND FINISH LOCATIONS.
2. ALL SURFACES EXPOSED TO VIEW ARE TO BE PAINTED PER SPECIFICATIONS DIVISION 9.
3. HOLLOW METAL FRAMES IN CMU/CONCRETE WALLS TO BE BITUMINOUS BACK COATED AND GROUT FILLED. PROVIDE CONDUIT RACEWAYS FOR ELECTRONIC WIRING PRIOR TO FRAME GROUTING. PROVIDE ADDITIONAL STIFFENING / SUPPORT AS RECOMMENDED BY THE DOOR / FRAME MANUFACTURER.
4. ALL DOORS TO BE 1-3/4" UNLESS NOTED OTHERWISE.
5. FIELD VERIFY ALL DIMENSIONS.
6. REFER TO SPECIFICATION SECTION 08800 FOR GLAZING TYPES AND MATERIALS.
7. ALL DOORS IN MASONRY OPENINGS SHALL MATCH BLOCK COURSING, UNLESS NOTED OTHERWISE.
8. FIRE RATED GLAZING SHALL NOT BE WIRED GLASS.
9. ALL INTERIOR DOORS SHALL BE SOLID CORE OR HOLLOW METAL. SEE DOOR SCHEDULE.
10. SOUND ATTENUATED DOORS TO HAVE STC RATING OF 50 UNLESS NOTED OTHERWISE. FOR SOUND ATTENUATED DOORS, DO NOT UNDERCUT MORE THAN 3/4" A.F.F. SEE SPECIFICATIONS.
11. CONTRACTOR TO COORDINATE DOORS & FRAMES, WITH HARDWARE, SECURITY DEVICES, POWER AND RELATED ITEMS TO ENSURE COMPLETE INSTALLATION AND FUNCTIONAL OPERATION.
12. PROVIDE DOOR UNDERCUTS WHERE INDICATED ON MECHANICAL DRAWINGS.
13. SEE DOOR HARDWARE SPECIFICATIONS FOR INFORMATION REGARDING ALL HARDWARE (HWD) SETS.

DOOR SCHEDULE ABBREVIATIONS

AL	=	ALUMINUM
DBL	=	DOUBLE DOORS
DPS	=	DOOR POSITION SWITCH
HM	=	HOLLOW METAL DOOR/ OR FRAME
X	=	INDICATES LABEL, CLOSER OR ELECT. LOCK IS INCLUDED
N/A	=	NOT APPLICABLE
STL	=	GALVANIZED STEEL
SC	=	SOLID CORE WOOD DOOR
CR	=	ACCESS CONTROL CARD READER
GL	=	GLAZING
G	=	GATE
SG	=	SLIDE GATE
STC	=	SOUND TRANSMITTING COEFFICIENT

GLAZING MATERIAL TYPES

A. FLOAT OR PLATE GLASS; CLEAR; GLAZING QUALITY; 1/4" THICK MINIMUM.

B. SAFETY GLASS; CLEAR, FULLY TEMPERED; 1/4" THICK MINIMUM.

C. LOW-E, LAMINATED / INSULATED, MISSILE IMPACT LEVEL "D" GLAZING.

D. BULLET RESISTANT GLAZING; UL 752 LEVEL III (SPSA).

DOOR SCHEDULE NOTES

1. BULLET RESISTANT DOOR. SEE SPECS.
2. CARD READERS: SEE TECHNOLOGY SHEETS FOR EXACT CARD READER LOCATIONS.
3. PROVIDE PANIC HARDWARE. SEE SPECS.
4. PROVIDE DOOR CLOSURE & LATCHING MECHANISM.
5. MOTORIZED WITH MANUAL OVER-RIDE.
6. INSULATED METAL ROLLING DOOR.
7. EXTERIOR OVERHEAD DOOR WITH DEDICATED PEDESTAL MOUNTED CARD READER. SEE SITE PLAN ON SHEET A-001 FOR LOCATION.
8. GATE WIDTH IS BASED ON CLEAR MEASUREMENT OF MASONRY OPENING AT EXTERIOR CMU WALLS.
9. REFER TO SHEET A-501, ELEVATION No. 2 TO SEE STOREFRONT DOOR FRAME TYPE ELEVATION.

DOOR & GATE SCHEDULE - SITE

DOOR TAG	DOOR TYPE	DESCRIPTION	DOOR/GATE			CLOSERS	CARD READER	HWD SET	FRAME		DETAILS			COMMENTS
			HEIGHT	WIDTH	MATERIAL				FRAME TYPE	FRAME MATERIAL	HEAD	JAMB	THRESH OLD	
G001	G2	EXTERIOR LOUVERED GATE	8' - 0"	24' - 0"	STL		No	33.0		STL				See Door Schedule Note - No. 8
G002	G3	EXTERIOR LOUVERED GATE	8' - 0"	3' - 8"	STL		No	33.0		STL				See Door Schedule Note - No. 8
G003	G3	EXTERIOR LOUVERED GATE	8' - 0"	4' - 8"	STL		Yes	33.1		STL				See Door Schedule Note - No. 8 GATE MAG & TOUCH SENSE BAR (TSB) - DIV. 28
G004	G7	SECURITY PICKET GATE	7' - 0"	4' - 0"	STL		Yes	33.1		STL				GATE MAG & TOUCH SENSE BAR (TSB) - DIV. 28
G005	G4	EXTERIOR CHAIN LINK GATE	7' - 0"	4' - 0"	STL		No	33.0		STL				BLACK VINYL COAT & PRIVACY SLATS
G006	G4	EXTERIOR CHAIN LINK GATE	7' - 0"	4' - 0"	STL		No	33.0		STL				BLACK VINYL COAT & PRIVACY SLATS
G007	G6	EXTERIOR ROLLING CHAIN LINK GATE	7' - 0"	6' - 0"	STL		No	33.0		STL				BLACK VINYL COAT
G008	G5	SINGLE SWING AUTOMATIC GATE	8' - 0"	16' - 0"			No	33.0						
G009	G5	SINGLE SWING AUTOMATIC GATE	8' - 0"	16' - 0"			No	33.0						
G010	G2	EXTERIOR LOUVERED GATE	12' - 0"	13' - 10"	STL		No	33.0		STL				See Door Schedule Note - No. 8
G011	G2	EXTERIOR LOUVERED GATE	12' - 0"	13' - 10"	STL		No	33.0		STL				See Door Schedule Note - No. 8
G012	G4	EXTERIOR CHAIN LINK GATE	10' - 0"	6' - 0"	STL		Yes	33.2		STL				BLACK VINYL COAT, PRIVACY SLATS & BARBED WIRE
G013	DBL G4	EXTERIOR CHAIN LINK GATE	6' - 0"	18' - 0"	STL		No	33.0		STL				BLACK VINYL COAT & PRIVACY SLATS

City of Tampa
CONSTRUCTION SERVICES DIVISION
PLAN APPROVAL
BLD-25-0517072 9/3/2025
THIS SET OF PLANS MUST BE KEPT ON THE JOB SITE
It is unlawful to make alterations without written approval from the City of Tampa Construction Services Division.
The Stamp of Approval must be held to permit construction of any City or State Codes.
REVIEWED FOR CODE COMPLIANCE

Architects Design Group
333 North Knowles Avenue
Winter Park, Florida 32789
HOWARD+ASSOCIATES
ARCHITECTS, P.A.
3300 Henderson Blvd., Ste. 206E
Tampa, FL 33609 • 813.872.6880
Ian Reeves

SIGNATURE AND SEAL:



DO NOT SCALE THE DRAWINGS. VERIFY ALL DIMENSIONS BEFORE COMMENCING ANY WORK. THE ARCHITECT HEREBY EXPRESSLY RESERVES COPYRIGHT AND OTHER PROPERTY RIGHTS IN THESE DRAWINGS. THESE DRAWINGS AND DESIGN HEREIN SHALL REMAIN THE PROPERTY OF THE ARCHITECT AND IS NOT TO BE COPIED, REPRODUCED OR ASSIGNED TO ANY PARTY WITHOUT THE ARCHITECT'S WRITTEN PERMISSION.

ADG PROJECT NO. **1087**

C.o.T. NO. **24-C-00032**

PROJECT STATUS:

PERMIT DOCUMENTS

ISSUE DATE:

9/9/2024

REVISIONS:

DRAWN BY: **VG / MP2**

CHECKED BY: **RM**

TPD HOWARD AVENUE ANNEX BUILDING


DOOR SCHEDULES

A-601


GENERAL NOTES

1. ALL EXISTING STRUCTURE NOTED IN DIAGONAL HALFTONE. VERIFY IN FIELD (V.I.F.) ALL EXISTING WALL DIMENSIONS PRIOR TO WORK.
2. ALL EXISTING EXTERIOR CONCRETE SURFACES (PERIMETER WALLS and PILASTER COLUMNS) SHALL RECEIVE A COMBINATION STUCCO OVER METAL LATHE FINISH. NEW EXTERIOR CONCRETE SURFACES, AS PART OF THE ONE-STORY ADDITION TO THE NORTH, WILL RECEIVE A STUCCO FINISH DIRECTLY APPLIED TO THE EXPOSED SURFACE.


EXISTING CONDITIONS: WALL, ROOF AND SLAB




12 INTERIOR H.M. DOOR JAMB @ CMU
3" = 1'-0"




8 INTERIOR H.M. DOOR HEAD @ SECURITY PARTITION
3" = 1'-0"




4 INTERIOR DOOR SILL BALLISTIC
3" = 1'-0"




15 INTERIOR H.M. DOOR JAMB @ CMU
3" = 1'-0"




11 INTERIOR H.M. DOOR HEAD @ CMU
3" = 1'-0"




7 EXTERIOR H.M. DOOR HEAD @ CMU
3" = 1'-0"




3 INTERIOR DOOR JAMB
3" = 1'-0"




14 INTERIOR H.M. DOOR JAMB @ CMU
3" = 1'-0"




10 EXTERIOR H.M. DOOR JAMB @ CMU
3" = 1'-0"




6 INTERIOR BALLISTIC JAMB
3" = 1'-0"




2 INTERIOR DOOR HEAD
3" = 1'-0"



INTERIOR H.M. DOOR JAMB @ SECURITY PARTITION
9 3" = 1'-0"



5 INTERIOR BALLISTIC DOOR HEAD
3" = 1'-0"



1 INTERIOR DOOR SILL
3" = 1'-0"

CITY OF TAMPA
APPROVED SITE REVIEW ONLY, NOT VALID WITHOUT BUILDING PLANS
BLD-25-051702
9/3/2025

City of Tampa
CONSTRUCTION SERVICES DIVISION
PLANS APPROVAL
BLD-25-051702 9/3/2025
THIS SET OF PLANS MUST BE KEPT ON THE JOB SITE
It is unlawful to make alterations without written approval from the City of Tampa Construction Services Division.
The Stamp of Approval is not to be held to permit violation of any City or State Codes
REVIEWED FOR CODE COMPLIANCE

Architects Design Group
333 North Knowles Avenue
Winter Park, Florida 32789
HOWARD + ASSOCIATES ARCHITECTS, P.A.
3300 Henderson Blvd., Ste. 206E
Tampa, FL 33609 • 813.875.6181
Ian Reeves

SIGNATURE AND SEAL:

DO NOT SCALE THE DRAWINGS. VERIFY ALL DIMENSIONS BEFORE COMMENCING ANY WORK. THE ARCHITECT HEREBY EXPRESSLY RESERVES COPYRIGHT AND OTHER PROPERTY RIGHTS IN THESE DRAWINGS. THESE DRAWINGS AND DESIGN HEREIN SHALL REMAIN THE PROPERTY OF THE ARCHITECT AND IS NOT TO BE COPIED, REPRODUCED OR ASSIGNED TO ANY PARTY WITHOUT THE ARCHITECT'S WRITTEN PERMISSION.

ADG PROJECT NO. **1087**

C.o.T. NO. **24-C-00032**

PROJECT STATUS:
PERMIT DOCUMENTS

ISSUE DATE:
9/9/2024

REVISIONS:

DRAWN BY: **WJ / MP2**
CHECKED BY: **RM**

TPD HOWARD AVENUE ANNEX BUILDING


DOOR DETAILS

A-611


GENERAL NOTES

1. ALL EXISTING STRUCTURE NOTED IN DIAGONAL HALFTONE. VERIFY IN FIELD (V.I.F.) ALL EXISTING WALL DIMENSIONS PRIOR TO WORK.
2. ALL EXISTING EXTERIOR CONCRETE SURFACES (PERIMETER WALLS and PILASTER COLUMNS) SHALL RECEIVE A COMBINATION STUCCO OVER METAL LATHE FINISH. NEW EXTERIOR CONCRETE SURFACES, AS PART OF THE ONE-STORY ADDITION TO THE NORTH, WILL RECEIVE A STUCCO FINISH DIRECTLY APPLIED TO THE EXISTING SURFACE.


EXISTING CONDITIONS: WALL, ROOF AND SLAB




8 INTERIOR H.M. DOOR HEAD @ CMU
3" = 1'-0"




4 INTERIOR H.M. DOOR HEAD @ CMU
3" = 1'-0"




11 INTERIOR H.M.DOOR JAMB @ CMU
3" = 1'-0"




7 INTERIOR H.M.DOOR JAMB @ CMU
3" = 1'-0"




3 INTERIOR H.M.DOOR JAMB @ CMU
3" = 1'-0"




10 INTERIOR H.M. DOOR HEAD @ CMU
3" = 1'-0"




6 INTERIOR H.M. DOOR HEAD @ CMU
3" = 1'-0"




2 INTERIOR H.M. DOOR HEAD @ CMU
3" = 1'-0"



9 INTERIOR H.M.DOOR JAMB @ CMU
3" = 1'-0"



5 INTERIOR H.M.DOOR JAMB @ CMU
3" = 1'-0"



1 DOOR SILL
3" = 1'-0"

CITY OF TAMPA
APPROVED SITE REVIEW ONLY, NOT VALID WITHOUT BUILDING PLANS
BLD-25-0517072
9/3/2025

City of Tampa
CONSTRUCTION SERVICES DIVISION
PLANS APPROVAL
BLD-25-0517072 9/3/2025
THIS SET OF PLANS MUST BE KEPT ON THE JOB SITE
It is unlawful to make alterations without written approval from the City of Tampa Construction Services Division.
The Stamp of Approval is not to be held to permit violation of any City or State Codes.
REVIEWED FOR CODE COMPLIANCE

ADG Architects Design Group
333 North Knowles Avenue
Winter Park, Florida 32789
HOWARD + ASSOCIATES ARCHITECTS, P.A.
3300 Henderson Blvd., Ste. 206S
Tampa, FL 33609 • 813.872.6880
Ian Reeves

SIGNATURE AND SEAL:

DO NOT SCALE THE DRAWINGS. VERIFY ALL DIMENSIONS BEFORE COMMENCING ANY WORK. THE ARCHITECT HEREBY EXPRESSLY RESERVES COPYRIGHT AND OTHER PROPERTY RIGHTS IN THESE DRAWINGS. THESE DRAWINGS AND DESIGN HEREIN SHALL REMAIN THE PROPERTY OF THE ARCHITECT AND IS NOT TO BE COPIED, REPRODUCED OR ASSIGNED TO ANY PARTY WITHOUT THE ARCHITECT'S WRITTEN PERMISSION.

ADG PROJECT NO. **1087**

C.o.T. NO. **24-C-00032**

PROJECT STATUS:

PERMIT DOCUMENTS

ISSUE DATE:

9/9/2024

REVISIONS:

DRAWN BY: **WJ / MP2**

CHECKED BY: **RM**

TPD HOWARD AVENUE ANNEX BUILDING


DOOR DETAILS

A-612


GENERAL NOTES

1. ALL EXISTING STRUCTURE NOTED IN DIAGONAL HALFTONE. VERIFY IN FIELD (V.I.F.) ALL EXISTING WALL DIMENSIONS PRIOR TO WORK.
2. ALL EXISTING EXTERIOR CONCRETE SURFACES (PERIMETER WALLS and PILASTER COLUMNS) SHALL RECEIVE A COMBINATION STUCCO OVER METAL LATHE FINISH. NEW EXTERIOR CONCRETE SURFACES, AS PART OF THE ONE-STORY ADDITION TO THE NORTH, WILL RECEIVE A STUCCO FINISH DIRECTLY APPLIED TO THE EXPOSED SURFACE.


EXISTING CONDITIONS: WALL, ROOF AND SLAB




13 H.M. DOOR JAMB
3" = 1'-0"




STOREFRONT DOOR JAMB DETAIL @ COLUMN
10 3" = 1'-0"




7 STOREFRONT DOOR SILL
3" = 1'-0"




6 H.M. DOOR JAMB
3" = 1'-0"




3 COILING DOOR JAMB
3" = 1'-0"




12 COILING DOOR JAMB
3" = 1'-0"




9 STOREFRONT DOOR JAMB
3" = 1'-0"




H.M. DOOR HEAD
@ CONCRETE BEAM
5 3" = 1'-0"




2 COILING DOOR HEAD
3" = 1'-0"




11 COILING DOOR HEAD
3" = 1'-0"



8 STOREFRONT DOOR HEAD
3" = 1'-0"



4 THRESHOLD DETAIL @ CMU
3" = 1'-0"



1 THRESHOLD @ COILING DOOR
3" = 1'-0"

CITY OF TAMPA
APPROVED SITE REVIEW ONLY, NOT VALID WITHOUT BUILDING PLANS
BLD-25-051072
9/3/2025

City of Tampa
CONSTRUCTION SERVICES DIVISION
PLANS APPROVAL
BLD-25-051072 9/3/2025
THIS SET OF PLANS MUST BE KEPT ON THE JOB SITE
It is unlawful to make changes or alterations without written approval from the City of Tampa Construction Services Division.
The Stamp of Approval is not to be held to permit violation of any City, or State Codes.
REVIEWED FOR CODE COMPLIANCE

Architects Design Group
333 North Knowles Avenue
Winter Park, Florida 32789
HOWARD+ASSOCIATES ARCHITECTS, P.A.
3300 Henderson Blvd., Ste. 206S
Tampa, FL 33609 • 813.872.6880

Ian Reeves

SIGNATURE AND SEAL:

STATE OF FLORIDA
IAN M. REEVES
REGISTERED ARCHITECT

DO NOT SCALE THE DRAWINGS. VERIFY ALL DIMENSIONS BEFORE COMMENCING ANY WORK. THE ARCHITECT HEREBY EXPRESSLY RESERVES COPYRIGHT AND OTHER PROPERTY RIGHTS IN THESE DRAWINGS. THESE DRAWINGS AND DESIGN HEREIN SHALL REMAIN THE PROPERTY OF THE ARCHITECT AND IS NOT TO BE COPIED, REPRODUCED OR ASSIGNED TO ANY PARTY WITHOUT THE ARCHITECT'S WRITTEN PERMISSION.

ADG PROJECT NO. **1087**

C.o.T. NO. **24-C-00032**

PROJECT STATUS:

PERMIT DOCUMENTS

ISSUE DATE:

9/9/2024

REVISIONS:

DRAWN BY: **WJ / MP2**

CHECKED BY: **RM**

TPD HOWARD AVENUE ANNEX BUILDING

EXTERIOR DOOR DETAILS

A-613