



Development & Growth Management

FAST PASS RESIDENTIAL POOLS

Virtual Submittal Requirements List

Residential pool for a single family or two family dwelling.

To facilitate the virtual appointment, it is required that the [Residential Miscellaneous Application](#) type be initiated online prior to the appointment and all required documents uploaded to the record.

Documentation required:

Site Plan

Location and Dimensions. Plan indicating location and dimensions of proposed pool, all property lines, onsite structures, and power lines.

Site Elevations. Existing and proposed assumed site elevations on a 25' grid and 10' past the adjacent property lines. (Assumed site elevations are acceptable).

Survey. If proposed pool includes over 1,000 square foot of deck, a signed and sealed topographical survey with elevations on a 25' grid and 10' past the property lines is required.

Trees. Identify all trees within 20' of proposed work (including species and diameter of each). Specimen trees 24" DBH (diameter breast height) require a minimum of 15' foot protective distance and Grand Trees 32" DBH or larger require a minimum of 20 foot from the construction.

Easements. All COT easements and private easements must be shown.

Cross Section. Cross section from property line to property line through the pool detailing proposed and existing elevations in relationship to finished floor elevation of the house/lanai.

Structural Plans

Signed and sealed structural plans to the current Florida Building Code, digital signature standards, and relevant laws, ordinances, rules and regulations stated in FBC section 454.2. Engineered pool structural plans may be placed on file through a separate process. Once approved they may be used for same day applications.

Plumbing. Completed piping, water supply and plumbing calculations. May use APSP-15 information sheet.

Completed [Owner-Builder Acknowledgement form](#) (if applicable)

Important

- If the proposed pool is on a property where a new residential dwelling is under construction or has been issued a c/o within 2 years, the site plan must be based on the approved plan for the SFR to ensure compliance with COT stormwater Technical Manual sections III A. and III C.
- Projects with encroachments into the listed tree protective distances must have the plan certified by an approved arborist under the COT self-certified arborist program.
- If a release of Easement is necessary, it must be approved by the Right of Way and Mapping division or private entity prior to submittal for a same day review.