

ADA COMPLIANCE FOR OUTDOOR EVENTS


Temporary outdoor events must be accessible to people with disabilities. Event planners must comply with the Americans with Disabilities Act (ADA) requirements and guidelines.

PARKING




One van-accessible parking space is required for every 25 spaces.

ADA parking spaces must be near an accessible entrance.




All accessible ADA parking spaces in Florida must be 144" wide with a 60" access aisle. The aisle can be shared with another accessible parking space.



Barricades are perfect to temporarily define space needed for people using wheelchairs, and to protect portable ramps.


ACCESSIBLE ROUTES TO EVENT ACTIVITIES & AMENITIES



Sidewalks and routes within the event and to public buildings must be at least 60" wide.




Elevation changes greater than 1/4" vertical must be ramped.



Barricades used to block off streets must be positioned so they do not interfere with accessible routes or curb ramps.

PUBLIC AREAS



Customer service counters must have a minimum clearance of 27" and a minimum width of 36".

Registration and customer service counters must be no more than 34" high.



Booths for street festivals must have accessible routes to all activities and exhibits.



PORTABLE TOILETS

Each group of portable toilets must include ADA compliant units totaling 5% of the group, but no fewer than one.



ADA units should be equipped with maneuvering space, grab bars, and toilet dispensers within reach.

Wheelchair accessible units must be positioned along an accessible route of travel and have adequate space for people in wheelchairs to maneuver into position or open the door and enter.

SIGNAGE




White characters on dark blue background maximizes visibility.

Inaccessible routes such as stairs must have a directional sign to the alternate "Accessible Route."



SEATING & DINING

All tables must provide at least one space for wheelchair access.



If seating is provided, "Accessible Seating" with "Companion Seating" must be available.

Tables must be a maximum of 34" high and have a minimum clearance of 27".